Pharmacopœia
Londinensis,
IN QVA
MEDICAMENTA
ANTIQVA ET NOVA
vsitatissima, sedulo collec:
ta, accuratissime examinata,
quotidiani experientia
confirmata descri-
buntur;
Diligenter reuisa, denuo recusa,
emendatior, auctior.
Quarta Editio.
Opera Medicorum Collegij
LONDINENSIS.
Ex Serenissimi REGIS mandato
Cum R.M. Priuilegio.
HIPPOCRATES
LONDON
Printed for IOHN MARRIOTT and are
to be sould at his shop in Fleetstreete
in S. Dunstons: 1633. Churchyards



SERENISSIMO

PRINCIPI IACOBO

MAGNAE BRITANNIAE, FRANCIÆ, HIBERNIÆ, &c. *REGI*, Collegium Medicorum LONDINENSIVM

ὑγιαίνειν, καὶ εὐφραίνεσθαι.

NVMINIS cum hominibus commercium, facilemque ad ſuperos aditum denotatura antiquitas; (licet ſub obſcura incertæ noctis nebula titubans, non inſagaci tamen acumine) Deorum ſimulachra ſub humana ſpecie variis inſignita titulis templis intulit: mutiſque ſtatuis diuinos decreuit honores, & aſsignauit ſacrificia quibus vel pacarentur, vel conciliarentur ſuperi, inferi, medioxymi. Principum plurimos cœlitibus aſsidere voluit, eorum memoriam venerata, & nihil minus quàm ſummum in ſublunaria impe-

rium attribuens illorum æternitati, quos vt potentiæ ſuæ vicarios dum vitali fruerentur aurâ Iupiter conſtituerat, ſic res in publicum bonum præclarè geſtæ, atque in ſubditos paternæ curæ iuncta liberalis comitas; dignos præſtiterant, qui Deorum immortalium ſocij haberentur. Nos qui reducto velo & diſcuſſa caligine certiora nunc veri numinis beneficio figimus veſtigia, vt cœlum juſtis precibus peruium, & *D. O. M.* ad pia vota facilem experimur: ſic te Principem noſtrum, (REX SERENISSIME) Reipublicæ Chriſtianæ, Regnorum inprimis tuorum bono terris datum, erga pios proboſque omnes flexibilem ac benignum, in tuos tenero & plus quàm paterno affectu propenſum cernimus, agnoſcimus, atque omnibus obſequij, officiorum, ſeruitij ritibus, quos omnipotens Regibus huiuſce mundi Diis aſſignauit, purè ſanctéque colendum pronunciamus. Tam aptus natus es ad bona, ad iuſta, ad auguſta, vt ab hac deflectere ſemita nec fas tibi ſit, nec ſi velles datum; tantus eſt naturæ tuæ candor, quæ virtutibus regiis ab incunabulis imbuta, nec nouo chromate tingi, nec veterem formam poteſt deponere! Sic Arcton aſpicit magnetico ſpiritu mobile redditum ferrum, & quantumvis detorqueas ad punctum redit. Quid attulerit compendij toti Chriſtiano orbi inſigne illud pacis ſtudium, quo in mutuam perniciem ruentes principum potentiſsimorum animos blando amicitiæ glutine fœliciter ferruminaſti: Quid tuis populis æquitas, quæ in cæteris tui ſimilibus mediocris, in te ſumma, tanquam in ſuæ actiuitatis ſphæra, triumphat;

Quid

Quid veræ Ecclesiæ pastoralis ille amor quo gregem Saluatoris prosequutus, schismata tollere citra ambitiosum fastum quotidie studes, alij loquantur quorum penna nomen tuum posteritati non fucato stylo tradere audacter satagit, materiæ vbertate diffluens, colorum quibus obumbrari si non deturpari solet memoria principum non indiga. Nos quibus MAIESTATI tuæ deuincti nodis viuamus explicemus libere, & viuenti Domino ea persoluamus vota, quæ Ioui nostro (juuans quippe tu nobis pater) debentur. Vniuersalis ille recti bonique amor efficit, vt dum næuos Rempublicam fœdantes sedulis perlustras oculis, Regiam aciem in Medicinæ castra deflexeris. Quot abs te istic conspectæ Lacunæ, quot hiatus? quot à via regia, quam veri Hygieias antistites calcant, aberrantia diuerticula monentibus primarijs nostrum benigniter notare dignatus es? Exinde factum, vt eodem momento cum errorum notitia, tot defectuum resarciendorum irrequieta cupido animum tuum incesserit. *In actione consistit virtus*, quæ dum in motu est viget, situ obsita quiete elangueſcit: in te Domine motu indesinenti, veluti primum mobile, ad se omnes animi tui facultates æternum rapit. *Rectum norma est sui & obliqui.* Propterea jussisti (REX OPTIME) vt ab iis quos cæteris prælucere in Medicina facienda æquum est, sumerentur faciendorum exordia. Collegium nostrum Medicum ab *Henrico Octauo, &c.* immunitatibus & priuilegiis donatum, tu Musarum omnium parens authoritate cumulare voluisti, ne quid deesset ad honoris culmen, ne-ue

relinqueretur lapis aliquis offendiculi. Ita poteſtate abs te conceſſa inſigniti Medicinæ proceres, in repurgando Augiæ ſtabulo, atque admittendis veris Aſclepiadis, eliminandis iis qui Laruati ſaltem perſonam Medicorum induunt, toti ſunt. Immortales tibi ſint gratiæ (SERENISSIME PRINCEPS) quod vel querelis noſtris, vel petitionibus, faciles quotidie aures accommodes, nec à nobis exoptatum quidquam hactenus, vnde ſchola noſtra paſſa ſit repulſam. Sui ſemper ſimilis virtus cubico ſitu mutationum neſcia ſubſiſtit. Hac freti fiducia, dum tua capeſsimus juſſa, atque in replendis lacunis & reparando vallo verſamur, id Senatui noſtro viſum eſt, artifici cuique ad ſcitum perfectumque opus producendum, neceſſaria eſſe idonea inſtrumenta, quæ urgente neceſsitate ex penu, vt tela ex armamentario, depromantur. Siqua in re anceps fluctuatio, ea certe in re medica eſt admodum periculoſa, in cuius praxi, quantum homini datum eſt, ſtatuenda ſunt certa remedia, quæ (*Deorum manus* à veteribus dicta) languentibus ægris tutò ab artis peritis adminiſtrentur. Quilibet Medicus in antiquorum ſcriptis vulgatas habet remediorum formulas; ſed eas abinuicem vt plurimùm diſcrepantes: ita vt in hac varietate tyronum mentes dubiæ (veluti in triuio) conſilij inopes conſiſtant, Pharmacopœiorum opera incertitudine parum fida (ipſis etiam inuitis) reddatur. Placuit itaq; Medicorum Collegio *Londinenſi* (cujus tu REX munificentiſsime tutelaris Deus es) tam antiqua quàm noua pharmaca neceſſaria in vnum conſarcinare volumen, atque donum hoc leuidenſe tuis

imponere

imponere aris; vel potiùs te non ſinente tantum, ſed etiam jubente, Auguſtæ Maieſtati tuæ offerre ſupellectilem, quâ ſubditorum tuorum corpora in poſterum à peſtifera morborum lue ſarta tectaque præſeruentur. Fœtus iſti gneſij, ſi propitiam exporrigas frontem, Solis tui perferent radios, qui ſpurios occæcare ſolent. Fac igitur, vt pro tibi innato more ſalutarem fauoris tui auram opus hoc ſentiat, cui (ſupplices petimus) vt liberum per regnorum tuorum limites indicas & neceſſarium commeatum. Vt veritas vna eſt, ſic certa ſit eius notitia. Vitæ ſubditorum tuorum intereſt, vt Medici quid præſcripturi ſint, Pharmocopœi quid in vſum paratum habituri, compertum habeant. Vacillationis pœna non minoris quam ipſius vitæ jactura conſtat. Tu qui iuris legumque ſautor es, capitis tuorum tutor eſſe velis. Edicto cautum ſit, ne alia vtantur ij (quorum non minus fœliciter quam juſtè habenas regis) Pharmacopœiâ, quæ non *Londinenſis* ſolùm, ſed ex vſu (ſi placet) Anglica in poſterum indigitetur. Sic fiet, vt à tritico ſecernantur paleæ, & agyrtæ, atque circulatores (quibus æquitas tua te reddit infenſiſsimum) à genuinis dignoſcantur. Sic tu Iupiter eris Liberator: Sic acceptam tibi feret ſanitatem tua Reſpublica: Sic denique dum ſummi inter humanas res boni Promotor & Conſeruator eris, eius, cuius in terris locum obtines, imitatorem te prodes verum, & quamdiù durabit Vniuerſi machina, memoriæ hominum heroicæ tuæ virtutes obuerſabuntur, ſicut tui pars melior viuet, tandem aliquando tradita æternitati: Quod vt ſerò contingat, imo

vt nulli noſtrum id videre contingat; ſed vt diutiſſime Mundo, patriæ, tuis, ſubditis, ſingulis noſtrum te incolumem ſeruet *D. O. M.* ex animo optant & precantur

Maieſtatis tuæ

Humillimi Clientes & fideliſſimi
Subditi *Socij Collegij Medicorum*
LONDINENSIS.

Candido

Candido Lectori.

PLurimum te saluêre iubet, quæ maximè saluum te fecit Medicina; & quo meliùs adhuc saluti tuæ consulat, nouam construxit officinam pharmaceuticam, quam non instruxit modò locupletissima remediorum salubrium supellectile, verùm & curam suscepit, vt illa sine fraude fidelius, sine errore tutiùs in salutem tuam componantur. Sed, opus inquis, quo non est opus. Cum præter veteres recentioresque plurimos vix aliqua sit transmarina Ciuitas aut Academia, celebrior, quæ istam non abunde Spartam ornauerit. Verum id forsan. At cedo, si tot isti veteribus non acquieuerint Mesue, Myrepso, Alexandrino, & aliis; sed suum voluerint singuli Antidotarium; Romani suum, suum Veneti, Florentini suum, suum Bergomenses, Augustani suum, & quos tacemus reliqui; quidni & Londinenses suum? velut vestem propriam, cuius non tanta laus est, quòd sit splendida, quam quòd propria, non tam si è bisso sit aut purpura, sed si Anglis corporibus adaptata: præterea nos tanta varietate non instrui, sed distrahi magis cõtingit; ista inopes nos Copia fecit; & morbus ille, cui modò occurrimus, totus est ex plenitudine. Quo vasta magis est silua, pluréque semitæ, facilius per inuia, deuia dum vagantur, aberrant viatores. Quo mare spacioſius, eo magis est opus Cynosura: qua destituti diù apud nos Pharmacopœi variis fluctibus iactari, & mille modis distrahi videbantur, dum vnus isto, iste alio medicandi tramite incederet, vnus ad Cordum, alius ad Fernelium, ad Augustanos alius, ad suum forsan alius speculum se componeret; idemque remedium tot haberet Ideas, quot officinas: quod malum cum indies magis grassaretur, non sine summo tam Medicorum, quam ægrorum dispendio, volumus hoc opusculo, velut iacta Anchora, sic fluctuantem Pharmaceiam stabilire, eámque certis limitibus, & Cancellis coercere, dum vnam, & vnicam componendi legem & methodum non docemus modò, sed imponimus & imperamus, à qua non liceat, vel latum (vt aiunt) vnguem aberrare, vt vno velut filo ducti, tum Medici, tum Pharmacopœi, isti in præscribendo certius, hi in componendo rectiùs progrediantur & vnanimes conueniant.

Necnon alia adhuc grauior est pestis, ad quam opus Antidotario; aliorum videlicet summa fraus & impostura, qui lucelli gratia, & sordido aucupio fæces quasdam vilissimas, & spurcissimas sordes sub Pharmacorum nomine & titulo venditant; vnà quæ

nobis

nobis in pretio ſunt maximo, Theriacam, Mithridatium, & Alkermes, aliaq; plurima adulterant; vt remedia non deueniãt, ſed venena, nec in ſolatium agris, ſed perniciem. Qui ſceleratiſſimi homicidæ, etſi flagello potius aut furca, quàm Cenſura hac noſtrâ coerceri debuerint; erunt tamen forſan (pro more Anglo) ſalnãdi beneficio libelli, *& cũ ipſis miſelli ægri, quorum vitæ & ſanitati (iſto velut ſacro codice) conſuluimus. Fœlix cõſilium & ſalutare; cuius tamen gloriam & laudem nobis ipſis non arripimus; ſed (vt fateamur quod res eſt) eius caput altius, eius diuinior origo;* A Ioue principium; *à noſtro inquam Auguſtiſsimo & (quod rarius) literatiſsimo, & (quod gratius) ſalutis publicæ vigilantiſsimo* REGE IACOBO, *qui vt pacem in orbe Chriſtiano, vnionem in orbe Britanno, cõformitatem in orbe Eccleſiaſtico ſtuduit ſemper & feliciter ſtabiliuit; ità noſtrũ Orbem Apollinarem ſpharamq; medicam dignatus eſt luſtrare ſuo lumine, legeſq; ſalutares nobis condere pro cõcordia medica certaq; medendi ſymphonia, vt ſicut anteà animarum, ſic & corporum ſaluti; anteà ſubditorum dignitati, modo illorum vitæ & ſanitati conſuleret: vt de illo verum ſit, quod de Sole Regius vates cecinit,* nihil eſt ſecretum à calore eius; *nihil ab eius cura ſeclusum aut immune; & inſculptũ videatur diuinâ manu idem pectori ipſius, quod nummo,* Salus populi ſuprema Lex. *Cum enim Pharmacopœis Londinenſib. novas libertates & priuilegia noua indulſerit literis ſuis (vt appellantur) patentibus, hoc vnum inſeri, & exprimi inprimis voluit, vt cum Antidotarium iſtud prodiret in lucem, ad illud velut ſacrũ canonem religioſè ſe aſtringerent: Legibúſque ferendis à Senatu medico obtemperarent. Cui verè Regio mandato æquum nobis erat morem gerere; fecimúſq; tãdem vt in lucem prodeat Pharmacopœia Londinenſis, apparatu nec ſordido nec ſuperbo, nec remediorum paupertate indiga, nec eorum mole aut tumens aut ambitioſa. In qua etſi doctam Antiquorum canitiem veneramur, eorundémq; remedia prima velut acie collocauimus, non tamen recentioris Chymiæ noua ſubſidia reiicimus aut aſpernamur, ſed illis locũ & angulum à tergo conceſsimus, vt famulentur dogmaticæ Medicinæ; & velut manus auxiliares inſeruiant. Neq; verò tam ſuperſtitioſè inceſsimus Antiquorum veſtigiis, vt nihil ex noſtro penu nouum apportemus; non enim quæ hic deſcripta, tranſcripta ſunt omnia, aut mercibus ſolis tranſmarinis, & exoticis officinam noſtram inſtruximus, ſed quædam adiecimus noua & noſtra, quæ crebro vſu probata nunc primum in lucem prodeunt publicam; quædam etiam in antiquis formulis immutauimus, ſaluo tamen authoris ſenſu & nomine, non tam nouitatis ſtudio quàm neceſsitate coacti, præſertim vbi non occurrunt, quæ præſcribuntur ſimplicia, in quorũ locum alia ſuffecimus, quæ facultatum cognatione ſimillima videbantur: Paritérque fecimus in modo pilulas componendi, quæ ſi antiquo more cum ſuccis aut aquis in maſſam redigantur, citò ſiccitatẽ nimiam vel ſitũ contrahãt, ideoq; Syrupis accommodatis pro diuturniori cuſtodia vtendum volnimus. Cùm verò in plurimis authoribus quædam penitus relinqui ſoleant artificum iudicio, potiſsimũ in mellis & ſacchari menſura, ſub duabus litterulis* q. ſ. *vel voculis* quantum ſatis; *vndè eiuſdem pharmaci non eadem apud omnes conſiſtentia, nec facultas eadem; nos de libero artificum arbitrio poteſtatem omnem in poſterum ademimus, & in eandẽ rem quoſdam è Pharmacopœis ipſis in hoc artificio verſatiſsimis adhibuimus in conciliũ, quorum ope & opera de certo cõponendi modo, certaq; menſura conuenimus, & doſin deſignauimus cui nec addant illi, nec adimant. Deniq; cum in pleriſque Antidotariis, tum priſcis tũ recentioribus, vſus & facultas cuiuſq; remedij exprimatur, vndè tam inſcij, quam impij Circumforanei & agyrtæ, ex hac pharetra ſeipſos muniant ad praxin medicinæ, noſtroſq; gladios inſani homunciones in Reipublicæ perniciem arripiãt, ideò de remedij viribus nihil adiecimus: ſolis enim doctis hæc ſcribimus & Apollinis alumnis, ad vulgi*

non

non intellectum, sed salutem. De ordine quo omnia disposuimus, rationem non opus est reddere; simplicia compositis; interna, externis; liquida solidioribus præmisimus; in suas classes singula digessimus, unde nullo negotio depromi, in usumq; & praxin referri possint. Habes (Amice Lector) quid fecerimus, & cur fecerimus; Opus quale in fabulis Pandora; in illam Dij omnes; in hoc Collega omnes sua symbola contulerunt, sub auspiciis dignissimi Præsidis, quo non modò Consule aut Præside, sed cuius consilio & auxilio & indefesso studio, tectum modò & fastigium huic tanto operi imponitur, quod ante annos aliquot inceptum condi, sed inceptum, cuius non cœptæ surgebant turres, *vt Poeta lusit. Quale iam aut quantulumcumque sit, Amice Lector, tuo bono & publico fore commodum speramus & vouemus; quod si & palato tuo arrideat, vtere, & Vale.*

ordo

à Collegio Londinensi septimo die Decembr. anno 1618.

Abriefe of his MAIESTIES Royall Proclamation *Commanding all Apothecaries of this Realme to follow* this PHARMACOPOEIA lately compiled by the Colledge of Phyſitians of LONDON.

WHereas by our eſpeciall commandement there hath beene of late compiled in the Latine tongue by the Colledge of Phyſitians of London a booke entituled *Pharmacopœia Londinenſis, &c.* And whereas through the great care and induſtrie of the ſaid Colledge, the foreſaid *Pharmacopœia Londin.* is now perfected, and is a work greatly tending to the publique good of our Subiects, and wee minding that all falſhood, differences, varieties, and incertainties in making or compoſing of Medicines, and diſtilling of Oiles, or Waters, hereafter be vtterly taken away and aboliſhed: And that in the time to come the manner and forme præſcribed by the ſaid booke ſhould be generally and ſolely practiſed by Apothecaries in their compoſitions of Medicines, and diſtillation of waters for al ſuch things as are therein named and præſcribed: Wee therefore deſirous in all things to prouide for the common good of our Subiects, and intending to ſettle and eſtabliſh the generall vſe of the ſaid booke in this Realme of ENGLAND, doe hereby ſignifie and declare our Royal will and pleaſure to be, & hereby ſtraightly require, charge, and command all and ſingular Apothecaries, within this our Realme of ENGLAND, or the Dominions thereof, that they and euery of them, immediately after the ſaid *Pharmacopœia Londin.* ſhall be printed and publiſhed, doe not compound, or make any Medicine, or medicinable receipt, or præſcription; or diſtill any Oile, or Waters, or other extractions that are or ſhal be in the ſaid *Pharmacopœia Londin.* mentioned and named after the waies or meanes præſcribed or directed, by any other bookes or Diſpenſatories whatſoeuer, but after the onely manner and forme that hereby is, or ſhall be directed, præſcribed, and ſet downe by the ſaid booke, and according to the weights and meaſures that are or ſhall be therein limited, and not otherwiſe, &c: vpon paine of our high diſpleaſure, & to incurre ſuch penalties and puniſhment as may be inflicted vpon offenders herein for their contempt or neglect of this our Royall commandement. Willing and commanding alſo hereby all Maiors, Sheriffes, Iuſtices of peace, Conſtables, &c. to be aiding and aſſiſting. Giuen at our Palace of Whitehall 26. Aprill in the 16. yeere of our raigne of England, France, and Ireland, and of Scotland the 51. 1618.

THe Kings moſt excellent Maieſty hath not only commanded the publiſhing of this booke, but hath farther beene graciouſly pleaſed to grant ſul & ſole priuiledge vnto Iohn Marriot of London Stationer (and Printer of this worke) his Executors, Adminiſtrators, Deputies, and Aſſignes for 21. yeeres next enſuing, to imprint, or cauſe to be imprinted, and to ſell, aſſigne, and diſpoſe, to his and their beſt benefit and auaile, this booke, and bookes, as well in the Latine as Engliſh tongue, as alſo in any other language or tongue whatſoeuer: Straightly prohibiting any other during the ſaid time, to imprint or cauſe to be imprinted, to import, vtter, or ſell, or cauſe to be imported from any the parts beyond the ſeas, vttered, or ſold, the ſaid booke or bookes, or any part thereof within any of his Maieſties Realmes and Dominions (without the ſpeciall licence and conſent of the ſaid Iohn Marriot, his Executors, Adminiſtrators, Deputies, and Aſſignes, firſt had and obtained in that behalfe) vpon paine of his Maieſties high diſpleaſure, and to forfeit fiue pounds of lawfull Engliſh mony for euery ſuch booke or bookes, or any part or parts thereof imprinted, imported, vttered, or ſold contrary to the true meaning of this priuiledge, beſide the forfaicture of every ſuch booke or bookes, &c. as more at large appeareth by his Maieſties letters patents dated the twentieth of March in the fifteenth yeere of his Maieſties reigne of ENGLAND, France, and Ireland, and of SCOTLAND the fifthieth. 1618.

Nomina

NOMINA D. D. COLLEGARVM SOCIETATIS MEDICORVM LONDINENSIVM HODIE VIVENTIVM.

HENRICVS ATKINS Doct. Med. Regius Medicus Ordinarius, & Collegij Medicorum Londinensium Præsidens.

THEODORVS DE MAYERNE Medicinæ Doctor, Regiarum Majestatum Medicus primarius.

IOHANNES CRAIG. } Regij Medici
GVLIELMVS PADDY Eques. } Ordinarij.

THOMAS FREAR.
THOMAS MOVNDEFORDE.
MARCVS RIDLEY.
EDWARDVS LISTER.
RICHARDVS PALMER.
} 7. ex 8. Electis.

IOHANNES CRAIG iunior, Principi Carolo Archiater.

IOHANNES ARGENT.

EDWARDVS IORDEN.

IOHANNES GIFFORD.

FRANCISCVS HERRING.

MATTHAEVS GWYNN, Regius Med. ad Turrim.

MATTHAEVS LISTER.

GVLIELMVS HARVEY, Med. Reg. iuratus.

GVLIELMVS CLEMENT.

SIMEON FOX.

LEONARDVS POE, Med. Regius ad familiam.

ROBERTVS FLVDD.

RICHARDVS ANDREWES.

THOMAS PATTISON.

THEODORVS GOVLSTON.

IOHANNES COLLINS.

SIMON BASKERVILE.

THOMAS WINESTON.

EDMVNDVS WILSON.

GEORGIVS ROGERS.

IOHANNES RAVEN, Med. Regineus iuratus.

PAVLVS DE LAVNE.

ELEAZAR HOBSON.

OTTVELLVS MEVERELL.

ALEXANDER RAMSEY.

Pondera.

PONDERA.

GRanum intelligimus ſignatum illud noſtrorum nummariorum, quorũ viginti ſcrupulum conſtituunt.
Scrupuli tres drachmam.
Drachmæ octo vnciam.
Vnciæ duodecim libram.

Granum cuius ſignum gr. j.
Scrupulus cuius ſignum ℈.
Drachma cuius ſignum ʒ.
Vncia cuius ſignum ℥.
Libra cuius ſignum. lib.

MENSVRÆ.

MEnſuras apud nos vſitatiſſimas hic paucis ſubiecimus: reliquas minus vſitatas ideoque magis inutiles conſultò omiſimus.

Cochlearium noſtrum in Syrupis continet vnciam dimidiam, in aquis diſtillatis drachmas tres.
Cyathus vnciam vnam ſemis.
Hemina (quam Cotylam appellant) vncias nouem.
Libra vncias duodecim.
Sextarius vncias octodecim.
Congius Sextarios ſex.

CATALOGVS SIMPLICIVM AD PHARMACOPOEIAN CONDVCENTIVM.

RADICES.

A

Acanthi, Brancæ Vrſinæ.

Acori, { Veri, peregrini, / Calami odorati offic. / Vulgaris, Pſeudoacori, Gladioli lutei. Liliorum paluſtrium.

Allij, Scorodi.

Alcannæ, Liguſtri.

Althææ, Ibiſci, Biſmaluæ.

Angelicæ, Sancti Spiritus.

Anchuſæ, Bugloſſi rubri,

Anthoræ, Antithoræ, Napellis Moſis, Aconiti ſalutiferi.

Apij, { Satiui, Petroſelini. / Vulgaris, Eleoſelini.

Ariſtolochiæ { Longæ, / Rotundæ. / Clematis, tenuis, ſarmentitæ.

Artianæ, Cyclamanis, Panis porcini, Rapi vel vmbilici terræ, Teſtidunariæ.

Arthanitæ.

Arundinis { Vallatoriæ. / Saccharinæ.

Ari, Serpentariæ, Barbæ Aaronis, Pedis vituli.

Aſclepiadis, vincetoxici, hyrũdinariæ.

Aſari, Baccharis, Nardi Ruſticæ.

Aſparagi, hortenſis, ſylueſtris, Curudæ.

Aſphodeli veri, { Haſtæ Regiæ, i. Aſphod. fœ. / Albuci, i. Aſph. maris

B

Bardanæ, Lappæ maioris, Perſonariæ, arcij Diaſc.

Behen { Albi, Polemonij. { pro his. { Caryophyllatæ. / Tormentillæ. / Rubri,

Bellidis,

Bellidis, Symphyti minimi.
Betæ nigræ, albæ, rubræ.
Biſtortæ, ſerpentariæ maris Britãnicæ.
Borraginis.
Bryoniæ, Vitis albæ.
Bryoniæ nigræ.
Bugloſſi vtriuſque.
Bulbi vomitorij.

C

Calami Aromatici, exotici, i. acori veri.
Capparum.
Caryophyllatæ, Benedictæ, Oculi leporis.
Caulium.
Centaurij Maioris, falſo Rhapontici.
Cepæ, Crommij.
Chamæleontis { Albi, Carlinæ, Cardopatij. / Nigri, / Pancarpi.
Chelidonij { Maioris { Hirundiniæ maioris, / Ficariæ, Scrophulariæ. / Minoris
Cinæ, Chinæ.
Cichorij.
Colchici, Bulbi agreſtis.
Conſolidæ. { Maioris, / Minoris,
Coſti vtriuſque.
Cucumeris agreſtis, Aſinini, Erratici.
Cynaræ, Scolymi, Cardui altilis.
Cynogloſſæ, Lycopſeos, Linguæ caninæ.
Cucumæ, terræ meritæ, cyperi ſudici.
Cyperi vtriuſque, { longi, Romani / rotundi.

D

Dauci.
Dentariæ maior: Squamariæ, Orobandis rad. dentata.
Dictamni vulgaris, Polemonij, Fraxinellæ.
Doronici,
Dracontij veri, Dracunculi.

E

Ebuli, Chamæactes.
Echij { albi, Campanicæ.
Ellebori Veratri { nigri { Cõſiliginis vulgaris, / Melãpodij, Ectomi, / Entani.
Enulæ Campanæ, Helenij.
Endiuiæ hortenſis, Intybi, Scariolæ.
Eringij, Centum capitum.
Eſulæ { maioris, { Characiæ. / Tithymali Caparisſiæ, cupreſſinæ. / minoris,

F

Filicis, Pterios, Bletri.
Filipendulæ, Oenanthes.
Fœniculi, Marathri.
Fraxini.

G

Galangæ { maioris { Exoticæ, Cyperi Babylo. / minoris
Gentianæ, Aloes Gallicæ.
Glycyrrhizæ, Liquiritiæ. Rad. Dulcis.
Graminis, i. Graminis Canini.

H

Hermodactyli veri,
Hyacynthi.

I

Iridis { noſtræ ſeu vulgaris, cæruleæ, / Lilij cœleſtis. / Florentinæ, Illyricæ,
Imperatoriæ, Magiſtrantiæ, Laſerpitij Gallici. Aſtrantiæ.
Iſatidis, Glaſti.

L

Labri veneris, Dipſaci.
Lactucæ.
Lauri.
Lapathij acuti, Oxylapathi.
Leuiſtici, Sirnij Dioſc.
Lilij albi, Roſæ Iunonis, Crinanthemi.

M

Maluæ.
Mandragoræ, Anthropomorphi.

Mechoa-

Mechoachanæ, Bryoniæ Peruuianæ.
Mei, Vrſini, Tortuoſi.
Mezerei, Piperis montani, Chamelææ.
Mororum Celſi, arboris ſapientis.
Morſus Diaboli, Succiſæ, Præmorſæ.
Pycnocomi Dioſ.

N

Nardi { Indicæ.
Spicæ { Celticæ, Saliuncæ Plinij.
Nenupharis, Nymphææ.

O

Ononidis, Arreſtæ Bouis, Acutellæ, Remoræ aratri.
Oſtrutij, magiſtrantiæ, Struthij quorund.

P

Paſtinacæ ſatiuæ & ſylueſtris.
Pentaphylli, Quinqueſolij.
Petaſitæ, Galeritæ.
Peucedani, fœniculi Porcini, Sulphuratæ, Caudæ Porcinæ.
Pœoniæ maris, Fœmellæ.
Phu, Valerianæ { maioris. minoris.
Pimpinellæ, Sanguiſorbæ.
Plantaginis.
Polypodij, Filiculæ.
Polygonati, Sigilli Solomonis, Scalæ cœli, Genichellæ.
Porri.
Prunellorum ſylueſtrium.
Pyrethri, Saliuaris, Artimonij ex Antid. Bononi: in ſubſtitutis.
Squamariæ, Dentariæ, { maior. Matth.

R

Rhapontici.
Rhabarbari ſeu Rauedſeni.
Rhaphani { domeſticæ, Obſoniorum. ſylueſtris.
Rhodiæ, rad.
Rhabarbari monachorum.
Rubiæ tinctorum, Erythrodani.
Ruſci, Bruſci, myrſines ſylueſtris.

S

Sambuci.
Sarzæ Parigliæ, Smilacis aſperæ.
Satyrij vtriuſque.
Saxifragiæ albæ.
Sanguiſorbæ, Pimpinellæ Italicæ.
Scabioſæ.
Scordij.
Scillæ, Squillæ, Cæpæ marinæ.
Scrophulariæ, Galeopſidis, millemorbiæ.
Scorzoneræ.
Seſeleos Æthiopici.
Siſari, Secacul, Siſeris.
Sigilli B. Mariæ, Bryoniæ nigræ.
Solidaginis.
Sonchi.
Spinæ albæ, Bedeguar.
Spatulæ fœtidæ.

T

Tamariſci, myricæ hymilis.
Tanaceti,
Thapſiæ exoticæ, Ferulaginis, Turpeti cineritij.
Tormentillæ, Heptaphylli.
Trifolij.
Tribuli aquatici.
Trachellij, Ceruicarię.
Trinitatis herbæ, violę tricoloris.
Tunicis.
Tripolij vulg.
Turbith exotici.
Tuberum ſeu Boletorum.

V

Victorialis, Allij Alpini.
Vincetoxici, Hyrundinariæ, Aſclepiadis.
Virgę paſtoris.
Vlmariæ, Barbę capri, Reginę prati.
Vrticæ.

Z

Zedoariæ, longæ, coſti, Syriaci.
Zingiberis.
Zurumbet, i. Zedoarię rotundæ, Anthoræ Auic.

CORTICES.

A

Apij. Rad.
Auellanarum.
Aurantiorum.

B

Berber, Oxyacanthæ.

C

Caſiæ ligneæ, Syringis, Xylocaſiæ.
Capparis, rad.
Caſtaneārum,
Cinnamomi, Canellæ.
Citri, mali medici.

E

Ebuli rad.
Enulæ.
Eſulæ rad. Tithymali.

F

Fabarum.
Fœniculi rad.
Fraxini rad.

G

Granatorum, Malicoriū.
Guaiaci lign. Ind. Sancti.

I

Iuglandium virid.

L

Lauri.
Limonum.

M

Mandragoræ rad.
Myrobalanorum,
Macis, qui Cortex Moſchatæ nucis
Maceris, qui ligni cuiuſdam cortex craſſus, flaueſcens, valde amarus & aſtringens.

P

Petroſelini rad.
Prunellis ſylueſtris.
Pinearum Putamina.

Q

Quercus arboris.

R

Raphani.

S

Suberis.
Rad. Sambucij, & caudicis
Cort. medius Tamaricis.

T

Tilliæ.
Thuris.

V

Vlmi.

LIGNA ET EORVM SCOBES.

A

Agallochus, i. Lignum Aloes,
Aſpalathus.

B

Breſilium.
Buxus.

C

Cypreſſus.

E

Ebenum.

G

Guaiacum, Sanctum Ind.

I

Iuniperinum.

N

Nephriticum.

R

Rhodium.

S

Santalum { Album. / Rubrum. / Citrinum, Moſchatellinū.
Saſſafras.

T

Tamariſci.

X

Xylobalſamum.

HERBÆ ET EARVM FOLIA.

A

Abrotonum { mas. / fœmina.

Abſinthiū { Pōticū { latifoliū, vulgare. / tenuifoliū { Galē / Rom
Seriphium, marinum.
Santonicum.

Abugiliſſa, i. Anchuſa maior.

Aceto-

Acetosa siue Oxalis.
Acanthus vera.
Adianthum { album, { Ruta muraria, Saluia vitæ. / nigrum, { Polytr. Dioſc. Capill. vener.
Adianthũ aureum, Polytricũ aureum, Muſcus capillaris.
Agrimonia, i. Eupatorium Græcorum.
Ageratum, i. Eupatorium Meſuës.
Agnus Caſtus, Vitex Piper Eunuchorum,
Alleluia ſiue Luiula, Acedula, Acetoſella, trifolium acetoſum, oxys Pl.
Alcea.
Allium.
Althæa, Ibiſcus, Biſmalua, Maluauiſcus.
Alſine, Morſus Gallinæ.
Alchimilla, Pes leonis, Stellaria.
Alcanna, Liguſtrum.
Amaracus, maiorana.
Angelica.
Anagallis { mas. / fœmina.
Anethum.
Apium, Herba Leonis.
Aparine.
Aſpergula odorata.
Aquilegia.
Argentina, Potentilla, Anſerina.
Artanita, i. Ciclamen.
Ariſtolochia { longa, Maſcula. / rotunda, malum terræ.
Arthemiſia, Mater herbarum.
Aſparagus.
Aſarum, Baccharis, Nardus ruſtica.
Atriplex, Olus aureum.
Auricula muris maior, pulmonaria gallica.
Attractylis hirſuta.

B

Balſamita, mentha corimbifera, Coſtus hortorum.
Barba Iouis, Sedum maius.
Bardana, Lapathum, Perſonatia.
Beta { alba. / nigra. / rubea.
Benedicta Caryophyllata,
Betonica { vulgaris. / Pauli eſt Veronica mas. / Coronaria, Caryophyllus hortenſis, Herba Tunica.
Bellis, herba Margarita.
Blitum.
Borrago.
Bonus Henricus, Tota bona.
Botrys.
Branca vrſina, Acanthus Germanica.
Bryonia, { Vitis alba. / Vitis nigra.
Burſa Paſtoris, Sanguinalis.
Bugloſſum.
Bugula.
Buphthalmum, Cotula non fœtida.
Buxus.

C

Calamintha { Montana. / Paluſtris.
Calendula, Caltha, Solſequium, Verrucaria.
Callitricum, Adianthon.
Caprifolium.
Carduncellus, Erigeron, Senecio.
Carduus { B. Mariæ lacteus. / Benedictus.
Carlina.
Corallina, Muſcus marinus.
Caſſutha ſiue Cuſcuta, podagra lini.
Caryophyllata, Benedicta.
Catuputia minor, Lathyris.
Cattaria, Nepeta.
Cauda equina, Hippuris, Equiſetum.
Caulis, Braſſica { hortenſis. / ſylueſtris.
Centauriũ { maius, Rhaponticum. / minus, Fel terræ, febrifuga.
Centinodium, Corrigiola, Poligonum mas.
Cerefolium { vulgare. / Myrrhis.
Cæpæa, Anagallis aquatica, Becabunga.

Ceterach,

Ceterach, i. Scolopendrion, Aſplenon.
Chamæpitys, Ajuga, Iua arthritica, Thus terræ.
Chamædrys, vera, vulgaris, Calamandrina, Quercula, Triſſago, Teucrium cæruleum.
Chamæmelum { ſatiuum. / ſylueſtre.
Chelidonium vtrumque.
Cinara, Carduus Eſculentus, Articho-cus.
Cichoriu n, Intybum Sylueſtre, Chondrilla.
Cicuta.
Clematis Daphnoides, vinca peruinca.
Corona Virginea, Viola mortuorũ.
Conſolida { Major, i. Symphytũ majus. / Media, i. Bugula. / Minima, i. Bellis. / Rubra, i. Virga aurea. / Regalis, i. Delphinium. / Sarracenica ſolidago.
Coronopus.
Coronaria, Centunculus, Gnaphalium.
Cruciata.
Craſſula, Faba inuerſa,
Crithamus, Herba S. Petri, Creta Marina. Fœniculum marinum.
Cucumis Aſininus.
Cyanus { maior. / minor.
Cynogloſſum, ſeu lingua Canis. (ton
Cypreſſus, Chamæcypariſſus, Abro-fœm.

D

Dictamnus Cretenſis.
Dipſacus, { ſatiu. alb. / ſylu. purpur.

E

Ebulus, Chamæacte, Sambucus, pumila, aruenſis.
Echium, Viperina.
Elatine, veronica fœmina.
Empetron, Calcifraga, perforipetra, Millegranum, Herniaria.
Endiuia, ſatiua intybus.
Enula. Campana.
Epithymum, Epithymum Cretenſe.
Eruca.
Eupatorium, { Græc. Agrimonia. / Meſ. Ageratum. / Auicen. Canabium.
Euphragia, Euphroſyne, herba Ophthalmica.

F

Filix fœmina.
Filicula, Polypodium.
Filipendula.
Folium Malabathri.
Fœniculum, Marathrum.
Fragaria. (bula.
Fraxinus { Lingua auis, Paſſerina, Bu- / Sorbus aucuparia. Ornus.
Fumaria, Capnos.

G

Galega, Rũta capraria.
Galion.
Gentiana.
Geniſta, Spartion.
Geranium { Robertinum. / Columbinum. / Acus Moſchata. / Gingidium.
Gramen, Agroſtis.
Gratiola.

H

Haſtula regia, Aſphodelus.
Hepatica, Lichen.
Hedera { Arborea. Corona terræ. / Terreſtris Chamæciſſus.
Herba Camphorata.
Moſchata.
Paralyſis, primula veris.
Paris, Aconitum ſalutiferum, Monococcos.
Roberti, Gratia Dei.
Venti, i. Anemone.
Hermaria, millegranum.
Helxine, Parietaria, perdicium.
Hippogloſſum.
Hippolapathum.

Hippo-

Hippoſelinon olus Atrum.
Horminũ ſatiuum, Sylueſtre, Sclarea.
Hydropiper maculoſum.
Hyſſopus, Alhaſſe. Arabum hyſſopus.
Hyoſcyamus, Herba Apollinaris, Altercum, Faba ſuilla.
Hypericon, Perforata, Fuga Dæmonis.
Hypoglottis, Laurus Alexandrina.
Hypogloſſum, Lingua Pagana, Bonifacia, Biſlingua, Vuularia.

I

Iberis Cardamantice, Lepidium Campeſtre.
Inguinalis, Bubonium, Aſter Atticus.
Iris Germanica, Illyrica, Florẽtina, Luſitanica, Lutea, Cærulea, Sylueſtris.
Iſatis, Glaſtum.
Iua arthetica, Moſchata.
Iuncus odoratus.

L

Labrum, lauacrum Veneris, Dipſacus Fullonum Carduus.
Lactuca, Satiua, Sylueſtris.
Lagopus, Herba leporina.
Lauendula.
Laureola, Daphnoides, Chamælea Germanica.
Lappa minor, Xanthium.
Laurus.
Lentiſcus.
Lens paluſtris.
Lepidium piperitis.
Leuiſticum, Liguſticum.
Libanotis coronaria Roſmarinus.
Linaria, Oſyris.
Linum B. Mariæ.
Lilium Conuallium, Roſa Iunonis.
Lingua Ceruina, Phyllitis.
Limonium.
Lotus vrbana, Trifolium ceruinum.
Lupulus Salictarius.
Lychnitis coronaria.

M

Maeis.
Magiſtrantia, Imperatoria, Oſtrucium.
Malua; Satiua, Criſpa.
Majorana, Amaracus, Sampſuchum.
Mandragora.
Marrubium, Praſium { album, nigrum, fœtidum.
Marum verum.
Matricaria, Parthenium.
Matryſylua, Periclymenon, herba Cordialis.
Matturella, i. Valeriana maior, Phu vtrumque.
Melilotus, Corona regia.
Meliſſa, ſiue Meliſſophyllum, Citrago.
Mentha { Satiua, Criſpa, Rubea. Aquatica, Siſymbrium.
Menthaſtrum, Mentha equina.
Mercurialis, mas, fœmina, Linozoſtis.
Mezereon, Chamælæa, Oleaſtellus.
Millefolium, Stratiores.
Muſcus, Vſnea.
Myrtus, Myrtilli.

N

Nardus Indica, Spica Nard. Exotic.
Naſturtium { aquaticum, Cardamine, Siſymbrium. album, Thlaſpi. hortenſe, Creſſio.
Nicotiana, Tobacco, Sana ſancta. Herba Reginæ, Legati, Petum.
Nummularia, Centumorbia.
Nymphæa, Nenuphar.

O

Oeimum, Baſilicon { vulgare. citratum.
Oleæ folia.
Ononis, Aratri remora, Reſta bouis.
Ophiogloſſon, Lingulaca, Lancea Chriſti.
Origanum, Vulgare, Creticum, Onitis, Panaceum.
Oxylapathum, Rumex acutus.

P

Papauer { album, nigrum, rubrum, Rhœas, erraticum.
Parietaria, herba Perdicalis, Vitriola, Vrceolaris.

Paſtinaca

Paſtinaca.
Perſicaria non maculata.
Perfoliata.
Pentaphyllum, quinque folium.
Petroſelinum, Selinon.
Pes Columbinus, Geranium alterum.
Perſicorum folia.
Pimpinella.
Piloſella, Muris auricula.
Pithyuſa.
Plantago, Arnogloſſum, Septinerua, Quinqueneruia.
Polium, Campeſtre, Marinum, Montanum, Creticum.
Polygonum, Sanguinaria, Centumno-
Polytrichum offic. Trichomanes.
Portulaca Satiua, Porcellana.
Porrum.
Primula veris, Bellis minor, herba Sancti Petri aut Pauli.
Prunella, Symphytum minus, herba Anthonij.
Pulegium, Ceruinũ, Regale, Glechon, Apoleium.
Pulmonaria { Impetiginaria, arborea. / Symphytũ maculoſum.
Pulicaria, i. Conyza.
Pyrus ſylueſtris.
Pyrola, Pyrifolia, Tintinnabulũ terræ.

Q

Quercus folia.

R

Ranunculus, Batrachiũ, Apium riſus.
Raparum folia.
Roſmarinum coronarium.
Roſa Solis.
Roſa alba, rubra, Damaſcena pallida.
Rumex, Lapathum.
Rubus Idæus, pumilus.
Ruta hortenſis, Rhyte, Sylueſtris Harmel.
Ruta muraria, Saluia vitæ, adiantum album.

S

Sabina, Barathrum.
Saluia maior, Minor, Romana. Sylueſtris, Boſci ſaluia.
Salicis folia.
Sampſucum, maiorana.
Sanicula, Diapenſia, Ferraria minor.
Sarponaria { vulgaris. / Strutin & radicula Plinij.
Satureia, Cunila, Thymbra ſatiua, Ioſeple.
Saxifragia alba.
Scabioſa, herba Apoſtematica.
Scariola.
Schœnanthos, Iuncus odoratus, Paſtus Cameleorum.
Scordium verum, non Sylueſtre, Scorodotis.
Scrophularia, Caſtrangula, Millemorbia.
Sedum ſeu ſemperuiuum { Maius, { Arboreſcus, / Vulgare. / Vermicularis / Illecebra. ; Minus, }
Senna Orientalis, Ægyptia, Alexandrina, Florentina, Italica, Prouincialis, Syriaca.
Serpyllum.
Sigillum Solomonis, Polygonatum.
Smyrnium.
Solanum, Vua lupina, Morella.
Soldauella, Marina Braſſica.
Sonchus. { leuis } { Cicerbita, / Lactucella, / lacterion. } ; aſper }
Sophia Chirurg.
Spinachia, Olus Hiſpanicum.
Spina alba, Arabica, Bedeguar.
Spica Vulgaris, Romana, Celtica, Saliunca Plinij.
Stœbe.
Stæchas { Arabicum, / Citrinum, heliochryſum
Succiſa ſiue morſus Diaboli.
Suchaha, Spina Ægyptiaca,
Symphytum { Maius, vulgare. / Medium, bugula. / Maculosũ, pulmonaria. / Petræum, prunella.

T

Tanacetum, Athanaſia.

Taraxa-

Taraxacon. i. Dens Leonis, Hieracium minus, Seris vrinaria, Caput Monachi.
Tamariſcus, Tamarix Illyrica.
Telephium.
Thlaſpi mithridaticum.
Thymbra, Satureia ſylueſtris.
Thymum, Thymiama herba.
Thymelæa.
Tithymalus, Eſula, Lactuca Marina.
Tormentilla, Heptaphyllon. (lor.
Trinitas, herba Trinitatis, viola trico-
Trifolium.
Tuſſilago, Vngula Caballina, Bechion, Farfara.

V

Valeriana, Phu Germanicum, herba D.
Georgij { maior. / minor.
Verbaſcum, Cãdelaria, Lanaria, Thapſus barbatus.
Verbena, Periſteron, Columbaris, herba Sacra, Sagminalis, Centrũ Galli.
Veronica, { Mas, Betonica Pauli. / Fœmina, Elatine.
Violaria, mater Violarum.
Vitis { Vinifera, Pampini. / alba { Brionia. / nigra { Brionia.
Vincetoxicũ, Aſclepias, Hirundinaria.
Virga paſtoris.
Virga aurea, Conſolida rubra.
Vlmaria, Regina Prati.
Vmbilicus Veneris.
Vrtica, maior, minor, Romana, hortulana.
Vſnea, Lanugo arborum.
Vſne, Cali, Salſicornia.

FLORES.

A

Agni caſti, Viticis,
Amaranthi, Fl. Amoris.
Anethi.
Armerij.
Aurantiorum.

B

Baſilici, Ocimi.
Balauſtiorum, Sylueſtris Punicę.
Betonicæ.
Borraginis.
Bugloſſi.

C

Cariophylli hortenſis.
Calendulæ, Calthę.
Caprifolij, Matriſyluę.
Capparum.
Carthami, Cnici.
Centaurij minoris.
Chamæmeli.
Cheyri, Leucoij lutei, Violæ luteæ.
Cichorij, Intybi ſatiui, latifolij.
Comarum { Abſinthij. / Matricarię.
Croci.
Cyani { maioris, frumenti flores Fil. / Zacharię. / minoris.
Cytrini, ſatiuę Punicæ.
Cynosbati.

E

Echij.
Epithymi.
Ericæ.
Erucæ.
Euphragiæ.

F

Fabarum.
Fumariæ, Fumiterræ.

G

Geniſtę, Spartij, Scopariæ.

H

Hyacinthi.
Hyperici, Perforatę.
Hyſſopi.

I

Iaſmini, Sambucis.

L

Labruſcæ, Vitis ſylueſtris.
Lauri.
Lauendulæ.
Lamij { albi. / rubri.

Liguſtri, Alcannæ,
Lilij albi,
Lilij Conuallium, Verni.
Lupulorum.

M

Maioranæ, Sampſuchi.
Maluæ, vtriuſque Roſæ Hiemalis, Autumnalis.
Meliloti.
Meliſſæ, Meliſſophylli, Citrariæ.

N

Narciſſi, albi, lutei.
Nucum iuglandium, Nucamenta.
Nymphææ vtriuſque, Nenupharis, Claui Veneris, Lilij paluſtris.

O

Origani.
Othonnæ, Caryophylli Indici.

P

Papaueris { nigri. albi. rubri.
Perſicorum.
Periclymemi, Matriſyluæ.
Pæoniæ.
Populi oculi, ſeu gemmæ.
Primulæ veris, Paralyſis, Verbaſculi odorati.
Prunellæ, Agricoccimelææ.
Prunorum ſylueſtrium.

R

Roſæ { albæ. rubræ. Damaſcenæ pallidæ.
Roriſmarini, ſiue Anthos.

S

Saluiæ.
Saliuncæ, Nardi Celticæ.
Sambacis, Iaſmini.
Sambuci.
Scabioſæ.
Schœnanthûs, Iunci odorati.
Siliginis.
Spicæ hortulanæ.
Stœchados, Arabici, Citrini.

T

Tamariſci.
Tanaceti.
Thapſi barbati, Verbaſci.
Tiliæ.
Tunicæ, Caryophylli hortulani.
Tuſſilaginis, Farfaræ.

V

Vetonicæ.
Violæ purpureæ { Purpureæ, Martiæ. Matronalis.
Vrticæ mortuæ, Lamij.

FRVCTVS ET GERMINA.

A

Agreſta.
Alkekengi, Halicacabi, Ceraſa Iudæorum, hyemis, terræ.
Amygdala { Amara. dulcia.
Amoris poma.
Anacardi.
Arantia, mala aurea.
Auellana, Nux Pontica, Prænestina.

B

Balanus Myrepſica, Glans Vnguentaria, Been Vtrumque, Serapionis.
Baccæ { Herbæ Paridis. Iuniperi, Grana Turdorum: Lauri.
Berberis, Oxyacanthæ Gal. Baccæ Creſpini. Matth.

C

Cappares majores, minores.
Caricæ, Ficus aridæ, paſſæ.
Caryophyllum.
Carpobalſamũ, fructus, grana Balſami.
Caſſia fiſtularis, Siliqua Ægyptiaca.
Caſtanea, Glans Sardiana.
Ceraſum { Rubrum, dulce. Nigrum, acidum.
Citrium malum, Medicum.
Cicer { Rubeum, Venereum. Candidum, Columbinum. Nigrum, Arietinum.
Colocynthis, Cucurbitæ ſylueſtris.
Corna.

Coni

Coni Cupreſſi, galbuli.
Cocci Orientales, Coccoli.
Corinthiacæ Paſſulæ.
Cucumis Aſininus, hortenſis.
Cucubæ, Vuæ Illyricæ.
Cucurbita.
Cydonium, Cotoneum.

D

Dactylus, Palmula.

E

Ebuli grana, Baccæ Chamæactes.

F

Ficus virides, albæ.
Fraga.
Galla immaturâ, Turcica.
Glandes quercinæ, Dryobalani.
Glandium calyculi.
Granatum malum, Punicum, dulce, auſterum.
Grana tinctoria, Cocci baphicæ, infectoriæ, Kermes, Alchermes.
Groſſularia { Spinoſa, vua criſpa. / Non ſpinoſa, ribes off:

I

Iuglans, nux Regia.
Iuiubæ ſiue Zyzypha, Serica.

L

Limones, Mala lemonia.

M

Mandragoræ pomum.
Mala inſana, Melangena.
Melones.
Meſpilum, Tricoccum.
Mora Celſi, Sycamina.
Bati, Rubi { Canini, Cynosbati. / Idei.
Myrobalani Ægypt. { Emblicæ. / Chebulæ. / Citrinæ, Flauæ, luteæ. / Indæ, Nigræ. / Bellericæ, rotundæ.
Myrti baccæ, Myrtilli.

N

Nuclei { Ceraſorum. / Mali Armeni. / Mali Perſici.
Nux { Moſchata. / Odorata. / Aromatica.
Nux Indica.
Vomica.
Methel, Stramonea.

O

Oculi populi Gemmę.
Oliua, muriâ condîta.

P

Papaueris albi nigri Capita.
Pearemaynes vel Pippins.
Perſica.
Phaſeoli, Dolychi.
Pini nucleus in conis.
Piſtacia, Fiſtica.
Poma { dulcia. / acida.
Pruna Damaſcena, Syriaca, Syracuſana, Vngarica, Vulgaria.
Prunella ſylueſtria, Agricoccimela.
Pyra Moſchatelina.
Aromatica.

Q

Quercus Germina.

R

Ribes, Vuæ Vrſinæ.

S

Sebeſten, Myxa, Pruneola pectoralia, nigra.
Sennæ foliculi.
Siliqua, Panis D. Ioannis, Xylocaracta.
Sorba.
Spinæ albæ, Baccæ.
Strobyli.
Sumach, Rhus Obſoniorum.

T

Tamarindi, Palmulę acidæ, Oxyphænicę.
Tribulus aquaticus, Nux aquatica.

V

Vuæ Paſſæ, Paſſulæ.

SEMINA SIVE GRANA.

A

Abſinthij, Seriphi, Santonicum, Cinæ.
Barbotina, Contra Lumbricos.
Acetoſæ ſiue Oxalidis.

Acini, Punici semina.
Agni casti, siue Viticis, Salicis marinæ.
Althææ, Bisinaluæ.
Ammeos vulgaris, veri Cumini regij Alexandrini.
Amomi veri.
Anethi.
Angelicæ.
Anguriæ.
Anisi, Cymini dulcis.
Anthoræ, semen Rosarum.
Apij satiui, crispi.
Aquilegiæ, Aquilinæ.
Asparagi, Corrudæ.
Atriplicis, Chrysolachani.
Aurantiorum.
Auenæ.

B

Bardanæ, Personatitiæ.
Berberis, Oxyacanthæ.
Bombacis, Xyli.
Bulbi, Cepæ.

C

Cannabis.
Cardui benedicti, & Mariæ.
Cardamomi { majoris. / minoris.
Carpobalsami.
Carthami, Cnici.
Carui, Careos.
Caulis, Brassicæ.
Ceparum, Crommij.
Ceraforum.
Cerefolij.
Cicutæ.
Citri.
Citruli.
Coriandri, Corij.
Colocynthidos.
Crithmi.
Cubebæ.
Cuscutæ.
Cucumeris domestici, syluestris.
Cucurbitæ, cameratiæ.
Cymini, hort. sylu.
Cydoniorum, Cotoneorum.

D

Dauci { nostri. / cretici.

E

Ebuli.
Endiuiæ, Intybi, Cichorij.
Erucæ.
Erysimi, Irionis.
Erui seu Orobi.

F

Fabarum.
Fœniculi.
Fœnugræci, Ægocerotis, Siliculæ, Trifolij Græci.
Fraxini, linguæ auis, Orneoglossi.
Fumariæ, Capni.

G

Garyophyllatæ.
Genistæ.
Granum Gnidium, i. Thymelæa.
Granũ Solis, perperã pro milio Soler.
Granum Paradisi.

H

Harmel, i. Rutæ syluestris.
Hederæ.
Hipposelini.
Hordei, eiusque farina.
Hyoscyami, Alterci, vtriusque.
Hyperici, Perforatæ.
Hyssopi.

L

Lactucę.
Lapathi acuti, Oxylapathi.
Lathyridis, Cataputiæ minoris, Esulæ vulpinæ.
Laureolæ.
Lentes, Lenticulę.
Leuistici, Ligustici.
Lini.
Lithospermi, Milij Solis.
Lolij.
Loti Vrbanæ, satiuę.
Lupini.

M

Maluę.
Mandragoræ.
Maioranæ, Amaraci.

Magi-

Magiſtrantiæ, Oſtrutij.
Melonum.
Melopeponum.
Meſpilorum.
Mezerei.
Milij.

N

Napi, Buniadis.
Naſturtij.
Nigellæ, Gith.

O

Ocimi ſeu Baſilici Caryophyllati.
Oleris atri, Petroſelini Alexandrini, hippoſelini.
Oryzæ, Hordei Galatici.
Oſſa Dactylorum.

P

Papaueris { albi. / nigri.
Panici.
Paſtinacæ ſylueſtris, Banciæ, & ſatiuæ, Carotis, Staphylini.
Petroſelini { Vulgaris. / Macedonici.
Perfoliatæ.
Piper { album. / longum. / nigrum.
Pimpinellæ, Bipinellæ, Pampinulæ.
Piſa.
Plantaginis.
Porri capitati.
Portulacæ, Porcellanæ.
Pœoniæ.
Pſyllij, Pulicariæ.

R

Rapi, Gongyles.
Raphani, Radiculæ.
Rhois culinariæ ſine Sumach.
Ricini, Cataputiæ maioris, manus Chriſti, Granum regium.
Roſarum.
Rutæ hortenſis, Pegani.

S

Saxifragiæ.
Scariolæ, Seriolæ.
Semen Sanctum, Santonicum, contra vermes.
Seſami veri, vulgaris.
Seſeleos, vel Sileris Montani Maſſilienſis.
Sinapeos.
Siliquaſtri, Capſici, Piperis Indici.
Solani ſatiui.
Staphydiſagrię, Vuę ſylu. Pediculariæ, Piper Marinum.

T

Thlaſpios. (titis.
Trifolij bituminoſi, odorati, Alphal-
Tritici, cuius farina volatilis.

V

Vicia.
Violarum.
Vrticæ vulgaris, Romanæ.
Vuarum acini, gigartæ.

Z

Zeæ, Speltæ.

LACHRYMÆ, LIQVORES, GVMMI, RESINÆ.

A

Abietina oleoſa.
Ammoniacum, Tranſma.
Arabicum, Gummi ex Acacia Ægypti ſpina.
Animæ gummi.
Aſa { fœtida, Stercus Diaboli, recrementum Laſerpitij. / Dulcis, ſiue Benzoin.

B

Bdellium.
Balſamum { è Peru, Indicum. / Iudaicum.

C

Camphora, Caphura.
Caranna.
Cedria Pix, Alkitron.
Ceraſorum.

Elemi, Oleæ Æthiopicæ lachryma.
Euphorbium.

G

Galbanum.
Gum. Amygdalarum.
Iuniperi, Sandaracha Arabum, Vernix.
Hederæ.

L

Laccæ, Cancamum.
Labdanum:
Laſerpitium.
Larignea reſina.
Lentiſcina, Maſtiche.
Lycium, Crocolytos.

M

Maſtiche.
Myrrha, Arboris Arabicæ.

O

Olibanum, Thus maſculum.
Opium, lacryma Papaueris nigri.
Opobalſamum, Balſamum Iudaicum.
Opopanax, Panacis Heraclei liquor.

P

Pini reſina.
Pix liquida, ſicca, naualis, Zopiſſa.
Picebitumen.
Piſſanthum, Liquidæ picis flos.
Prunorum.

R

Reſina Cypria.

S

Sagapenum, Serapinum.
Sarcocolla, Carniglutium.
Sanguis Draconis.
Scammonium & Diacrydium.
Styrax { Calamitis. / Ruber, verus, ad ſuffitum, qui cortex eſt. / Liquidus, noſter, Myrrha ſtacte, cuius fæces, comphitæ.
Strobilina Reſina.

T

Tacamahacha.
Terebinthina.
Thus, Olibanum.
Thuris Manna, i. puluis, cõcuſſu eliſius.
Tragacanthum.

V

Vitium Lachrymæ.

SVCCI.

A

Abſinthij ſuccus, in veſica inſpiſſatus.
Acacia, vel ſuccus Prunellorum ſylueſtrium.
Acetum.
Acetoſitas Citri.
Agreſta, Omphacium.
Aloe { Hepatica. / Soccotrina.
Amylum.
Amurca.
Apij ſuccus.
Arantiorum.

E

Elaterium, è Cucumere agreſti.
Eupatorij.

F

Fæx vini.
Fæcula Brioniæ.

G

Gerſa ſerpentaria.
Glaucium, ſuccus Papaueris corniculati, flore rubro.
Glycyrrhizæ ſuccus.
Grani tinctorij ſuccus.

H

Hypociſtis.

M

Manna vel Tereniabin, Mel aëreum.
Meconium, Maſlach, opium offic.

O

Oleum { recens. / vetus. / Omphacinum.

S

Saccharum vel Zucharum, è canna.
Saccharum candum, Tabarzet.

T

Tartarum.

V

Vinum.
Viſcus Aucupum. Concuſſu Eliſius.

EPLANTIS NATA.

A

Agaricus, Fungus laricis.

B

Bedeguaris, ſpongia quercini generis.

C

Calices glandium, Capulæ glandium.

E

Epithymum.

F

Farina volatilis.
Furfur.

M

Muſcus.

V

Viſcus quercinus.

ANIMALIA.

A

Aſelli, Millepedes.

B

Bombyces.
Buccinæ.

C

Capones.
Cantharides.
Cancri fluuiatiles.
Catuli.
Catus ſenex, emaſculatus.
Cicadæ.
Cygnorum pulli.

E

Erinaceus.

F

Formicæ.

G

Galerita aſſa.

H

Hirundines.
Hirundines, Sanguiſugæ.

L

Limaces terreſtres, Cochleæ.
Lutra.
Lumbrici, ſeu vermes terreſtres, Inteſtina terræ.

M

Meli, Taxi.
Motacillæ.

P

Paſſer, troglodytes.
Purpuræ.

R

Ranæ viridis.

S

Scorpiones terreſtres, triti, vſti.

T

Talpæ.
Teſtitudines.
Tincæ, piſcium medici.
Tineæ.

V

Viperæ, Tyri.
Vulpes.

ANIMALIVM PARTES EXCREMENTA, ET EX IIS DESVMPTA.

Caro viperina.
Calcaneus { Cerui. / Leporis.
Cornu { Cerui, Simplex, Vſtum. / Vnicorni, Monocerotis. / Rhinocerotis, Capræ.
Cerebrum { Leporis. / Paſſerum.
Caogulum leporis, &c.
Os è corde Cerui.
Os cruris bouis.
Cranium bumanum, in eo os triquetrum.
Os, & teſta Sepiæ.
Ebur, ſiue dens Elephantis, ex quo fit Spodium.
Dens Apri. Fibri.
Blatta Byzãtia, Vnguis odoratus, Conchylia

chula Indica.
Pulmo Vulpis, Agni, Suis, Vrſi.
Hepar { Anatum. Aprinum. Aſininum. Lupi, eiuſque Inteſtina.
Adeps { Anatis, Ardeæ, Arietis, Cameli, Canis, Caponis, Capri, Caſtoris, Cuniculi, Equi, Anſeris, Gallinæ, Hominis, Leonis, Leporis, Lucij, Muris montani, Pardi, Serpentum, Tauri, Taxi, Timalli, Vrſi.
Axungia Porci.
Pinguedo vituli, Vulturis, Vulpis.
Seuum Hircinum, Caprinum, Cerùinum, Bouinum, Ouinum, Vaccinum, Taxinum.
Medulla bouis, ouis, Agni, cerui, canis, capræ, cruris vaccæ, tauri, vituli.
Fel taurinũ, vaccinum, Accipitris, Milui, Caprinum, Suillum, leporinum.
Caſeus recens, vetus.
Caſtoreum, teſtes fibrorum.
Lapis { ex felle bouis. è capite Carpionis, Percarum.
Mandibula Lucij piſcis.
Mel.
Mel virgineum.
Oui teſta excluſi pulli.
Aqua lactis.
Perna, Coxa Porcina.
Talus ſuillus.
Pili Leporis.
Stercus { Humanũ, lupinum, murium, ouillum, caprinum, columbinum, equinum, gallinaceum, hirundinum, vaccinum, Caninum ſiue album Græcum.
Pelliculæ ſtomach. Gallinæ.
Spolium ſerpentis, Senecta anguium.
Saliua.
Sudor.
Nidus hirundinum.
Propolis, in alueorum foribus, & rimis, cereum.
Butyrũ vaccinum, ſalis expers, ſalſum.
Ichthyocolla, Gluten piſcium.
Lac aſinæ, capreæ, mulieris, ouis, vaccę.
Lapis Bezoar Orientalis, Occidentalis.
Moſchus.
Zibethum.
Mumia ſepulchrorum, Piſſaphaltum.
Ouum gallinaceum, formicarum.
Sanguis { Hircinus, Humanus, Anſerinus, Caninus, Caprinus, Cerùinus, Columbinus, Leporis, Perdicis, Veſpertilionum, Suis, Taxi, tauri, teſtudinis.
Serum lactis.
Sperma { Ranarum. Ceti.
Teſtes { Galli. Equini.
Cera { alba, Citrina, rubea, flaua, } factitia.
Oeſypus, lanæ ſuccidæ pinguitudo.
Oculi Cancri, Lapides Gammarorum.
Sericum crudum.
Seta è bombice.
Virga Ceruina, Taurina.
Vngula Alces, Aſini, Capræ, Porci.
Vrina hominis, Apri, Capri, Canis, Tauri.

MARINA.

A

Ambra griſea odorata.
Aqua & arena maris.

B

Bitumen Iudaicum, Aſphaltus.
Buccinarum teſta.

C

Carabe vel Cacabre, i. Succinum, Electrum nig. Gagates, Ambra citrina.
Cancrorum, gammarorum teſta.
Cionia teſta.
Concha venerea.
Coralſina.
Cochlearum teſta.
Corallium { album rubrum } frutex ſaxeus.

Dactyli.

D

Dactyli.
Dentalis.

E

Entalis.

F

Flos ſalis, Maris, Sperma Cœti.

H

Halcionium, ſpuma & pila Maris.

L

Lapis ſpongiæ, Spongites.

M

Margarita ſolida, perforata, vnio.
Mater Perlarum.
Mitulorum teſta.
Muria.

N

Naphtha, genus liquidi Bituminis, Petroleum.

P

Pumex.
Purpura.

S

Spongia, fungus maris.
Succinum album, citrinum, nigrum vt prius.

T

Tellina.

V

Vmbilicus marinus.

SALES.

- Sal Gemmæ, foſſilis, Cryſtallinus, Indus, Ammoniacus, Armeniacus, Niger, communis, Factitius, Petræ, Marinus, Alkali, &c.
- Nitrum, Sal nitri.
- Aphronitrum.
- Spuma ſalis, & ſpuma Maris.
- Borax, vel Baurach, Tincar.
- Chryſocolla factitia & nitro foſſili.
- Terra viridis.

METALLICA MINERALIA, ET LAPIDES.

A

Æs, i. æs Vſtum.
Æris ſquama, batitura decutita.
Æris flos, rubigo æris, ærugo.
Ærugo raſilis, i. vide æris.
Ætites, Lapis Aquilæ.
Alabaſtrites.
Alabaſtrum.
Alana terrea, Tripolis vulgò.
Alectorius, lapis Gallinaceus.
Alumen
- Natiuum
  - Liquidum.
  - Rotundum.
  - Sciſſile, plumoſum, capillare.
- Factitium.
  - Vulgare rupeũ, ex lapide cãdido, Alumẽ rochæ.
  - Catinum, ex cineribus Sodæ.
  - Squamoſum, ex lapide ſpeculiari, Scariolæ.
  - Fæcum, ex fæcibus vini.
  - Zucharinum, ex rupeo aqua roſaceâ, ſaccharo & oui albumine.

Amiantus, ſeu Amianthus, linum viuum, amentum, pilus Salamandræ.
Ampelitis terra.
Amethiſtus, violacei coloris gem.
Antimonium, Stibium, Stimmi.
Antimonij vitrum.
Argentum
- foliatum.
- Scobs argenti.

Argentum viuum, hydrargyrus, Mercurius.
Argentum viuum
- præcipitatum.
- Sublimatum.

Armenius lapis, ſeu Armenus.
Arſenicum, Arrhenicum, i. album ſublimatum, cryſtallinum.

Auri-

CATALOGVS

Auripigmentum, i. Arſenicum luteum.
Argilla.
Aſterius gem.
Aurum foliatum, obrizum.

B

Berillus.
Bolus Armenus, gleba Orientalis.
Bufonis lapis.

C

Cadmia natiua, lapis Calaminaris.
Cadmia fornicaria, botrytis, tutia, offic. ex fauilla calaminaris natiuæ.
Calx, viua, extincta.
Ceruſſa.
Calcanthum, vitriolum, atramentū ſutoriū, copparoſa, { alba. / viridis. / cærulea ſiue Rom.
Chalcitis, atramentum rubrum.
Chalybs, ſtomoma ferri.
Chryſolithus.
Chryſopaſius.
Cotes.
Creta { argentea, alba. / viridis, cærulea, rubra.
Cryſtallus.
Cinnabaris { minium natiuum. / factitia ex ſulphure & argento viuo.

D

Diaphryges, ſex æris ſubſidens quod bis toſtum.

F

Ferrum, ferri ſcoria, ſquama, rubigo.

G

Granatus, Carbūculus Charcedonicus.
Gagathes, obſidianus lapis, carbo petræ
Gypſum.

H

Hæmatites, lapis Sanguinarius.
Hyacinthus.

I

Iaſpis.

L

Lazuli, lapis Cyaneus.
Lapis { Lyncis, Aſius, Arabicus. / Belemnites, Lyncirius. / Iudaicus.
Lythargyrū colore { auri, Chryſitis. / argẽti, Argyrites.

M

Magnes, Sideritis, Herculeus lapis.
Marchaſita, Pyrites, Zeg nigrum Arabum.
Marmor.
Melanteria.
Miniū { natiuum, cinnabaris naturalis. / factitiū { ex ceruſſa, Sandix. / ex plumbo calcinato, minium vulgare.
Myſi, attramentum luteum.

N

Nephriticus lapis.

O

Ochra lutea, lutum Montanum.
Ophites, marmor Serpentinum.
Onix, lapis Onychinus.
Opalus.

P

Plumbum { albū, argentariū, ſtannum. / nigrum, vulgare.
Plumbago, Molybdæna, Galena, Lapis Plumbarius.
Pompholyx ſiue Tutia Arabum, Nihili album.

R

Rubinus lapis, Pyropus, Carbunculus.
Rubrica fabrilis, ſynopica.
Realgar. Arſenicum rubrum.

S

Sapphyrus, Cyanos.
Stannum.
Sardinus lapis, Sarda, Corneolus.
Smaragdus.
Selenites, Specularis lapis.
Spodium, Nil griſeum.
Sulphur { natiuum, viuum. / factitium, vulg.
Flores ſulph.
Sory, Atramentum metallicum, griſeum.
Smyris, Smeryllus.
Terra { Sigillata, Lemnia ſacra, Sphragis. / Samia, Sarnhuſia, Chia, melita. / Sileſiaca, Stringenſis, Solis Axungia.

Thra-

Thracius lapis. Chimolia.
Tartarum, fæx vini.
Talchum.
Topasius lapis.
Turcosius, Feruzegi Mesues.
Testæ fornaceæ.

Plura iisdem simplicibus nomina, sæpe condonamus, & diuersa quandoque specierum indiuidua distinguendo supponimus. Succedanea antiballomena in classes redigere minimè placuit, ne vel in substitutis audaculi, viliora & spuria, pro magis pretiosis & legitimis arripiant: hæc enim (quo decet) suo semper loco subiecimus. Simplicium capita sic recensuimus, vt sub his recensita enumerasse sufficiat. Hæc si aduertant, dictum satis.

NVNCV-

NVNCVPATIONVM QVARVNDAM COMMVNIVM INTERPRETATIO.

QVINQVE FLORES CORDIALES.

Rosarum.
Violarum.
Borraginis.
Bugloſſi.
Anthos, vel Meliſſæ.

QVINQVE HERBÆ EMOLLIENTES.

Althæa.
Malua.
Beta, Brancha vrſina, Acanthus.
Mercurialis.
Violaria. Parietaria.

QVATVOR SEMINA CALIDA MAIORA, CARMINATIVA.

Aniſi.
Fœniculi.
Carui.
Cumini.

QVATVOR SEMINA CALIDA MINORA.

Ammeos.
Amomi.
Apij, Latifolij, criſpi, ſatiui.
Dauci, Pimpinellæ vulgaris.

QVATVOR SEMINA FRIGIDA MAIORA.

Cucurbitæ.
Cucumeris.
Citruli.
Melonum.

QVATVOR SEMINA FRIGIDA MINORA.

Endiuiæ, Anguſtifolii. } Incichorij, Latifolij. } ſybi.
Lactucæ.
Portulacæ.

QVINQVE RADICES COMMVNES APERITIVÆ, DIVRETICÆ, MAIORES.

Apij.
Aſparagi.
Fœniculi.
Petroſelini.
Ruſci.

RADICES DVÆ.

Fœniculi.
Petroſelini.

QVINQVE RADICES APERIENTES MINORES.

Graminis, i. Canini vulgaris.
Eryngii.
Capparis.

Ononidis.
Rubiæ.

QVINQVE HERBÆ CAPILLARES.

Adianthũ { nigrum, seu Capillus Veneris. / album, seu Ruta muraria. Saluiæ vitæ.
Polytricon aureum.
Trichomanes.
Aspenium, Ceterach. Scolopendrium.

QVATVOR AQVÆ PLEVRITICÆ.

Cardui B. Mariæ.
Taraxaconis.
Cardui Benedicti.
Scabiosæ.

FLORES COMMVNES CALIDI.

Chamæmeli.
Meliloti.
Ireos, seu Lilij.

TRIA OLEA STOMACHICA.

Absinthij.
Cydoniorum.
Mastichinum.

QVATVOR VNGVENTA CALIDA.

Agrippæ.
Althææ.
Aregon.
Martiatum.

QVATVOR VNGVENTA FRIGIDA.

Album Caphuratum.
Populeon.
Refrigerans Galeni.
Rosatum Mesuæ.

QVATVOR VNGVENTA CHIRVRGIS AD MANVM.

Basilicon, digerit, maturat.
Viride Apostolorum, mundificat.
Aureum, incarnat.
Album, cicatrizat.

FRAGMENTA PRETIOSA.

Sapphyri, Syrtitæ.
Granati, Carbunculi Charcedonici.
Smaragdi.
Hyacinthi, Chrysolithi, Amethisti.
Sardæ seu Corneoli, Sardini.
Rubini, Pyropi.
Margaritarum, Vnionum.

AQVÆ

AQVÆ SIMPLICIORES DISTILLANDAE, QVÆ VSVI, ET SVNT IN VSV.

Aqua Abrotoni.
Abſinthij vtriuſque.
Acac. prunell. ſylueſt. Flor.
Acetoſæ ſeu Oxalidis.
Acetoſellæ ſeu Luiulæ.
Adianthi.
Agrimoniæ.
Alchimellæ.
Alkekengi, Halicacabi.
Altheæ.
Alſines.
Anagalidis.
Anethi.
Angelicæ.
Anguriæ, Melopeponum.
Anthemidis.
Apij.
Aquilegiæ.
Arnoglôſſi.
Arancior: Flor.
Ari-

Aqua Artemiſiæ.
Aſari rad.
Aſparag.
Auriculæ Muris.
Barbæ hirci, Scurzoneræ.
Bardanæ.
Baſilici.
Berber.
Betonicæ.
Betulæ arb.
Borraginis.
Braſſicæ.
Brioniæ.
Bugloſſi.
Burſæ paſtoris.
Calami aromatici.
Calaminthæ vtriuſque.
Calenduiæ.
Capillorum Veneris.
Caprifolij florum.

Aqua Cardui Benedicti.
Centaurij.
Centinodiæ, ſiue Polygoni.
Ceparum.
Ceraſorum nigrorum.
Cerefolij.
Chamæmeli.
Chamæpityos, Iuæ arthe-
Chelidonij. (ticæ.
Cichorij.
Citri Pomorum.
Citrulorum.
Cochleariæ.
Cochlearum.
Conſolidæ maioris.
Corticum Iuglandium.
Craſſulæ.
Cucurbitæ.
Cuſcutæ.
Cynogloſſi.
Cytoniorum.
Dentis Leonis.
Ebuli.
Endiuiæ.
Enulæ.
Eupatorij.
Euphragiæ.
Farfaræ ſeu Tuſsilaginis.
Florum Roriſmarini.
Cyani.
Fabarum.
Lamij.
Siliginis.
Tiliæ.
Tunicæ.
Fœniculi.
Fragrariæ, & fragorum.
Fraxini.

Aqua Fumariæ.
Fungorum.
Galegæ.
Geniſtæ.
Gentianæ.
Geranij.
Graminis.
Hederæ vtriuſque.
Helxines volubilis.
Herniariæ.
Hippuridis, Caudæ equinæ.
Hirundinum.
Hyperici.
Hyſſopi.
Iridis.
Iuniperi ex granis.
Lactucæ.
Lapathi acuti.
Lauendulæ.
Leuiſtici.
Liguſtri florum.
Lilij Conuallium, & albi.
Linariæ.
Lupulorum.
Maioranæ.
Maluæ.
Marrhubij ſeu Praſij.
Matricariæ.
Meliloti.
Meliſſæ.
Mellis.
Melonum.
Mentaſtri.
Menthæ.
è Mercuriali.
Milij Solis.
Millefolij.
Mororum Celſi.

Mor-

Aqua Morſus Diaboli.
Naſturtij.
Nicotianæ.
Nucum immaturarum.
Nummulariæ.
Nymphææ.
Ononidis.
Origani.
Papaueris vtriuſque.
Parietariæ, Helxines.
Petaſitæ.
Petroſelini.
Periclymeni.
Picarum.
Pimpinellæ.
Plantaginis vtriuſque.
Pœoniæ.
Polygonati, i. Sigilli Salomonis.
Polytrichi.
Portulacæ.
Primulæ Veris.
Prunellæ.
Pulegij.
Pyrolæ.
Pyrorum ſylueſtr:
Quercus, ſc: germinum, fol:
Raparum.
Raphani.
Roris Maialis.
Roſarum { Albarum. / Damaſcenarũ. / Rubrarum.
Aqua Rutæ.
Sabinæ.
Saluiæ vtriuſque.
Sambuci.
Saniculæ.
Satureiæ.
Satyrionis.
Saxifragiæ.
Scabioſæ.
Scolopendrij, Phyllitidis.
Scordij.
Scrophulariæ.
Sedi ſeu Semper vivi.
Senecionis.
Serpylli.
Solani.
Spermatis Ranarum.
Spicæ Nardi.
Squamariæ.
Tamariſci.
Tanaceti.
Tormentillæ.
Valerianæ.
Verbaſci, Tapſi barbati.
Verbenæ.
Veronicæ.
Violarum.
Vitium lachrymæ.
Vlmariæ, Reginæ Prati, Barbæ Capri.
Vngulæ Caballinæ; Tuſſilaginis, Farfaræ.
Vrticæ.

Diſtillare iam doctos non docemus, ſeu per aſcenſum, ſeu deſcenſum: Monemus modò, cauеatur empyreuma.

AQVÆ COMPOSITÆ.

AQVA ABSINTHII MINVS COMPOSITA.

℞ Abſinthij Sicci libras duas.
Semin: Aniſi libram dimidiam.
Macerentur in ſpiritus tenuioris aquæ vitæ congiis ſex, per horas viginti quatuor, deinde extrahatur ſpiritus per Alembicum addendo poſt diſtillationem,
Sacchari puriſſimi quantũ ſatis.
Eodem modo parentur
Aquæ Folior. Angelicæ cum toto.
Semin: Aniſi.
Cortic: Aurantiorum.
Limonum.
Herbar: Meliſſæ.
Menthæ.
Roriſmarini.
Saluiæ, &c.

AQVA ABSINTHII MAGIS COMPOSITA.

℞ Abſinthij Romani,
Vulgaris ana. librã vnam.
Saluiæ.
Menthæ.
Meliſſæ ana manipul. duos.
Radic: Galangæ.
Zingiberis.
Calami aromatici.
Enulæ Campanæ ana drachmas tres.
Glycyrrhizæ vnciam vnam.
Vuarum paſſarum exacinatarum vncias tres.
Semin. Aniſi.
Fœniculi dulcis ana drachma ſex.
Cinnamomi.
Caryophyllorum.
Nucis Moſchatæ ana drachmas duas.
Cardamomi.
Cubebarum, ana drachmam unam.
Incidantur incidenda, Contundantur contundenda, & in
Vini Hiſpanici libris viginti quatuor infundantur per horas viginti quatuor, deinde diſtillentur in Alembico ſecundum artem: poſt adde Sacchari ad gratiam, q.ſ.

AQVA ANGELICÆ MAGIS COMPOSITA.

℞ Angelicæ libras duas:
Aniſi ſemilibram.
Coriandri.
Carui ana vncias quatuor.
Zedoariæ conciſæ vncias tres.
Macerentur in ſpiritus vini tenuioris ſex congiis per horas viginti quatuor, deinde extrahatur ſpiritus fortis, qui Saccharo edulcorandus eſt.

AQVA

AQVA BEZOARTICA BREVIS LANGII lib. 3. Epist. 1.

℞ Chelidonij cum radicibus lotis manipul. tres semis.
Rutæ manipul. vnum.
Scordij manipul. duos.
Dictamni Cretensis.
Cardui benedicti ana manipul. vnum semis.
Radic: Zedoariæ,
Angelicæ ana drachmas tres.
Cortic: Citri,
Limonum ana drachmas duas semis.
Florum Tunicæ.
Rosarum ana drachmas duas.
Cinnamomi.
Caryophyllorum ana drachmas quinque semis.
Theriacæ Andromachi vncias tres.
Mithridatij vnciam vnam semis.
Camphoræ scrupulos duos.
Trochiscorum de vipera.
Macis ana drachmam vnam semis.
Xyloaloes scrupulos duos.
Santali Citrini drachmam vnam semis.
Conserue florum Tunicæ vncias duas.
Semin: Cardui benedicti vnciam vnam.
Specierum Electuarij Liberantis scrupulos quinque.
Limaturæ cornu Monocerotis vel Cerui drachmam vnam semis.
Incidenda incidantur & per triduum macerentur in spiritus vini optimi, &
Vini Maluatici, ana libris tribus.
Aceti florum Tunicæ libra dimidia.
Et lentissimo igne distillentur per B.M.S.A. in vase vitreo.
Postquam ad medias facta fuerit distillatio; Quod in vase erit, colari possit per pannum lineum, Colatura distillatione reduci in Extractum mellagineum, quod asseruetur sub nomine Extracti Bezoartici; & hoc modo ex omnibus penè aquis compositis Extracta parari possunt.

AQVA BEZOARTICA MATTHIOLI.

℞ Antidoti magnæ Matthioli.
Syrupi de corticibus Citri ana libram vnam.
Aquæ vitæ factæ ex vino præstantissimo, & per distillationes sæpius repetitas rectificatæ & ad quintam essentiam redactæ libras quinque.
Ponantur omnia in Matratio vitreo capaciori, deinde optimè occluso vase ne quid respiret, conquassentur simul diligentissimè, vt Electuarium optimè cum spiritu vini commisceri possit; & sic

ſtent ſimul commixta per integrũ menſem, bis in ſeptimana vas vt prius concutiendo, Electuarium enim facilè in fundum reſidet: finito menſe, aquam claram Electuario ſupernatantem in aliud vas vitreum leniter effundes: vas optimè cera & charta pergamena occludendo; alioqui ſpiritus facilè in fumum euolabit.

AQVA CAPONIS.

℞ Caponem euiſceratum, atque in fruſta inciſum, ademptâ pinguedine; decoque in quantitate ſufficienti aquæ ſecundùm artem.

℞ Brodij colati libras duas ſemis.
Aquarum Borraginis.
Bugloſſi.
Vini albi ana libram vnam ſemis.
Flor: Roſarum.
Violarum.
Bugloſſi.
Borraginis ana drachmas duas.
Micarum Panis recentis libram dimidiam.
Cinnamomi electi fracti vnciam vnam.
Diſtillentur in Alembico vitreo ſecundum artem.

AQVA CINNAMOMI.

℞ Cinnamomi contuſi libram vnam ſemis.
Vini Hiſpanici libras duodecim.
Macerentur & diſtillentur per Alembicum. Extrahendo fortioris lib. iij. tenuioris q. ſ. Stillatitio liquori addatur ſacchari puriſſimi in tenuiſſimum pollinem redacti, quantum ſatis.

AQVA CINNAMOMI MATTHIOLI.

℞ Cinnamomi contuſi libram vnam ponatur in matracium affundendo.
Aquæ Roſaceæ libras quatuor.
Vini Hiſpanici librã vnã ſemis, & optimè occluſo vaſe ponantur in Balneum tepidum per horas viginti quatuor, deinde aperto vaſe & ſuperpoſito roſtro diſtillentur ſ. a. iuncturis optimè clauſis, ne quid tranſpiret.

AQVA CINNAMOMI CLARETA PER INFVSIONEM.

℞ Cinnamomi contuſi vncias quatuor.
Spiritus vini rectificatiſſimi libras duas.
Fiat infuſio per quatriduum vaſe amplo, vitreo, ſubere & veſicâ apprimè clauſo, vas quotidie bis terve agitando. Seorſim vero diſſoluatur libra dimidia Sacchari cand. Cryſtallini in libris duabus Aquæ Roſar. Miſceantur iſti duo liquores colati, & indatur nodulus continens.

Ambræ

Ambræ griſeæ ſcrupulum dimidium.
Moſchi Orientalis grana quatuor.

AQVA COELESTIS MATTHIOLI.

℞ Cinnamomi vnciam vnam.
Zingiberis vnciam dimidiam:
Santalorum omniũ ana drachmas ſex.
Caryophyllorum.
Galangæ.
Nucis Moſchatæ ana drachmas duas ſemis.
Macis.
Cubebarum ana drachmam vnam.
Cardamomi vtriuſque.
Semin: Melanthij ana drachmas tres.
Zedoariæ vnciã dimidiam.
Semin: Aniſi.
Fœniculi dulcis.
Paſtinacæ ſylueſtris.
Ocimi ana drachmam vnam ſemis.
Radic: Angelicæ.
Caryophyllatæ.
Glycyrrhizæ.
Calami odorati.
Phu minotis.
Folior: Sclareæ.
Thymi.
Calaminthæ.
Pulegij.
Menthæ.
Serpylli.
Maioranæ; ana drachmas duas.
Florum Roſarum rubrarum.
Saluiæ.
Roriſmarini.
Betonicæ.
Stœchados.
Bugloſſi.
Borraginis ana drachmam vnam ſemis.
Corticum Citri drachmas tres.

Terantur quæ terenda ſunt, & macerentur per dies quindecim in libris duodecim ſpiritus vini optimi, in vaſe vitreo optimè clauſo, deinde diſtillentur in B.M.ſa. Poſtea aquæ diſtillatæ adde

Specierum Diambræ.
Aromatici roſati.
Diamoſchi dulcis.
Diamargariti frigidi.
Diarhodon Abbatis.
Electuarij de Gemmis ana drachmas tres.
Santali Citrini contuſi drachmas duas.
Moſchi.
Ambræ griſeæ in tela rara ligatorum ana ſcrupulum vnum.
Iulepi Roſati clari libram vnã.

Optimè ſimul conquaſſentur, vt Iulepum cum aqua benè incorporari poſſit, deinde clauſo vaſis orificio, cum cera & charta pergamena, reponantur, dum reſidentiam depoſuerint, & aqua ſit facta clara.

AQVA

AQVA CORDIALIS.

℞ Foliorum Angelicæ libram dimidiam.
Folior: Cardui benedicti vncias ſex.
Meliſſæ.
Saluiæ ana vncias quatuor.
Semin: Angelicæ vncias ſex.
Semin: Fœniculi dulcis vncias nouem.
Herbæ ſiccæ,& ſemina craſſiuſculè contundantur, quibus adde
Specierum Aromatici Roſati Gabrielis.
Diamoſchi dulcis ana vnciam vnam ſemis.
Infundantur per biduum in vini Hiſpanici libris triginta duabus, diſtillentur ſecundùm artem, lento igne, & extrahe aquæ fortioris libras decem, quibus poſt biduũ, adde ſacchari libram vnam ſemis ſoluti in aqua Roſaceæ libra vna ſemis ſuper ignem.

Ex reliquiis aquæ mitioris, libræ ſex aut plures extrahantur, pro vehiculis Cordialium.

AQVA CORDIALIS FRIGIDA SAXONIÆ.

℞ Succi Borraginis.
Bugloſſi.
Meliſſæ.
Biſtortæ.
Verbenacæ.
Oxylapathi.
Acetoſæ.
Rutæ Capratiæ.
Myrrhidis.
Cyani maioris,
minoris, vel duplum minoris.
Roſarum.
Calendulæ.
Limonum.
Citri, ana vncias ſex.
Succi Pimpinellæ.
Pentaphylli ana vncias tres.
Aceti vini albi libram vnam.
Semin: Portulacæ.
Florum Nymphææ ana vncias duas.
Terræ Lemniæ.
Sileſiacæ.
Samiæ, ana vnciam vnam ſemis.
Specierum Diatrionſantalon drachmas ſex.
Margaritarum præparatarum cum acido Citri drachmas tres.

Infundantur ſpecies, flores & ſemina omnia(præter terras & margaritas) in ſuccis, & aceto, factâ maceratione per tres dies diſtillentur in B. per Alembicum vitreum. Liquori ſtillatitio addantur terræ cum Margaritis, & aſſatim ei miſceantur.

AQVA

AQVA ANTEPILEPTICA LANGII.
lib. 3. Epiſt. 1.

℞ Florum Tiliæ manipul. tres.
Lilij Conuallium manipul: quinque.
Semin: Pœoniæ conquaſſatorũ vnciam dimidiam.
Infundantur in libris quinque vini albi optimi per dies octo, deinde diſtillentur in B. M. lento igne, poſteà
℞ Florum Roriſmarini manipul: dimidium.
Florum Lauendulæ manipul: vnum.
Herb: Rutæ manipul: vnum.
Betonicæ manipul: dimidium.
Flor: Stœchados Arabicæ pugil: vnum.
Radic. Pœoniæ drachmas duas ſemis.
Dictamni albi drachmas duas
Scillæ præparatæ drachmam vnam ſemis.
Pyrethri drachmam dimidiam.
Viſci Quercini drachmas duas.
Caſtorei optimi drachmã vnã.
Cubebarum.
Cardamomi ana ſcrupul. vnũ.
Macis ſemidrachmam.
Caryophyllorum ſcrupul. duos
Nucis Moſchatæ ſcrupul. vnũ.
Infundantur inciſa & conquaſſata per dies ſex in prædicta ſtillatitiâ, & iterum diſtillentur per Alembicũ in B. M. lento igne, & ſeruentur ex vitro exquiſitè clauſo. Extractum Antepilepticum efficax vnâ eâdemque paretur operâ.

AQVA HYSTERICA.

℞ Succi Rãdicum Brioniæ libras quatuor.
Succi Rutæ.
Artemiſiæ, ana libras duas.
Folior: Siccorum Sabinæ manipul. tres.
Matricariæ.
Nepetæ.
Pulegij regalis, ana manipul. duos.
Folior: Ocimi.
Dictamni Cretici, ana manipul. vnum ſemis.
Corticis Aurantiorum flaui recentis vncias quatuor.
Myrrhæ vncias duas.
Caſtorei vnciam vnam.
Vini Canarini generoſiſſimi libras duodecim.
Digerantur per quatriduum vaſe idoneo, mox fiat in Balneo diſtillatio, deinde ſub medium diſtillationis expreſſio, & colatura: & tandem per diſtillationis continuationem, & tincturæ inſpiſſationem, præparetur Extractum Hyſtericum.

AQVA IMPERIALIS.

℞ Cortic: Citri ſicci.
Aurantiorum.

Nuci

Nucis Moſchatæ.
Caryophyllorum.
Cinnamomi, ana vncias duas.
Cyperi.
Ireos Florentinæ.
Calami aromatici, ana vnciam vnam.
Zedoariæ.
Galangæ.
Zingiberis, ana vnciam dimidiam.
Summitat: Lauendulæ.
Roriſmarini, ana manipul. duos.
Folior: Lauri.
Maioranæ.
Hyſſopi.
Meliſſæ.
Menthæ.
Saluiæ.
Thymi, ana manipul. vnum.
Roſarum albarum.
Pallidarum recentium. ana manip. dimidium.
Aquæ Roſarum libras quatuor.
Vini albi optimi libras octo, &

Contuſis contundendis infundantur per horas viginti quatuor in Alembico vitreo ſuper cineres calidos, deinde diſtillentur vt artis eſt.

AQVA MELISSÆ MAGIS COMPOSITA.

℞ Meliſſæ libram vnam.
Thymi.
Pulegij, ana drachmas tres.
Cinnamomi drachmas duas.
Cardamomi minoris drachmã vnam.
Granorum Paradiſi vnciam dimidiam.
Semin: Fœniculi dulcis vnciam vnam.
Nucis Moſchatæ.
Zingiberis, ana drachmam vnam.
Galangæ drachmas ſex.
Calami aromatici.
Cyperi ana drachmam vnam ſemis.
Dictamni drachmam dimidiam.

Contundantur omnia & infundantur in vini Hiſpanici libris octo, &,
Ceruiſiæ fortis libris ſex, horas viginti quatuor.
Diſtillentur per Alembicum extrahendo fortioris libras tres.

AQVA MARIÆ.

℞ Sacchari cand. libram vnam.
Vini Canarini vncias ſex.
Aquæ roſaceæ vncias quatuor.
Fiat Syrupus benè coctus, cui adde

de Aquæ cœleſtis libras duas.
Ambræ griſeæ.
Moſchi ana. Grana octodecim.
Croci grana quindecim.
Santali citrini in aqua cœleſti infuſi drachmas duas. fiat aqua depurata.

AQVA MIRABILIS.

℞ Caryophyllorum.
Galangæ.
Cubebarum.
Macis.
Cardamomi.
Nucæ Moſchatæ.
Zingiberis, ana drachmam vnam.
Succi Chelidoniæ libram dimidiam.
Aquæ vitæ libram vnam.
Vini albi libras tres.

Infundantur viginti quatuor horas, & diſtillentur per Alembicum libræ duæ.

AQVA RORIS SOLIS vulgo dicta, ROSA SOLIS.

℞ Nucis Moſchatæ,
Semin. aniſi.
Coriandri, ana vnciam vnam.
Galangæ.
Zingiberis,
Caryophyllorum, ana vnciam dimidiam.
Roſarum rubrarum manipul. vnum.
Roris Solis manipul. ſex.
Glycyrrhicæ raſæ vncias duas.
Cardamomi,
Zedoariæ.
Granor: Paradiſi,
Calami aromatici, ana drachmam vnam.
Santali citrini drachmas duas
Santali rubri.
Cinnamomi ana vnciam vnã ſemis.
Aquæ vitæ optimæ libras duodecim.

Infundantur ſ. a. per octiduum, & percolatis adde Sacchari libram vnam ſemis.

AQVA DOCTORIS STEPHANI.

℞ Cinnamomi,
Zingiberis,
Galangæ,
Caryophyllorum,
Nucis Moſchatæ,
Granor: Paradiſi,
Sem. Aniſi.
Fœniculi.
Carui ana drachmam vnã.
Herb. Thymi,
Serpylli,
Menthæ,
Saluiæ,
Pulegij,
Parietariæ,
Roriſmarini.
Flor. Roſarum rubrarum.
Chamæmeli,
Origani,
Lauendulæ, ana manipul. vnum.
Vini Gaſconici libras duodecim.

Infundantur omnia per horas

duodecim, deinde in Alembico diſtillentur fortioris libræ tres.

AQVA PROTHERIACALIS.

℞ Fol. Scordij.
Scabioſæ,
Cardui benedicti,
Galegæ, ana manip. duos
Corticum Citri,
Aranciorum ſicc. ana vncias duas.
Semin. Citri,
Cardui benedicti,
Seſeleos,
Thlaſpios, ana vnciam vnam.
Florum Calendulæ.
Anthos, ana manip. vnum.

Incidenda incidantur, & contundenda craſſiuſculè contundantur, & cum vini albi meraci libris quatuor, & aquæ Cardui bened. libris duabus, in vas vitreum immittantur bene obturatum, ità vt per duas hebdomadas inſolentur, vel in ſtupha furnaria per aliquot dies macerentur, factâ ſ. a. agitatione frequenti. Tum demum in B.M. diſtillentur, ità vt libræ duæ priores extillatæ per ſe ſeparatim vſui reſeruentur. Quæ verò poſtea per diſtillationem effluit aqua, itidem per ſe vſui aſſeruetur; tandemque ſingulis libris admiſce

Iulapij Alexandrini vnciam vnam.
Aquæ Cinnamomi cochleare vnum.

Haud nos latet plurima ſimplicia ingredi compoſitionem Theriacæ, quorũ virtutes diſtillatione factâ in B. M. elici nequeũt ad amuſſim. Hanc igitur ex induſtria ſubſtituimus, cui tempore exhibitionis Medicus rationalis pro data indicatione vel Theriacam, vel Diaſcordium, vel Syrupum aliquem conuenientem poterit adiicere. Receptam tamen Theriacalis ſtillatitiæ vnam adiunximus, ne præuaricari videamur.

AQVA THERIACALIS LVGDVNENSIS PER INFVSIONEM.

℞ Vini optimi diſtillati aliquoties,
Vini Cretici,
Aceti acerrimi, (in quo ſeminũ Rutæ vnciam ſemis fuerit incocta,) ana libras duas.
Theriacæ electæ.
Mithridatij optimi, ana libram dimidiam.

Miſce ac inſolentur, vel tepore Balnei aliquandiu calefiant ac deinde aſſeruetur vſui aqua colata.

AQVA THERIACALIS STILLATITIA.

℞ Succi putaminis viridis nucum Iuglandium libras quatuor.
Succi Rutæ libras tres.
Succor: Cardui benedicti.

Calen-

Calendulæ,
Meliſſæ, ana libras duas.
Radicum Petaſitæ recentium libram vnam ſemis.
Radic: Bardanæ libram vnam.
Radic: Angelicæ } recentium, ana
Imperatoriæ } vncias ſex.
Folior: Scordij manip. quatuor.
Theriacæ Andromachi veteris & probatæ.
Mithridatij, ana vncias octo.
Vini Canarini generoſiſſimi libras duodecim.
Aceti vini albi acerrimi libras ſex.
Succi Limonum libras duas.

Fiat per biduum digeſtio in fimo equino, vel Balneo, vaſe optimè clauſo, deinde per arenam diſtillatio: & hinc inter diſtillandum paretur extractum Theriacale.

AQVA VITÆ

vulgò ſic dicta, vbique venalis, ad vſum pauperum.

℞ Ceruiſiæ, & fœcum vini, ana quantum vis, extrahatur ſpiritus tenuis in Alembico amplo, cuius roſtrum per aquam frigidam tranſeat, in cuius ſpiritus congiis decem macera ſemin: Aniſi parùm contuſorum libram vnam, per horas viginti quatuor, deinde extrahatur ſpiritus fortis.

AQVA VITÆ COMPOSITA.

Fit ex ſpiritibus tenuioribus vini, in quorum congiis ſex, macerentur per biduum.

Sem. Aniſi ſemi libra,
Fœniculi,
Carui, ana vnciæ duæ.
Caryophyllorum.
Cinnamomi.
Zingiberis ana vnciæ dimidia.

Et poſteà extrahatur ſpiritus fortior.

SPIRITVS CASTOREI.

℞ Caſtorei recentis vncias quatuor.
Florum Lauendulæ recentium vnciam vnam.
Summitat. Saluiæ & Roriſmarini, ana vnciam dimidiam.
Cinnamomi drachmas ſex.
Macis.
Caryophyllorum an. drachmas duas.
Spiritus vini rectificati libras ſex.

Digerantur in Phiala, ad tertias tantum repletâ, veſicâ bubulâ & ſubere optimè clausâ per biduum in cineribus tepidulis vel arena, deinde ſpiritus eliciatur per B. M. vaſe diligentiſſimè obturato aſſeruandus.

VSQVEBACH.

℞ Aquæ vitæ fortioris libras viginti quatuor, quibus per quatriduum
Infunde Glycyrrhizæ libram vnam.
Vvarum passarum libram dimidiam.
Caryophyllorum vnciam dimidiam.
Macis,
Zingiberis, an. drachmas duas.
feruetur colatura pro vsu.

AQVA ALVMINIS. *FALLOPII.*

℞ Aquarum Plantaginis,
Rosarum rubrarum ana libram vnam.
Aluminis Rochæ.
Argenti viui.
Sublimati ana drachmas duas.

Alumen & Sublimatum terantur, deinde ponantur cum aquis in vas vitreum, anguſti oris, bulliantq; ſimul ad conſumptionem medietatis, deinde ſtent per dies quinque vt deſideat ſublimatum & fœx aluminis, poſtea effundatur aqua limpidiſſima, & ſeruetur in vaſe vitreo. *Fall. morb. Gal. c. 93.*

VINA

VINA MEDICATA.

VINVM ABSINTHITES.

℞ Abſinthij ſicci manipulum pro vnoquoque Congio vini, immittatur in vas benè obturatum & ſic maneat in infuſione.

VINVM ANTHOSATVM.

Fit eodem modo, quo vinum Abſinthites: ſic fit & vinum Euphragiæ, vt & reliqua omnia, quando Medico videbitur.

VINVM SCILLITICVM *GALENI.*

℞ Scillæ albæ montanæ circiter Canis ortum collectæ in laminas conciſæ, libram vnam: Per dies decem in vmbra refrigera, deinde ſcillæ laminas refrigeratas in vitreum vas mitte, & ſuperinfunde vini albi veteris Gallici ſextarios duodecim, & ſuſpenſum vas per dies quadraginta habeto, poſtea ſcillam exime, & abiice.

ACETA MEDICATA.

ACETVM DISTILLATVM.

℞ Aceti optimi quantum ſufficit; impleatur alembicum ad tertiam tantùm partem, imponatur vas in cineres, & diſtilletur primò lento igne vt phlegma ſeparetur, deinde ſenſim ignem augendo, tandem forti abſoluatur.

ACETVM ROSACEVM. *MES.*

℞ Roſarum rubrarum mediæ maturitatis, præſectis & abiectis vnguibus, abſque rore, ſine pluuia collectarum, in vmbra extra ſolem ad triduum aut quatriduum expanſarum & reſiccatarum libram vnam.

Aceti ſextarios octo.

Inſolentur diebus quadraginta, deinde coletur acetum ac reponatur; mutari etiam folia Roſarum poſſunt, & ſic odore gratius fiet acetum.

ACETVM SAMBVCINVM. *MES.*

Fit ex floribus ſiccatis Sambuci, vt Roſaceum.

Eodem modo parari poſſunt Aceta ex floribus ſiccatis.

Anthos.
Calendulæ.
Saluiæ.
Tunicæ, &c.

ACETVM SCILLITICVM. *MES.*

℞ Scillæ laminæ inter corticem & cor mediæ, ex arte purgatæ, & in taleolas ſectæ, Soli aut remiſſo calori exponantur per triginta aut quadraginta dies: dein libra vna minutim conciſa (cultrò è candidiore ligno parato, aut eburneo) in lagenam demittatur, optimi aceri

ceti libris sex affusis : vasculum ritè obturatum (ne quid exhalet) exponatur æstiuo tempore radiis solaribus, triginta aut quadriginta dies : posteà aperto vase totum transcoletur, & lagenis diligenter occlusis adseruetur.

ACETVM THERIACALE. *NORIMBERG.*

℞ Radic: Chelidonij maioris vnciam vnam semis.
Angelicæ.
Ostrutij.
Gentianæ.
Bistortæ siue serpentariæ.
Phu veri, Valerianæ.
Pimpinellæ.
Dictamni albi.
Helenij,
Zedoariæ ana drachmam vnam.
Plantaginis maioris drachmam vnam semis.
Folior. Pilosellæ.
Saluiæ.
Scabiosæ.
Scordij.
Dictamni cretici.
Cardui Benedicti, ana manipul. dimidium.
Corticum &
Semin. Citri ana drachmam vnam semis.
Boli Armeni Orientalis drachmam vnam.
Croci drachmas tres.
Cornu Ceruini drachmam vnam semis.

Ex his, Crocus, Cornu Ceruinum, Dictamnus, & Bolus Armenus in linteo ligentur, ac macerentur vna cum præscriptis in libris quinque aceti acerrimi per plures dies in vase vitreo benè clauso ad temperatum calorem.

In colatura dissoluantur
Theriacæ optimæ drachmæ quinque.

Et sæpiùs conquassentur, & seruentur ad vsum.

ACETVM THERIACALE.

Optimum etiam parabitur Acetum Theriacale, si aquæ Theriacalis propriâ sectione descriptæ magmati addantur Caryophyllorum vnciæ duæ, florum Lauendulæ vncia vna semis, atq; affundantur aceti Rosacei & Sambucini acerrimi ana libræ quatuor, fiatque sine ebullitione digestio in fimo per octiduum, mox per manicam colatura.

DECOCTA.

DECOCTVM CARMINATIVVM.

℞ Semin: Anisi
Dauci.
Fœniculi.
Cumini.
Carui, ana drachmas tres.
Florum Chamæmeli manipul. dimidium.
Vuarum Passarum vnciam vnam semis.
Coque in libris duabus aquæ ad medietatem ferè.

DECOCTVM COMMVNE PRO CLYSTERE.

℞ Maluæ.
Violariæ.
Parietariæ.
Betæ.
Mercurialis ana manipul. vnum.
Semin: Fœniculi vnciam semi.
Coquantur in s.q. aquæ ad libram vnam.

DECOCTVM COMMVNE PRO MEDICINA. *GVAINERII.*

℞ Hordei mundati pugil. vnum.
Prunorum dulcium numero sex.
Vuarum Passarum.
Tamarindorum.
Glycyrrhizæ ana vnciam dimidiam.
Æstate adde,
Semin. quatuor frigidorũ maiorum, ana drachmas duas.
Flor: trium cordialium, ana Pugil. vnum semis.
Fiat decoctio in libris duabus aquæ ad partis mediæ consumptionem.

DECO-

DECOCTVM EPITHYMI, MES.

℞ Myrobalanorum Indarum.
Stœchados Arabicæ.
Vuarum Passarum.
Epithymi, ana vnciam vnam.
Myrobalanorum Chebularum
Fumiterræ, ana vnciam dimidiam.
Foliorum Sennæ, vnciam vnam.
Polypodij quercini drachmas sex.
Turpeti albi vnciam dimidiam.
Eupatorij drachmas quinque.
Seri lactis caprini, vel vaccini libras tres.
Bulliant omnia simul præter Epithymum ad consumptionem librarum duarum, tunc adde Epithymum, & semel feruefac: tolle ab igne, & adde,
Hellebori nigri drachmam vnam.
Agarici drachmam dimidiam.
Salis Indi drachmam vnam semis.
Stent per octo horas vel decem macerata; factâ deinde optimâ expressione colentur.

DECOCTVM FLORVM ET FRVCTVVM.

℞ Caricarum numero quinque.
Prunorum Damascenorum numero quindecim.
Iuiubarum.
Sebasten, ana numero viginti.
Tamarindorum vnciam vnam
Florum Rosarum.
Violarum.
Borraginis.
Buglossi, ana drachmam vnam.
Capillorum Veneris.
Lupulorum.
Endiuiæ, ana manipul. dimidium.
Glycyrrhizæ drachmas duas.
Incidantur & contundantur pro vsu, & in libris tribus aquæ fontanæ decoquantur ad tertiæ partis consumptionem.

DECOCTVM PECTORALE.

℞ Vuarum Passarum mundatarum vnciam vnam.
Sebesten.
Iuiubarum, ana numero quindecim.
Dactylorum numero sex.
Caricarum pinguium numero quatuor.
Hordei purgati vnciam vnam.
Glycyrrhizæ vnciam dimidiam
Capillorum Veneris.
Hyssopi.
Scabiosæ.
Tussilaginis, ana manipul. dimidium.
Incidantur & bulliant in libris tribus aquæ fontanæ, dum libra vna absumatur.

DE-

DECOCTVM SENNÆ. *CEREONIS.*

℞ Foliorum Sennæ vncias duas ſemis.
Zingiberis drachmam vnam.
Florum Borraginis.
Violarum.
Roſarum rubrarum.
Anthos, ana drachmas duas.
Radic: Polipodij quercini vnciam dimidam.
Vuarum Paſſarum Purgatarum vncias duas.
Sebeſten,
Prunorum, ana numero duodecim.
Aquæ fontis libras quatuor.

Fiat decoctum ſecundùm artem ad dimidias, ità vt Senna parùm ebulliat, & vas optimè obturatum per ſex horas dimittatur, deinde exprimatur.

LAC VIRGINEVM.

℞ Aluminis crudi vncias quatuor.
Decoquãtur ad tertias in aquæ fontanæ libris duabus, poſteà
℞ Lithargyri libram dimidiam.
Aceti Vini libram vnam ſemis.
Decoquãtur ad libram vnam, colentur & commiſceantur ambæ aquæ, & agitentur dum albeſcant.

Potio

Potio vulneraria, vulgo decoctum Sclopetarium.

℞ Cancrorum fluuiatilium calcinatorum, & in puluerem subtilissimum redactorum drachmas duas.
Radicum Aristolochiæ rotundæ, & Consolidæ maioris.
Foliorum Prunellæ.
Baccarum Lauri leuitèr contusarum an. drachmam vnam.
Omnia includantur nodulo lineo raro, & bulliant in libris tribus Vini albi, ad tertiæ partis consumptionem, addendo circa medium decoctionis, Vincæ Peruincæ pugillum vnum. Fiat colatura ad vsum.

Istud autem decoctum paretur saltem in rem præsentem iubente Medico, vti & reliqua decocta ferè omnia.

SYRVPI

SYRVPI SIMPLICIORES VNA CVM COMPOSITIS QVI SVNT IN VSV.

SYRVPVS ACETOSVS SIMPLEX, LONDINENSIS.

℞ Sacchari albi libras quinque.
Aceti vini albi libras duas.
Liquentur in ſyrupum ſ. a.

SYRVPVS ACETOSVS SIMPLEX, MESVÆ.

℞ Aquæ puriſſimæ libras quatuor.
Sacchari albi libras quinque.
Coquantur deſpumando, clarificando ad conſumptionem medietatis aquæ, affunde interim,
Aceti vini albi libras duas, &
Coquantur rurſus in ſyrupum.

SYRVPVS ACETOSVS COMPOSITVS, MES.

℞ Radic: Apij.
Fœniculi.
Endiuiæ, ana vncias tres.
Semin. Apij.
Fœniculi.
Aniſi, ana vnciam vnam.
Semin. Endiuiæ vnciam dimidiam.
Aquæ puriſſimæ libras ſex.
Coquãtur in vaſe vitreato lento igne, donec dimidium aquæ ſuperſit, tum adde percolatis
Sacchari libras tres.
Clarificentur, & adiice
Aceti vini albi libram vnam ſemis.
Coquantur in ſyrupum.

SYRV-

SYRVPVS ACETOSITATIS CITRI, MESVE.

℞ Succi Citri colati ſine expreſſione, & depurati libram vnam.
Sacchari libras duas & ſemis.
Leuitèr coquantur in ſyrupum.

Eâdem proportione parentur Syrupi acidi ex Agreſta.

Succo Berberorum.
Ceraſorum } acid.
Cydoniorum }
Granatorum.
Limonum.
Luiulæ.
Oxalidis.
Ribes.

Et ex reliquis ſuccis, acidis, clarificatis.

SYRVPVS DE BETONICA SIMPLEX.

℞ Succi Betonicæ depurati libras tres.
Sacchari clarificati libras tres.
fiat ſyrupus ſecundùm artem.

Eodem modo parentur ſyrupi ex ſucco Borraginis.
Bugloſſi.
Cardui Benedicti.
Chamæmeli.
Cichorij.
Endiuiæ.
Fragorum.
Fumariæ.
Hederæ terreſtris.
Hyperici.
Lupuli.
Mercurialis.
Plantaginis.
Pomorum.
Scabioſæ.
Tuſſilaginis.
Veronicæ.

Et ſic ex reliquis ſuccis non acidis.

SYRVPVS DE BETONICA COMPOSITVS.

℞ Betonicæ manip. tres.
Maioranæ manip. vnum ſemis
Thymi.
Roſarum, ana manip. vnum.
Stœchados.
Saluiæ, ana manip. dimidium.
Sem: Fœniculi.
Aniſi.
Ammeos, ana vnciam dimidiam.
Radic. Pœoniæ.
Polipodij.
Fœniculi, ana drachmas quinque.

Fiat decoctio in aquæ libris ſex ad medietatis conſumptionem: colaturæ adde
Succi Betonicæ libras duas.
Sacchati libras tres ſemis.
fiat ſyrupus ſecundùm artem.

SYRVPVS BIZANTINVS SIMPLEX.
MES.

℞ Succi Endiuiæ.
Apij, ana libras duas.
Lupulorum,
Bugloſſi, an. libra vnam.

Bulliant dum ſucci purgentur & clareſcant, his deinde libris quatuor remanentibus, addantur ſacchari optimi libri quatuor, lento igne percoquatur in ſyrupum ſ. a.

SYRVPVS BIZANTINVS COMPOSITVS
MES.

℞ Succorum depuratorum analogicè (vt in ſimplici Syrupo) libras quatuor. Quibus incoque
Roſarum rubrarum vncias duas.
Glycyrrhizæ vnciam dimidiam.
Sem: Aniſi,
Fœniculi,
Apij, ana drachmas tres.
Spicæ Nardi drachmas duas.
Colaturæ adde
Aceti libras duas.
Sacchari libras quatuor.
Coquantur in ſyrupum ſ. a.

SYRVPVS CYDONIORVM.
MES.

℞ Succi Cydoniorum defœcati libras ſex.
Coque prunis lentis ad medias ſenſim deſpumando, deinde affunde,
Vini rubri adſtringentis libras tres.
Sacchari albi libras quatuor.
Denuò decoquantur ad Syrupi conſiſtentiam, qui condiatur
Cinnamomi drachmâ vnâ ſemis.
Caryophyllorum,
Zingiberis, ana ſcrupulis duobus.

SYRVPVS DE FVMARIA COMPOSITVS,
FERNELII.

℞ Endiuiæ,
Abſinthij Romani.
Lupulorum.
Caſſuthæ.
Scolopendrij veri, ana manip. vnum.
Epithymi vnciam vnam ſemis.
Coquantur in libris quatuor aquæ ad medias, colatis adde
Succi fumariæ expurgati libram vnam ſemis.
Succi vtriuſque Bugloſſi, ana libram dimidiam.
Sacchari albi libras quatuor.
Coquantur in ſyrupum bonæ conſiſtentiæ ſecundùm artem.

SYRV-

SYRVPVS DE PORTVLACA.
MES.

℞ Semin. Portulacæ craſſiuſculè tritorium libram dimidiam.
Succi Endiuiæ cocti & depurati libras duas.
Sacchari libras duas.
Aceti vncias nouem.
Macerentur ſemina in ſucco Endiuiæ viginti quatuor horas, poſteà lento igne coquantur ad dimidias, colatura tùm demùm cum ſaccharo coquatur in Syrupi conſiſtentiam, ſub finem acetum affundendo.

SYRVPVS DE TVSSILLAGINE COMPOSITVS,
RENODAEI.

℞ Tuſſilaginis recentis manipul. ſex.
Capill: Veneris ver. manipul. duos.
Hyſſopi manipul. vnum.
Glycyrrhizæ raſæ vncias duas.
Coquantur in libris quatuor aquæ pluuiæ, vel fontis, ad quartæ partis conſumptionem, decoctio coletur, & clarificetur, cui adde
Sacchari albiſsimi libras tres.
Fiat ſyrupus perfectè coctus.

IVLAPIVM ALEXANDRINVM.

℞ Aquæ roſarum rubrarum libras quatuor.
Sacchari albiſſimi libras duas.
Fiat ſ.a. Iulapium.

IVLEPVM ROSATVM,
MES.

℞ Aquæ Roſarum libras tres.
Sacchari clarificati libras tres.
Coque ſ.a. & fiat Iulepum.

IVLEPVM VIOLATVM,
MES.

Conficitur eodem modo vt Iulepum Roſatum.

OXYSACCHARVM SIMPLEX.
NICOLAI.

℞ Sacchari albi libram vnam.
Succi Malorum Granatorum vncias octo.
Aceti optimi vncias quatuor.
Coque ad ignem lentum ad Syrupi conſiſtentiam.

SYRVPVS CAPILLORVM VENERIS,
MES.

℞ Glycyrrhizæ vncias duas.

Capillorũ Veneris vncias quinque.

Ex infusis in aqua fontis libris quatuor, decoctis leuiter, colatis fortiter, cum

Sacchari clarificati librâ vnâ semis.

Fiat syrupus secundùm artem.

SYRVPVS DE CINNAMOMO.

℞ Cinnamomi crasso modo contusi vncias quatuor.

Macerentur in vini albi libra vnâ, per triduum; in vase vitreo ad lentum ignis calorem, Colentur, Colaturæ adde

Sacchari albi librã vnam semis. Lentè omnia coquantur, & fiat syrupus s.a.

Eodem modo parari possunt syrupi ex semin. Anisi.

Fœniculi dulcis.
Caryophyllis.
Nucibus Moschatis.
Zingibere, &c.

SYRVPVS è CORALLIIS SIMPLEX.

℞ Corallij rubicundissimi, tenuissimè pulueriſati q.v.

Dissoluatur in matracio vitreo in B. M. in ea succi berberorum optimè depurati quantitate, vt materiam quatuor digitos supernatet; Collum Matracij subere, vel cerâ occludatur, illicque stet per triduum. Effunde quod fuerit dissolutum, & nouum succũ depuratum fœcibus affunde, & in cæteris procedatur vt priùs, vsque dum Corallium fuerit dissolutum, & repetatur sæpiùs, dum succus acidus quid è Coralliis exuxerit. Ad librã vnam dicti succi colati, adde Sacchari albissimi libram vnam, & decoquantur ad syrupi consistentiam. In hoc autem syrupo parando cùm artificio, tum dexteritate singulari opus, ne à scopo aberret artifex.

SYRVPVS è CORALLIIS COMPOSITVS.

℞ Corall. rubicundiss. vncias sex.

Reducantur in Alkool læuigando super porphyrite, cum pauca aqua Rosarum, adde

Succi depurati Limonum in B. M. à phlegmate liberati vncias sedecim.

Succi depurati Berberis vncias octo.

Aceti vini albi acerrimi.

Succi limpidissimi Luiulæ, an. vncias sex.

Fiat digestio in Balneo, vel in fimo equino per octiduum, in phyala vitrea ampla, subere & vesicâ bubulâ optimè clausa, vas quotidiè concutiendo, mox fiat per chartam Emporeticam colatura, de qua cape librã vnam semis.

Succi

Succi puriſſimi Cydoniorum libram dimidiam.
Sacchari Roſati vncias duodecim.

Miſce, & lentiſſimo Balnei calore ſuperfluus liquor euocetur, donec fiat Syrupus, cui indantur Syrupi florum Vetonicæ rubræ vnciæ ſedecim & nodulus continens

Ambræ griſeæ drachmam dimidiam.
Moſchi Orientalis grana quatuor.

Seruetur ad vſum.

SYRVPVS INFVSIONIS FLORVM CARYOPHYLLORVM, Seu VETONICÆ RVBRÆ.

℞ Florum Caryophyllorum præciſis vnguibus libram vnam.

Infundantur ter in aquis fontis libris tribus per noctem, poſteà cũ Sacchari libris duabus, coquantur in ſyrupum ſecundùm artem.

SYRVPVS DE CORTICIBVS CITRI, *MES.*

℞ Corticum exteriorum & tenuiſſimorum Citri ſiccatorum vncias quinque.
Granorum Kermes, vel ſucci eorum aduecti drachmas duas.

Aquæ fontanæ libras quatuor, Macerentur per noctem, & coquantur ad medietatis conſumptionem, colaturæ adde

Sacchari optimi libras duas ſemis.

Fiat ſyrupus ſ. a.
Aromatizetur Moſchi Orientalis granis ſex, inuolutis in Syndone & impendentibus.

SYRVPVS FLORVM NYMPHÆÆ SIMPLEX, *NICOLAI.*

℞ Partium albiſſimarum florum Nymphææ albæ libram vnam.

Infunde in aquæ calidæ libris tribus per horas ſeptem, deinde bulliant parùm, colaturæ denuò adde parem florum recentium quantitatem, & par fiat maceratio & expreſſio; idque ter repetatur; colaturæ clarificatæ adde æquum ſacchari pondus, & fiat ſyrupus ſ. a.

SYRVPVS NYMPHÆÆ COMPOSITVS *FERNELII.*

℞ Florum Nymphææ recentium libram mediam.
Florum Violarum vncias duas.
Foliorum Lactucæ manipul. duos.
Sem. Lactucæ.

Portulacæ.
Cucurbitæ, an. vnciam mediam.

Coquantur in libris quatuor aquæ, dum tres ſuperſint. expreſſo adde,

Aquæ Roſarum rubrarum ſtillatitiæ libram mediam.
Sacchari albi libras quatuor.

Percoquantur in ſyrupum ſ. a.

SYRVPVS DE MECONIO, *MES.*

℞ Capitum Papaueris albi mediocriter maturorum & recentium vncias octo.
Capitum Papaueris nigri mediocriter maturorum & recentium vncias ſex.
Aquæ pluvialis libras quatuor.

Coquantur ad dimidias, deinde adde colaturæ

Sacchari vncias ſedecim, & percoquantur in ſyrupum ſ. a. pro Diacodio qui poteſt vſurpari.

SYRVPVS è PAPAVERE MINVS COMPOSITVS.

℞ Capitum Papaueris albi,
Nigri, recentium, an. vncias ſex.
Seminum Lactucæ.
Florum Violarum, an. vnciam vnam.
Aquæ libras octo.

Coquantur dum capita intabuerint, & colaturæ addantur Sacchari libræ quatuor: ad iuſtam conſiſtentiam rurſum coquantur.

SYRVPVS è PAPAVERE MAGIS COMPOSITVS, *MES.*

℞ Capitum cum Seminibus Papaueris albi & nigri, an. drachmas quinquaginta.
Capillorum Veneris drachmas quindecim.
Glycyrrhizæ drachmas quinque.
Iuiubarum numero triginta.
Sem. Lactucæ drachmas quadraginta.
Sem. Maluæ & Cydoniorum, in linteo raro ligatorum, ana drachmam vnam & ſemis.

Coquantur in libris octo aquæ vltra medietatis conſumptionem.

℞ Colaturæ libras tres.
Penidiorum,
Sacchari, ana libram vnam.

Fiat Syrupus.

SYRVPVS DE PAPAVERE ERRATICO, ſeu rubro.

℞ Florum recentium Papaueris rhœadis libras duas.

Infundantur in libris quatuor aquæ fontanæ per viginti quatuor horas, cum

Sacchari libris tribus.

Perco-

Percoquantur in syrupum s. a.

SYRVPVS EX FLORIBVS PERSICORVM.

℞ Florum Persicorum recentium libram vnam.

Macerentur in libris tribus aquæ tepidæ, horas duodecim, deinde bulliant parùm & exprimantur. Tum par florum quantitas infundatur & exprimatur; quinquies iteretur, postremæ colaturæ tribus, adde

Sacchari libras duas semis.

fiat syrupus s. a.

SYRVPVS DE ROSIS SICCIS. *MES.*

℞ Aquæ simplicis libras quatuor in qua tepida macera horis viginti quatuor

Rosarum rubrarum arefactarum libram vnam, in expresso solue

Sacchari albi libras duas.

Coquantur in syrupum s.a.

SYRVPVS ROSACEVS SOLVTIVVS. *MES.*

℞ Infusionis Rosarum ex Rosis pallidis Damascenis recentibus novies infusis (infusio fiat eâ proportione vt pro qualibet libra Rosarum sumantur aquæ libræ quatuor, in quibus, reiectis prioribus floribus, recentes infundantur) libras sex.

Sacchari libras quatuor.

fiat decoctio s. a. in syrupum.

SYRVPVS ROSACEVS SOLVTIVVS CVM AGARICO.

℞ Agarici electi concisi vnciam vnam.

Zingiberis concisi drachmas duas.

Salis gemmæ drachmam vnã.

Polypodij crasso modo contusi vncias duas.

Irrorentur vino albo, deinde infundantur per biduum in infusionis Rosarum pallidarũ suprascriptæ libra vna semis, in cineribus calidis, posteà expressioni adde.

Sacchari libram vnam.

fiat syrupus s. a.

SYRVPVS ROSACEVS SOLVTIVVS HELLEBORATVS, *MONTANI.*

℞ Corticum Myrobalanorũ omnium, ana vncias quatuor.

Contundantur crassè, & deinde infundantur in libris duodecim infusionis rosarũ suprascriptæ per horas viginti quatuor, addendo

Foliorum Sennæ.

Epithymi.

Polypodij quercini,

ana vncias quatuor.

Caryophyllorum vnciam vnã.
Sem. Citri.
Glycyrrhizæ, ana vncias quatuor.
Corticum Radicum Hellebori nigri veri drachmas ſex.
Decoquantur omnia ſimul lento igne ad quartæ partis conſumptionem, adde poſteà
Sacchari clarificati libras quinque.
Rhabarbari electi in nodulo lignati drachmas ſedecim.
Fiat Syrupus ſ. a.

SYRVPVS VIOLARVM.

℞ Florum Violarum mundatorũ libram vnam.
Aquæ fontanæ calentis libram vnam ſemis, vel quantitatem ſufficientem.
Ponantur in vas fictile vitreatum, quod ſubere optimè claudatur, & relinquantur per horas viginti quatuor, deindè fiat fortis expreſſio per prælum: expreſſionis cape libram vnam.
Sacchari puriſſimi libras duas.
Miſce, & ad leuem calorem (vt Balnei) fiat ſacchari diſſolutio, & ſeruetur ad vſum.

SYRVPVS è SVCCO VIOLARVM.

Paretur etiam ex ſucco, cum ea quantitate ſucci quæ ſit ſufficiens ad diſſoluendum ſaccharum ſine coctione.

SYRVPI COMPOSITI QVORVM SIMPLICES NON PARANTVR.

SYRVPVS DE ABSINTHIO.
MESVE.

℞ Abſinthij Romani ſiue Pontici libram mediam.
Roſarum rubrarũ vncias duas.
Spicæ Indicæ drachmas tres.
Vini albi antiqui generoſi.
Succi Cydoniorum, ana libras duas ſemis.
Macerentur in vaſe fictili horis viginti quatuor, dein coquantur ad conſumptionem medietatis, & colaturæ addantur
Sacchari libræ duæ.
Fiat ſyrupus ſ. a.

SYRVPVS DE ALTHÆA.
FERNELII.

℞ Radicum Althææ vncias duas.
Cicerum rubrorum vnciam vnam.
Radic. Graminis.
Aſparagi.
Glycyrrhizæ mundatæ.
Vuarum Paſſarum enucleatarum, ana vnciam mediam.
Cymarum Althææ.
Maluæ.
Helxines.

Pim-

Pimpinellæ.
Plantaginis.
Adianthi albi & nigri, ana manipul. vnum.
Quatuor ſeminum frigidorũ maiorum & minorum, ana drachmas tres.
Coquantur ex aquæ libris ſex, dum quatuor ſuperſint, & colatura cum
Sacchari albi libris quatuor,
Fiat Syrupus.

SYRVPVS DE ARTEMISIA *MATTHAEI DE GRADI.*

℞ Artemiſiæ manipul. duos.
Pulegij.
Calaminthæ.
Origani.
Meliſſæ.
Perſicariæ, ſiue Hydropiperis.
Dictamni Cretici.
Sabinæ.
Sampſuchi, i. Maioranæ.
Chamædryos.
Perforatæ, i. Hyperici.
Chamæpityos.
Matricariæ cum flore.
Centaurij minoris.
Rutæ.
Betonicæ.
Bugloſſi, ana manipul. vnum.
Radic: Fœniculi.
Apij.
Petroſelini.
Aſparagi.
Ruſci.
Saxifragiæ.
Enulæ.
Cyperi.
Rubiæ tinctorum.
Ireos.
Pœoniæ, ana vnciam vnam.
Baccar: Iuniperi.
Sem: Leuiſtici.
Petroſelini.
Apij.
Aniſi.
Nigellæ.
Carpobalſami, ſiue
Cubebarum.
Coſti, ſeu Zedoariæ.
Radic: Aſari.
Pyrethri.
Caſiæ ligneæ.
Cardamomi.
Calami aromatici.
Phu, ana vnciam dimidiam.
Trita, quaſſata infundantur in libris duodecim aquæ per horas viginti quatuor, poſteà decoquantur ad medietatis aquæ conſumptionem, & tunc dimittantur ab igne, donec aqua tepuerit, & fricata colentur, & colaturæ addantur Mellis & Sacchari, ana libræ duæ, Aceti acuti vnciæ quatuor.
Fiat ſyrupus, & aromatizetur cum
Cinnamomi & Spicæ, an. drachmis tribus.
Aromata ſub finem bulliant.

SYRVPVS AVGVSTANVS, Vel DE RHABARBARO AVGVSTANORVM.

℞ Rhabarbari optimi,
Foliorum Sennæ, ana vncias duas ſemis.
Florum violarũ, manip. vnum.
Cinnamomi drachmam vnam ſemis.
Zingiberis drachmam dimidiam.
Aquarum Betonicæ.
Cichorij.
Bugloſſi, ana libram vnam ſemis.

Infundantur per noctem: colatura mane facta decoquantur in ſyrupum cum
Sacchari electi libris duabus, addendo
Syrupi roſati ſolutiui ſequentis vncias quatuor.

SYRVPVS ROSATVS SOLVTIVVS SINE HELLEBORO.

℞ Myrobalanorum omnium, an. vncias duas.

Contundantur craſſo modo, fricentur oleo Amigdalarum dulcium, & infundantur in libris quindecim infuſionis roſarum, horis viginti quatuor, cui adde
Radicum Polypodij vncias duas ſemis.
Sem. Chartami vnciã vna ſemis.
Sem. Aniſi.
Fœniculi, ana drachmas ſex.
Foliorum Sennæ vncias tres.
Epithymi vnciam vnam ſemis.
Corticum citri vnciam vnam.
Caryophyllorum vnciam dimidiam.
Nucis Moſchatæ drachmas tres.

Fiat rurſus infuſio horis viginti quatuor, quibus elapſis, fortiſſima fiat expreſſio, & adde ad liquoris ſingulas libras duas,
Sacchari libram vnam.
Fiat ſyrupus. Et hic ingreditur compoſitionem Syrupi de Rhabarbaro Auguſtanorum.

SYRVPVS DE CICHORIO CVM RHABARBARO.

℞ Hordei integri.
Radic. Apij.
Fœniculi.
Aſparagi, ana vncias duas.
Cichorij.
Taraxaci, i. dentis leonis.
Endiuiæ.
Cicerbitæ ſeu Sonchi læuis, ana manipul. duos.
Lactucæ domeſticæ.
Lichenis, i. Hepaticæ.
Fumariæ.
Summitatum Lupuli, ana manipul. vnum.
Capillorum veneris. (rariæ.
Adianthi albi, ſeu Rutæ Mu-
Ceterach, ſeu Aſpleni.

Gly-

Glycyrrhizæ.
Semin. Alkakengi.
Cuſcutæ, ana drachmas ſex.

Coquantur in libris duodecim aquæ fontanæ ad tertiæ partis conſumptionem : in colatura diſſolue,

Sacchari libras ſex.

Cui dum fit coctio, adde

Rhabarbari vncias ſex.
Spicæ Nardi drachmas ſex.

Hæc in nodulo ex panno raro ſemel aut iterum bulliant, præmacerata calente decocto, & ſæpiùs exprimantur, & in ſyrupo iam perfectè cocto relinquantur.

SYRVPVS DIASEREOS ANDERNACI.

℞ Intybi Latifolij ſeu Endiuiæ.
Cichorij ana manipulum.
Adianthi albi.
Nigri ſeu Capillorum Veneris.
Ægrimoniæ.
Scolopendrij ſeu Ceterach.
Lupuli fumariæ ana manip. ſemis.
Granorum Halicacabi.
Cuſcutæ ana drach: tres.
Radic: Apij.
Fœniculi.
Aſparagi ana vnciam ſemis.
Polypodij Quercini vnciam vnam.
Glycyrrhizæ drach. ſex.
Seminis Cnici vnciam vnam.
Sem. quatuor frigid.
Maiorum ana drachmas duas.
Hordei excorticati pugill. vnum.
Seminum Endiuiæ.
Cichorij ana drach. vnam ſemis.
Vuarum Paſſarum vnciam vnam.
Pruna Damaſcena, numero viginti.
Florum Borraginis.
Bugloſſæ.
Violarum ana pugillum vnum.
Myrobalanorum Citrinorum.
Chebulorum ana vnciam ſemis.

Omnia in aqua ad tertia decoquãtur, & in huius decocti iure colati libra & ſemiſſe macerentur ſeorſim per noctem.

Rhabarbari electi vnciæ duæ ſemis.
Agarici Trochiſcati vncia.
Foliorum Sennæ orient. vncia vna ſemis.
Zingiberis.
Cinnamomi ana drachma.

Expreſſis colatiſque iterum adde

Sacchari optimi libram.
Syrupi roſati ſolutiui vncias tres.

Mixta omnia rurſus modice coquantur ad iuſtam ſpiſſitudinem.

SYRV-

SYRVPVS DE EPITHYMO *MES.*

℞ Epithymi boni drachmas viginti.
Myrobalanorum Citrinarum.
Indarum, ana drachmas quindecim.
Cuſcutæ.
Fumiterræ, ana drachmas decem.
Thymi.
Calaminthæ.
Bugloſſi.
Stœchados.
Glycyrrhizæ.
Polipodij.
Agarici.
Myrobalanorum Emblicarum.
Belliricarum, ana drachmas ſex.
Roſarum rubrarum.
Semin Fœniculi.
Aniſi, ana drachmas duas ſemis.
Prunorum dulcium numero viginti.
Vuarum paſſarum purgatarum vncias quatuor.
Tamarindorum, vncias duas ſemis.

Poſt macerationem viginti quatuor horarum coquantur in aquæ libris decem ad libras ſex, dein remota ab igne, exprimantur, & expreſſis addantur,
Sacchari clarificati libræ quinque.

Percoquantur in ſyrupum.

SYRVPVS DE EVPATORIO, *MES.*

℞ Radic: Apij.
Fœniculi.
Cichorij, ana vncias duas.
Glycyrrhizæ.
Schœnanthi.
Cuſcutæ.
Abſinthij.
Roſarum, ana drachmas ſex.
Capillorum Veneris.
Bedeguar. } vel eius vice rad. Card. Mariæ.
Suchahæ. } vel eius vice rad. Caryophyllatæ.
Florum aut radicum Bugloſſi.
Sem: Aniſi.
Feniculi.
Eupatorij, i. Agerati, ana drachmas quinque.
Rhabarbari.
Maſtiches, ana drachmas tres.
Spicæ Nardi Indicæ.
Folij, ſeu ſpicæ Romanæ, ana drachmas duas.

Coquantur in aquæ libris octo ad tertiæ partis conſumptionem; Expreſſum cum
Sacchari albi ſoluti libris quatuor,
Succorum Apij clarificati, &

Endi-

Endiuiæ, ana libra dimidia.
Percoquantur in ſyrupum.

SYRVPVS è GLYCYRRHIZA.

MES.

℞ Glycyrrhizæ recentis raſæ & contuſæ vncias duas.
Adianthi albi, ſeu Polytrichi vnciam vnam.
Hyſſopi ſicci vnciã dimidiam.
Macerentur ſimul per horas viginti quatuor in aquæ pluuiæ feruefactæ libris quatuor, dein coquantur ad dimidias; colatura expreſſa clarificetur, cum
Mellis optimi vnciis octo.
Sacchari vnciis ſedecim.
Demùm coquantur in Syrupum, additis ante perfectam illius coctionem
Aquæ roſarum rubrarum ſtillatitiæ vnciis ſex.

SYRVPVS DE HYSSOPO

MES.

℞ Aquæ fontanæ libras octo.
In quibus circiter horam dimidiam coquatur.
Hordei mundati vncia dimidia.
Dein iniiciantur
Radicum Apij.
Petroſelini,
Fœniculi,
Glycyrrhizæ, incifarum,
ana drachmæ decem.
Et per quartam horæ partem elixentur; poſteà addantur
Iuiubarum,
Sebeſten, ana numero triginta.
Paſſularum mundatarũ vncia vna ſemis.
Ficuum ſiccarum,
Dactylorum pinguium,
ana numero decem.
Mox imponantur
Semin. Maluæ.
Cydoniorum.
Tragacanthæ linteo raro incluſorũ, ana drachmæ tres.
Poſtremò indantur,
Hyſſopi mediocriter ſicci drachmæ decem.
Capillorum Veneris drachmæ ſex.
Coquantur ad libras tres, expreſſione clarificatæ adde,
Sacchari libras duas ſemis.
fiat ſyrupus.

SYRVPVS IVIVBINVS.

MES.

℞ Iuiubarum numero ſexaginta.
Violarum.
Semin. Maluæ, ana drachmas quinque.
Capillorum Veneris.
Glycyrrhizæ raſæ & tuſæ.
Hordei mundati excorticati, an. vnciam vnam.
Semin: Papaueris albi.

Melonum,
Lactucæ.
Cydoniorum.
Gummi Tragacanthæ, ana drachmas tres. } in nodulo.
Coquantur in libris ſex aquæ pluialis vel fontanæ ad dimidias, adde colatis
Sacchari libras duas.
Fiat ſyrupus.

SYRVPVS EX IVA ARTHRITICA, Seu DE CHAMÆPYTY.

℞ Chamæpityos manipul. duos.
Saluiæ.
Roriſmarini.
Lolij.
Origani.
Calaminthæ.
Mentaſtri.
Pulegij.
Hyſſopi.
Thymi.
Rutæ ſatiuæ & ſylueſtris.
Betonicæ.
Serpylli, an. manipul. vnum.
Radic: Acori.
Ariſtolochiæ { longæ. rotundæ.
Bryoniæ.
Dictamni.
Gentianæ.
Peucedani.
Phu, ana vnciam vnam ſemis.
Radic: Apij.
Aſparagi.
Fœniculi.
Petroſelini.
Ruſci, an. vnciam vnam.
Stœchados.
Semin. Aniſi.
Ammeos.
Carui.
Fœniculi.
Liguſtici.
Seſeleos, ana drachmas tres.
Radic. Pyrethri vnciam ſemis.
Paſſularum vncias duas.
Coquantur ex aquæ q. ſ. poſteâ cum
Mellis, &
Sacchari, ana libris duabus
Para, & aromatiza.
Cinnamomo.
Nuce Moſchatâ, &
Cubebis. ſ. a.

SYRVPVS MAGISTRALIS AD MELANCHOLIAM.

℞ Succi pomorum odoriferorum. (vulgò Pearemaynes) ſeſquilibram.
Borraginis.
Bugloſſi, ana vncias nouem.
Fol. Sennæ orientalis mundatæ ſemilibram.
Semin. Aniſi.
Fœniculi dulcis, ana drachmas

mas tres.
Epithymi Cretenſis vncias duas.
Agarici albiſſimi.
Rhabarbari optimi, ana ſemunciam.
Zingiberis.
Macis, ana ſcrupulos quatuor.
Cinnamomi ſcrupulos duos.
Croci ſemidrachmam.

Agaricus & Senna conciſa cum ſeminibus, Zingibere, atque Mace craſſiuſculè contuſis, macerentur cum Epithymo in ſuccis præſcriptis, horas viginti quatuor. Bulliant deinde lento igne, vſque ad deſpumationem, & per manicam Hippoc. colentur. Colaturæ iam factæ adiiciatur Sacchari albiſſimi ſeſquilibra, & coquantur ſ.a. nec ſine deſpumatione, ad conſiſtentiam Syrupi, modò inter coquendum, Crocus panno lineo ligatus infricetur. Tum demùm admiſceatur Infuſio Rhabarbari conciſi, cũ Cinnamomo craſſiuſculè contuſo, in Vini albi, & ſucci Pomorum, ana vnciis duabus, interim facta, & fortiter expreſſa. Denuò ferueant parùm commiſta ad ignem pro ſyrupo.

SYRVPVS MELISSOPHYLLI. *FERNELII.*

℞ Radic: Dictamni.
Pentaphylli.
Vetonicæ.
Doronici Romani, ana vnciam dimidiam.
Folior: Meliſſophylli.
Stœbes, vel Scabioſæ.
Succiſæ, i. Morſus Diaboli.
Florum Bugloſſi vtriuſque, &
Roriſmarini, an. manipul. vnum.
Semin: Oxalidis.
Citrij mali.
Fœniculi.
Cardui benedicti.
Ocimi, ana drachmas tres.

Coquantur in aquæ libris quatuor ad dimidias: expreſſo adde,
Sacchari albi libras tres.
Succi Meliſſæ.
Aquæ Roſarum, an. libram dimidiam.

Percoquantur in Syrupum condiendum, cum
Cinnamomi &
Santali Citrini, ana vncia dimidia.

SYRVPVS DE MENTHA MAIOR. *MESS.*

℞ Succi Cydoniorum dulcium & muzorum, i. acidodulcium.
Succi Granatorum acidodulcium, dulcium, acidorũ, ana libram vnam ſemis.

In ſuccis miſtis macera per horas viginti quatuor.

Menthæ ſictæ libram vnã ſemis,
Roſarum rubratum vncias duas.
Coquantur ad dimidias, colentur, & addendo
Sacchari libras quatuor,
Coquantur ad Syrupum : cùm reponitur, aromatizetur cum
Galliæ Moſchatæ tritæ & in ſyndone ligatæ, & ex orificio vaſis ſuſpenſæ drachma vna.

SYRVPVS MYRTINVS *NICOLAI.*

℞ Baccharum Myrti vncias duas ſemis.
Santali albi & rubri.
Sumach ſeu Rhois Culinariæ.
Balauſtiorum.
Berberorum.
Roſarum rubrarum, an. vnciam vnam ſemis.
Meſpilorum libram dimidiam.
Contuſa omnia coquantur in libris octo aquæ fontis ad medias, expreſſo adde,
Succi Cydoniorum.
Granatorum acidorum, an. vncias ſex.
Sacchari libras tres.
Coque in ſyrupum ſ. a.

SYRVPVS DE POMIS, *FERNELII.*

℞ Succi Malorum noſtratium vocatorum.
Pearemaynes vel Pippins libras quatuor.
Succorum Bugloſſi domeſtici, ſylueſtris.
Aquæ Roſarum ſtillatitiæ.
Succi Violarum è foliis, an. libram vnam.
Coque ſimul & depurentur, deinde adde
Sacchari libras ſex.
Percoquantur in ſyrupum.

SYRVPVS DE POMIS, REGIS SAPORIS, *MES.*

℞ Succi Pomorum dulcium libras duas.
Succi Borraginis.
Bugloſſi, an. libram vnam ſemis.
Foliorum Sennæ vncias duas.
Sem. Aniſi vnciam ſemis.
Croci drachmam vnam.
Senna maceretur viginti quatuor horis in ſuccis, ſemel aut bis feruefiat, coletur, & cum
Sacchari libris duabus
Percoquatur in ſyrupum ſ. a. Crocus in petia ligatus inter coquendum confricetur.

SYRV-

SYRVPVS DE PRASIO. *FER.*

℞ Prasij albi recentis vncias duas.
Glycyrrhizæ.
Polypodij quercini.
Radic: Apij,
Fœniculi, ana vnciam dimidiam.
Adianthi albi.
Origani.
Hyssopi.
Calaminthæ.
Thymi.
Stœbes, vel Scabiosæ.
Satureiæ.
Tussilaginis, ana drachmas sex.
Semin: Anisi.
Bombacis, an. drachmas tres.
Vuarum passarum expurgatarum, vncias duas.
Caricarum pinguium, numero decem.

Coquantur in libris octo hydromelitis diluti ad dimidias; expressum coquatur in syrupum, cum
Mellis & Sacchari albi, ana libris duabus.
Condiatur,
Radic. Iridis Florentinæ vnciâ vnâ.

SYRVPVS RAPHANI. *FERNELII.*

℞ Radicum Raphani domestici.
Sylvestris, seu Rusticani, an. vnciam vnam.
Radic. Saxifragæ albæ.
Rusci.
Leuistici.
Eryngij.
Ononidis.
Petroselini.
Fœniculi, ana vnciam dimidiam.
Folior: Betonicæ.
Pimpinellæ.
Pulegij.
Cymarum vrticæ.
Nasturtij aquatici.
Crithmi.
Callitrichi, seu Capillorum Veneris, ana manipul. vnum.
Fructuum Halicacabi,
Zizyphorum, ana numero viginti.
Semin. Ocimi.
Bardanæ.
Petroselini Macedonici.
Seseleos.
Carui.
Dauci.
Lithospermi.
Cortic: Radic: Lauri, an. drachmas duas.
Vuarum passarũ expurgatarum.
Glycyrrhizæ, ana drachmas sex.

Coquantur secundùm artem in libris duodecim aquæ dum octo supersint, è quibus colatis, cum
Sacchari libris quatuor, &
Mellis expumati libris duabus, fiat syrupus clarus & conditus

Cinnamomi vnciâ vnâ,
Nucis Moſchatæ vnciâ dimidiâ.

SYRVPVS DE QVINQVE RADICIBVS, *MÆS.*

℞ Radic: Apij,
Fœniculi.
Petroſelini.
Ruſci.
Aſparagi, ana vncias duas.
Aquæ fontis libras ſex.

Coquantur ad tertiæ partis conſumptionem, expreſſum coquatur denuò cum
Sacchari libris tribus,
Addendo in fine
Aceti vini albi vncias octo.

SYRVPVS SCABIOSÆ COMPOSITVS MAGISTRALIS.

℞ Radic: Enulæ Campanæ.
Polypodij quercini, ana vncias duas.

Macerentur in vino albo horas 24.
Paſſularum maiorum enucleatarum vnciam vnam.
Sebeſten numero viginti.
Farfaræ.
Pulmonariæ.
Satureiæ.
Calaminthæ, ana ſeſquimanipulum:
Glycyrrhizæ raſæ ſemunciam.
Tabaci optimi folium vnum integrum.
Sem. Vrticæ,
Bombacis, ana drachmas tres.

Coquantur in ſ.q. aquæ mulſæ dilutæ, ad vncias octo. Quibus adde percolatis
Succi Scabioſæ depurati vncias quatuor.
Sacchari albiſſimi vncias decem.
Fiat ſyrupus ſ.a. clarificatus, ſuperaddendo deinde,
Olei Sulphuris guttas viginti.

SYRVPVS DE SCOLOPENDRIO, *FERNELII.*

℞ Polypodij è quercu.
Radic: vtriuſque Bugloſſi.
Cortic: Radic: Capparis.
Cortic: Tamariſci, ana vncias duas.
Scolopendrij veri manip. tres.
Lupi ſalictarij.
Caſſuthæ.
Capillorum Veneris.
Meliſſophyli, ana manip. duos.

Coquantur in aquæ libris nouem, dum ad quinque redeant, Colato adde
Sacchari albi libras quatuor.
Percoquantur in ſyrupum expurgatum & clarum.

SYRV-

SYRVPVS DE STOECHADE. *MES.*

℞ Florum Stœchados vncias quatuor.
Thymi,
Calaminthæ,
Origani, an. vnciam vnã ſemis.
Saluiæ.
Betonicæ.
Florum Roriſmarini, ana vnciam dimidiam.
Semin. Rutæ.
Pœoniæ,
Fœniculi, ana drachmas tres.

Coquantur ex aquæ libris decem ad dimidias: expreſſum cum
Sacchari, &
Mellis, ana libris duabus,
denuò coquatur in ſyrupum.
Condiatur cum
Cinnamomi,
Zingiberis,
Calami odorati, ana drachmis duabus.
Quæ raro linteo illigata in ſyrupum ſint appenſa.

SYRVPVS DE SYMPHYTO *FERNELII.*

℞ Radic: & Cymarum Symphyti maioris, minoris, ana manip. tres.
Roſarum rubrarum,
Betonicæ,
Plantaginis,
Pimpinellæ.
Polygoni,
Scabioſæ,
Tuſſilaginis, ana manipulos duos.

E tuſis omnibus recentibus exprimatur ſuccus; coquatur, ad libras tres, & expumetur, addendo Sacchari albi libras duas ſemis. fiat ſyrupus.

SYRVPVS CARDIACVS, Vel IVLEPVM CARDIACVM, NON.

℞ Vini generoſi Rhenenſis libras duas.
Aquæ Roſaceæ vncias duas ſemis.
Caryophyllorum ſcrupulos duos.
Cinnamomi drachmam mediam.
Zingiberis ſcrupulos duos.
Sacchari optimi vncias tres cum dimidiâ.

Decoquantur ad conſiſtentiam Iulepi, poſteà addantur,
Ambræ grana tria,
Moſchi granum vnum.

MELITA & OXYMELITA.

DIACARYON SEV DIANVCVM. *GALENI.*

℞ Succi nucum Iuglandium viridum ab externo cortice expreſſi libras duas.
Coquendo inſpiſſetur, & additâ
Mellis librâ vnâ
Rurſus percoquantur ad mellis conſiſtentiam.

DACODIVM, *GALENI.*

℞ Capita Papaueris albi, nec nimiùm viridia, nec nimiùm matura nnmero viginti.
Aquæ pluuiæ aut fontanæ libras tres.
Macera horis viginti quatuor, poſt coque, donec capita contabuerint, dein cola, & colaturæ adde
Mellis libras duas.
Coque ad iuſtam conſiſtentiam.
Fit & cum
Sapæ Vini dulcis libris duabus,
Succi Glycyrrhizæ vnciis duabus.

DIAMORON. *NICOLAI.*

℞ Succi Mororum, Celſi & Rubi immaturorum, an. libram vnam ſemis.
Mellis libras duas.
Coquantur lento igne ſ. a. ad mellis conſiſtentiam.

MEL ANTHOSATVM *MES.*

℞ Florum Roriſmarini libram vnam.
Mellis boni benè deſpumati libras tres.
Miſce in Olla vitrea, vel vitreata, oris non valdè patuli; inſola & ſerua ad vſus.

MEL è MERCVRIALI

℞ Succi Mercurialis libras tres.
Mellis libras duas.
Coque ad mellis conſiſtentiam.

MEL PASSVLARVM, *NICOLAI.*

℞ Vuarum paſſarum ab acinis purgatarum, libras duas.
Infunde viginti quatuor horas in libris ſex aquæ calentis, deinde coque ad medietatem, colaturâ fortiter expreſsâ, denuò coquantur ad conſiſtentiam mellis, cum libris duabus mellis deſpumati.

MEL

MEL ROSARVM COMMVNE, *MES.*

℞ Rosarum rubrarum nondum penitùs apertarum libras duas.
Mellis optimi libras sex.
Insolentur secundùm artem.

MEL ROSARVM, *NICOLAI.*

℞ Mellis albissimi optimi despumati libras decem.
Succi recentium Rosarum rubrarum libram vnam.
Ponantur in Cacabo ad ignem, & cum bullire inceperint, adde
Rosarum rubrarum recentium cum forcipibus vel cultello incisarum ab vnguibus libras quatuor.
Bulliantque ad consumptionem succi, continuè agitando. Colatura ponatur in vase fictili & seruetur ad vsum.

MEL ROSARVM SOLVTIVVM.

℞ Infusionis Rosarum pallidarum multiplicis libras quinque.
Mellis despumati libras quatuor,
Coquantur in syrupi consistentiam.
Simili modo paretur Mel Rosarum ex infusionibus Rosarum rubrarum.

MEL VIOLARVM.

Mel Violarum eodem modo paratur, quo Mel Rosarum.

OXYMEL SIMPLEX. *MES.*

℞ Mellis optimi, aromatici, & despumati, libras quatuor.
Aquæ purissimæ,
Aceti optimi, ana libras duas.
Coquantur secundùm artem, donec Syrupi liquidioris consistentiam acquirant; cauendum ne nimiâ coctione fiat ingratum.

OXYMEL COMPOSITVM. *MES.*

℞ Cortic. Radic. mundat. incisar.
Fœniculi,
Apij,
Petroselini,
Rusci,
Asparagi, ana vncias duas.
Semin. Apij,
Petroselini,
Fœniculi,
Anisi, ana vnciam vnã.
Aquæ libras sex.
Aceti optimi libram vnam semis.
Mellis despumati libras tres.

Coquan-

Coquantur ſecundùm artem, ad Syrupi liquidioris conſiſtentiam.

OXYMEL ELLEBORATVM GESNERI MAIVS.

℞ Rutæ,
Thymi capitati,
Dictamni Cretici,
Comæ Hyſſopi,
Pulegij,
Marrhubij,
Cardui Benedicti,
Radicularum Nardi Celticæ ſine foliis.
Cortic. Sambuci interiorum, ana manipul. vnum.
Calaminthæ Cattariæ montanæ pugil. duas.
Semin. Aniſi.
Fœniculi,
Ocimi,
Vrticæ Romanæ,
Anethi, ana drachmas duas.
Radic. Angelicæ,
Althææ.
Ari,
Scillæ præparatæ.
Ariſtolochiæ, { rotundæ, longæ, clematitidis.
Turpeti,
Iridis noſtræ,
Coſti, qui violas olet, aut Zedoariæ,
Polypodij,
Cortic. Limonum, ana vnciam vnam.
Ellebori nigri fibrarum integrarum,
Eſulæ, ana drachmas duas.
Cortic. Radic. Ellebori albi vnciam dimidiam.
Agarici drachmas duas, quas ſub finem decoctionis iniicies.

Omnia ſicca, trita, infundantur in * Poſcæ (factæ ex æquis partibus aquæ & aceti) libris octo.

Sapæ vnciis duabus, triduo in Sole, vel ad fornacem, in vitreo, aut figulino vaſe obturato: Tum decoquantur in terreo aut lapideo tornato vaſe ad dimidium ferè: cocta colabis modicè exprimendo, addeſque,

Mellis Roſacei, in quo vnciæ duæ corticis Citri fuerint infuſæ libram vnam ſemis, & ad conſumptionem poſcæ decoques, vt fiat Syrupus, qui ſub finem aromatizetur, cum
Caryophyllorum,
Croci,
Zingiberis,
Galangæ,
Macis, in ſacculo ſuſpenſorum, ana drachmâ vnâ.

Seruetur in vaſe vitreo, aut fictili vitreato.

OXYMEL IVLIANIZANS.

℞ Corticum radicum Capparum,
Radic. Ireos,
Fœniculi,

Fœniculi,
Petroſelini,
Ruſci,
Cichorij,
Aſparagi,
Cyperi, ana vnciam dimidiam.
Herb. Scolopendriæ.
Scœnanthûs,
Tamaricis, ana manipul. medium.
Semin. Fœniculi dulcis vnciam dimidiam.

Coquantur poſt debitam infuſionem in * Peſcæ acidioris libris tribus ad libram vnam ſemis: ex colatura cum
Mellis optimi, &
Sacchari deſpumatorum, ana libra dimidia.
Fiat decoctio ad Syrupi conſiſtentiam.

* Poſca fit ex Aqua & Aceto, idq; ex re præſenti, vel acidior, vel dilutior, pro intentione Medici.

OXYMEL SCILLITICVM SIMPLEX.
NICOLAI.

℞ Mellis deſpumati libras tres.
Aceti Scillitici libras duas.
Coquantur ſecundùm artem.

OXYMEL SCILLITICVM DEMOCRITI,
MES.

℞ Origani,
Hyſſopi ſicci,
Thymi,
Liguſtici,
Cardamomi,
Stœchados, an. drachmas quinque.

Coque in libris tribus aquæ ad librarum duarum conſumptionem colaturam percoque cum
Mellis libris duabus.
Mellis Paſſulati libra dimidia.
Succi Bryoniæ vnciis quinque.
Aceti Scillitici libra vna ſemis.
Semper deſpumando in ſyrupum.

MEL ANACARDINVM.
AZARAVII.

℞ Anacardios recentes, tere, & in aqua decoque, donec mellaginem quandam in rubeo colore fuſcam remittant, eam aquæ innatantem auferto, ac reponito.

MEL EMBLICARVM,
AVG.

℞ Myrobalanorum Emblicarum numero quinquaginta.
Contundantur mediocriter, & decoquantur in libris tribus Aquæ ad conſumptionem librarum duarum: reſiduo colato adde Mellis tantundem, & ad iuſtam conſiſtentiam mellis percoque.

ROB

ROB SIVE SAPÆ ET SVCCI.

ROB SIVE SAPA SIMPLICITER.

℞ Vini recenter, ex vuis albis, generosis & maturis expressi, libras duodecim.

Coque igne lento, donec libræ tantùm quatuor supersint, vel vt consistentiam mellis acquirant. Repone in vase vitreo, vel fictili vitreato.

ROB DE BERBERIS.

℞ Succi Berberorum optimè colati libras octo.

Coque igne lento ad consistentiam mellis, repone in vase vitreo aut fictili. Paratur etiam cum saccharo, addendo pro singulis libris succi, sacchari libram vnam, & coquendo ad mellis spissitudinem.

ROB DE CORNIS.

℞ Succi pulpæ Cornorum libras duas.

Sacchari libram vnam semis. Coquantur secundùm artem, ad mellis consistentiam.

ROB CYDONIORVM.

℞ Succi Cydoniorum depurati libras sex.

Coque ad duarum partium consumptionem, addendo sacchari libras duas, denuò bulliant ad mellis spissitudinem: & potest parari sine saccharo.

ROB PRVNORVM. ACIDORVM.

Fiat ex succo Prunorum acidorum, vt Cydoniorum.

Rob of English Currants [illegible] as Rob of Berberies [illegible] but [illegible] cleared by standing & [illegible]

ROB

ROB DE RIBES.

Paratur vt Rob de Berberis. Vt autem probè ſuccus depuretur, debet prius calefieri, dein reſideat, vt clareſcat, tum lento igne coquatur. Sic enim ſpiſſitudinem idoneam acquiret.

SVCCVS PRVNELLORVM PRO ACACIA SVBSTITVTVS.

℞ Succi Prunellorum ſylueſtrium ſ.a. depurati q.v. inſpiſſetur lento Balnei calore ad iuſtam conſiſtentiam.

Succi inſpiſſati ex Abſinthio,
Eupatorio,
Fumaria, &c.
& reliquis quibuſuis,
fiunt ex herbis ipſis tenellis, non adultis, contuſis, expreſſis, & ad ignem feruefactis, donec bullire incipiunt, denuoque colatis, & ad iuſtam ſpiſſitudinem lento igne euaporatis.

SVCCVS GLYCYRRHIZÆ.

℞ Radicum Glycyrrhizæ boni ſaporis probè mundatarum & parum contuſarum q v. macerentur per triduũ in aquæ fontanæ eâ quantitate, vt duobus vel tribus aqua ſuperemineat digitis: dein parum feruefiant & colentur: expreſſus denuò liquor leuiter coquatur ad iuſtam ſpiſſitudinem, & in placentulas, Trochiſos, aliaſue ad placitum formas effingatur.

MIVA CYDONIORVM. MES.

℞ Succi Cydoniorum depurati libras duodecim.

Coquantur ad medietatis conſumptionem; tum adde vini albi veteris libras quinque.

Coquãtur lento igne, ſæpius deſpumentur ad tertiæ partis abſumptionem. Poſtquã reſederint, cola, & adde ſacchari ſat puri libras tres. Coquantur ad iuſtam Miuæ conſiſtentiam.

LOHOCH, SIVE ECLEGMATA.

LOHOCH è CAVLIBVS. *GORDONII.*

℞ Succi Caulium rubearum depurati & clarificati libram vnam.
Croci drachmas tres.
Mellis despumati,
Sacchari, an. libram dimidiam.
Fiat Lohoch s. a.

LOHOCH DE PAPAVERE. *MES.*

℞ Papaueris albi drachmas viginti quinque.
Amygdalarum dulcium,
Nucleorum Pineorum,
Gum: Arabici,
Tragacanthi,
Succi Glycyrrhizæ, ana drachmas decem.
Amyli drachmas tres.
Semin. Portulacæ,
Lactucæ,
Cydoniorum, ana vnciam dimidiam.
Croci drachmam vnam.
Penidiorum, alborum vncias quatuor.
Syrupi de Papauere minus compositi (quem vide pag. 28.) libras tres. Omnia contundantur & incidantur & cum syrupo excipiantur secundùm artem.

LOHOCH è PASSVLIS. *AVG.*

℞ Radic: Pœoniæ maris vnciam dimidiam.
Hyssopi.
Melissæ.

Scolo-

Scolopendrij, siue Ceterach, ana manipul. dimidium.
Glycyrrhizæ vnciam dimidiam.
Decoquantur in sufficienti quantitate aquæ pluuiæ, Colaturæ cum expressione valida factæ, addatur Passularum exacinatarum in mortario benè contusarum libra vna:
Rursum fiat decoctio, & per pannum lineum validè exprimatur, expressioni adde
Sacchari libram vnam.
Fiat Lohoch.

LOHOCH è PINO.

MES.

℞ Nucleorum Pineorum drachmas triginta.
Amygdalarum dulcium,
Auellanarum assatarum,
Gum. Tragacanthi,
Arabici,
Puluer. Glycyrrhizæ, & succi eiusdem,
Amyli,
Capillorum Veneris,
Radic. Ireos, ana vnciam dimidiam.
Carnis Dactylorum fuluorum drachmas triginta quinque.
Amygdalarum amararū drachmas tres.
Mellis Passulati,
Sacchari albi tabarzet,
Bûtyri recentis, ana vncias quatuor.
Mellis optimi q. s. aut libras tres.
Dissoluãtur quæ dissoluenda sunt, in sufficienti quantitate decocti Capillorum Veneris, & reliqua addantur secundùm artem, vt fiat Lohoch.

LOHOCH è PVLMONE VVLPIS.

MES.

℞ Pulmonis vulpis præparati,
Succi Glycyrrhizæ,
Capillorum Veneris,
Semin. Anisi,
Fœniculi, ana vnciam vnam.
Sacchari aqua Tussilaginis clarificati vncias quindecim.
Tritis terendis tenuissime Saccharo excipiantur omnia & ad debitam formam redigantur.

LOHOCH SANVM ET EXPERTVM.

MES.

℞ Cinnamomi,
Hyssopi siccæ,
Glycyrrhizæ, ana vnciam dimidiam.
Iuiubarum,
Sebesten, an. numero triginta.
Vuarum passarū enucleatarum,
Ficuum siccarum,
Dactylorum pinguium, an. vncias duas.
Semin. Lini,
Fœnugræci, an. drachmas quinque.

Capillorum Veneris manipul. vnum.
Semin. Aniſi,
Fœniculi,
Radic. Iridis,
Calaminthæ, ana vnciam dimidiam.

Coquantur ſ.a. in aquæ clariſſimæ libris quatuor ad conſumptionem medietatis: colaturæ expreſſæ adde

Sacchari albiſſimi libras duas. Coquantur rurſum ad conſiſtentiam ſyrupi, poſteà inſperge ſequentia minutiſſimè inciſa & contuſa,

Nucleorum Pineorum mundatorum drachmas quinque.
Amygdalarum dulcium,
Glycyrrhizæ,
Gum. Tragacanthi,
Arabici,
Amyli, ana drachmas tres
Radic. Ireos drachmas duas.

Agitentur omnia ſimul diligenter & celeriter, donec albeſcant.

ECLEGMA SCILLITICVM.
MES.

℞ Succi Scillæ depurati.
Mellis deſpumati ana libras duas.
Coquantur ſimul ſ. artem ad conſiſtentiam mellis.

CON-

CONDITA.

Condiuntur Saccharo diligenter clarificato secundùm artem.

Caules
- Angelicæ.
- Cynaræ.
- Lactucæ.

Cortices
- Aurantiorum.
- Cinnamomi.
- Citrorum.
- Ligni Guaiaci.
- Limonum.

Flores
- Aurantiorum.
- Borraginis.
- Citri.
- Geniſtæ nondũ aperti.
- Primulæ veris.
- Roriſmarini.
- Roſarum.

Fructus vt ſunt
- Amygdalæ.
- Berberes.
- Cappares.
- Caryophylli.
- Ceraſa.
- Corna.
- Citria.
- Cydonia.
- Mala
  - Armeniaca.
  - Perſica.
  - Vulgaria.
- Meſpila.
- Myrobalanorum quinque genera.
- Nuces
  - Auellanæ.
  - Iuglandes.
  - Moſchatæ.
- Paſſulæ.
- Pineæ.
- Piſtaciæ.
- Oliuæ.
- Piper in racemis ex Indi(a.
- Poma.
- Pruna
  - Hortenſia.
  - Syluęſtria.
- Pyra.
- Vuæ.

Pulpæ
- Casiæ.
- Citri.
- Cucurbitæ.
- Cydoniornm.

Radices
- Acori vulgaris, Calami Aromatici, Galãgæ.
- Angelicæ.
- Borraginis.
- Bugloſſi.
- Cichorij.
- Crethami agreſtis.
- Enulæ Campanæ.
- Eryngij.
- Pimpinellæ
- Satyrij.
- Scolymi.
- Siſari, siſeris, Secacul.
- Symphyti maioris.
- Zingiberis.
- Zedoariæ.

Et ſurculi, & ſæmina præter hæc condiuntur.

Modus condiendi ſit, vt quæ magis amara, aut ſubſtantiâ duriora fuerint, aliquandiù macerentur, primùm in lixiuio claro facto ex cineribus lignorum, deinde in aqua fontana calida, donec amaritudinem depoſuerint, aut humectata tenereſcant; pòſt aquâ leuiter expreſsâ, coquantur in Iulepo lento igne, deinde recondantur in vaſe vitreo, aut fictili vitreato, affundendo Iulepum cui incocta fuerunt; poteruntque condiri aromatibus, vt & moſcho, & ambrâ, pro libitû.

Quæ minus amara, molliora, non opus lixiuio vt macerentur, ſed leuiori ebullitione, Saccharum vt imbibant, & condiantur itidem.

CON-

CONSERVÆ & SACCHARA, HERBARVM, FOLIORVM, FLORVM ET FRVCTVVM.

CONSERVAE.

Abſinthij.
Acetoſæ.
Acetoſellæ ſiue Luiulæ.
Adianthi.
Auranciorum.
Betonicæ.
Borraginis.
Bugloſſi.
Cardui benedicti.
Centaurei.
Ceterach, Aſpleni.
Chamædryos.
Caryophyllorum, ſeu Tunicæ.
Cichorij.
Cochleariæ.
Conſolidæ maioris.
Citrariæ.
Cynosbati.
Enulæ.
Euphragiæ.
Fumiterræ.
Geniſtæ non plane maturorum.
Granatorum.
Lauendulæ.
Liliorum alborum.
Lilij conuallium.
Maluæ.
Nymphææ, Nenupharis.
Pœoniæ.
Perſicæ.
Primulæ veris.
Prunellæ.
Roſarum { Damaſcenarū. Rubrarum.
Roriſmarini ſiue Anthûs.
Saluiæ.
Sambuci.
Scabioſæ.
Stœchados.
Tiliæ.
Tuſſilaginis.
Violarum.
Galegæ ſiue Rutæ capriariæ.
Gratiolæ.
Hyſſopi.
Maioranæ.
Meliſſæ.
Menthæ.
Rutæ.
Satureiæ.
Scordij.
Symphyti.

Folia & Flores minutiſsime incidantur, & ſingulis libris florum aut foliorum addantur Sacchari albiſſimi libræ tres.

Sed vt flores & herbæ, non itidem parantur Berberes, Prunella, Fructus acidi: in iſtis, exempli gratiâ.

℞ Fruct. Oxyacanthæ ſiue Berberorum q.v. in aquæ fontanæ q. ſ. ſuper prunas viuaces bulliant, dum pulpa ab arillis per rarum ſetaceum conuenienter decoletur, deprimendo: dein

℞ Pulpæ præcolatæ libras ſex.

Pone in vitreato vaſe terreo (quòd acida ab æreo ingratùm ſapiant) & ad ignem lentum aquoſam humiditatem euapora: vacillo ligneo ſubinde agitando, ne ſuccus aduratur: demùm admiſce

Sacchari albi clari (vt eſt artis) libras decem,

ad conſiſtentiam coquendo debitam.

DIACODIVM SOLIDVM SIVE TABVLATVM.

℞ Capitum Papaueris albi mediocri magnitudine, nec nimis viridium, neque ſuprà modum maturorum numero viginti.

Aquæ pluuiæ aut fontanæ libras tres.

Macerentur horis viginti quatuor, deinde coquantur donec contabuerint capita & colentur, ad extremum adde Sacchari quantitatem ſufficientem, & coquatur vt artis eſt, vt exindè fiant tabulæ.

MANVS CHRISTI SIMPLEX ET PERLATA.

℞ Sacchari optimi libram vnam.

Aquæ Roſarum pallidarum ſemilibram.

Coquantur ſecundùm artem, & projiciendo ſuper marmor, fiat Manus Chriſti: Si ſub finem coctionis addatur Margaritarum præparatarum & tritarum vncia dimidia, cum foliis auri octo vel decem, fit Manus Chriſti perlata.

MANVS CHRISTI AD LVMBRICOS.

℞ Rhabarbari electi ſcrupulos quatuor.

Agarici trochiſcati,
Corallinæ,
Cornu Cerui vſti,
Dictamni Cretici,
Sem. Santonici,
Acetoſæ, ana ſcrupulum.
Cinnamomi,
Zedoariæ,
Caryophyllorum,
Croci, ana ſemiſcrupulum.

Sacchari albiſſimi tenuiter triti libram vnam.

Diſſoluatur Saccharum in aquæ Abſinthij vnciis quatuor cum Vini Abſinthites vncia, & aquæ Cinnamomi Cochleari vno, vt cum ſpeciebus præſcriptis fiant ſecundùm artem Manus Chriſti.

PENIDIA.

Conſtant, ex Saccharo, & aqua Hordei, eâ proportione & arte coctis, vt maſſa quædam exurgat admodùm ſolida, & ita tractabilis, vt digitis non adhæreat, & facilè in

in fila ducatur tenuiora, craſſiora, breuiora aut longiora, contorta pro libitu; Plures addunt nonnihil Amyli.

CONFECTIO DE THVRE, NOR.

℞ Sem. Coriandri præparati vnciam ſemis.
Nucis Moſchatæ.
Thuris albiſſ. ana drachmas tres.
Glycyrrhizæ.
Maſtichis ana drachmas duas.
Cubebarum.
Cornu Cerui præparati ana drachmam vnam.
Conſer. roſarum rubrarum vnciam vnam.

Cum ſufficienti quantitate Sacchari albiſſ. fiat confectio in morſellis pondere drachmarum duarum.

SACCHARVM ROSATVM.

℞ Florum Roſarum rubrarum nondum plene maturarum vnciam vnam.

Forcipibus omnis albedo amputetur, deinde in vmbra ſiccentur, & terantur poſteà optimè in mortario lapideo, tum cum vnciis duodecim Sacchari optimi ſoluti in aqua Roſarum rubrarum, coquantur ſecundùm artem, dum aqua fuerit abſumpta: deinde proiiciatur ſenſim maſſa ſuper marmore, & fiant vel Manus Chriſti, vel placentulæ pro libitu. Sunt qui inter coquendum addunt Conſeruæ Roſarum rubrarū vncias quatuor optimè immiſcendo, vnde Saccharum, & magis coloratum, & guſtui gratius redditur.

Eodem modo Saccharum conflatur Violatum, tabulatum.

Sic è Bugloſſo.
Capill. Veneris.
Cichorio.
Iride Flor.
Rad. Enulæ.
Symphyto, & aliis.

SPECIES

SPECIES SIVE PVLVERES.

AROMATICVM CARYOPHYLLATVM. MES.

℞ Caryophyllorum drachmas ſeptem.
Macis,
Zedoariæ,
Galangæ minoris,
Santali Citrini,
Trochiſc. Diarhodon,
Cinnamomi,
Ligni Aloes,
Spicæ Nardi Indicæ,
Piperis longi,
Cardamomi, ana drachmam vnam.
Roſarum rubrarum drachmas quatuor.
Galliæ moſchatæ,
Glycyrrhizæ raſæ, ana drachmas duas.
Folij,
Cubebarũ, an. ſcrupulos duos.
Ambræ griſeæ optimæ drachmam vnam.
Moſchi ſemiſcrupulum.
Sacchari albiſſimi q. ſ.
Tritis omnibus diligentiſſimè fiat Puluis.
Cum Syrupi è Cytro admiſti q. ſ. Electuarium fieri poteſt.

AROMATICVM ROSATVM GABRIELIS.

℞ Roſarum rubrarum drachmas quindecim.
Glycyrrhizæ raſæ drachmas ſeptem.
Ligni Aloes,
Santali citrini, ana drachmas tres.
Cinnamomi electi drachmas quinque.
Caryophyllorum,
Macis, ana drachmas duas ſemis.
Gum. Arabici,
Tragacanthi, ana drachmas duas & ſcrupulos duos.
Nucis Moſchatæ,

Carda-

Cardamomi minoris,
Galangæ, ana drachmam vnã.
Spicæ Indicæ,
Ambræ griseæ, ana scrupulos duos.
Moschi scrupulum vnum.

Pulueri sentur secundùm artem, & puluis seruetur in vase vitreo, vel fictili vitreato ad vsum.

Parari potest sine spica propter ingratitudinem, quo nomine & in reliquis specibus cordialibus Spica omitti potest.

PVLVIS CARDIACVS MINOR,
FERN. l.5.c.21.

℞ Cornu Cerui,
Vnicorni,
Margaritarum splendidarum,
Scobis Eboris, ana grana sex.

Fiat Puluis tenuis: si reseruandus, singulorum quantitas augetur analogicè.

PVLVIS CARDIACVS MAIOR,
FERNELII.

℞ Radic: Tormentillæ,
Dictamni,
Tunicæ,
Scabiosæ,
Sem. Acetosæ,
Coriandri præp.
Citri,
Cardui benedicti,
Endiuiæ,
Rutæ, ana drachmam vnam.
Trium Santalorum,
* Been { albi, rubri, } vel succed. pag. 60.
Doronici Romani,
Cinnamomi,
Cardamomi,
Croci.
Flor. Buglossi vtriusque,
Rosarum rubrarum;
Nymphææ,
Ligni Aloes,
Macis ana scrupulos duos.
Rasuræ Eboris.
Spodij,
Ossis è corde Cerui,
Corallij rubri,
Margaritarum splend.
Smaragdi,
Hyacinthi,
Granati, ana scrupulum vnum.
Serici crudi torrefacti,
Boli Armeni,
Terræ Lemniæ, an. semidrachmam.
Caphuræ,
Ambræ griseæ,
Mosci, ana grana sex.

Fiat Puluis, & ex octuplo Sacchari albi aquâ rosarum soluti, tabellæ concinnentur.

PVLVIS AD CONTVSOS EX CASV, *AVGVST.*

℞ Terræ sigillatæ,

Sangui.

Sanguinis Draconis,
Mumiæ, ana drachmas duas.
Spermatis Ceti drachmam vnam.
Rhabarbari drachmam dimidiam.
Fiat omnium Puluis ſecundùm artem.

SPECIES CORDIALES TEMPERATÆ.

℞ Ligni Aloes,
Spodij, ana drachmam vnam.
Cinnamomi,
Caryophyllorum,
Oſſis de corde cerui,
Radic. Angelicæ.
* Been vtriuſque, (vel eorum loco
Radic. Caryophyllatæ & Tormentillæ,) ana drachmam vnam ſemis.
Margaritarum præparatarũ drachmas ſex.
Serici crudi toſti.
Corallij vtriuſque, ana drachmas dũas.
Hyacinthi,
Smaragdi,
Sapphyri, ana drachmam dimidiam.
Croci ſcrupulum vnum.
Ambræ griſeæ,
Moſchi, ana drachmam dimidiam.
Folia {Auri. / Argenti, ana decem.
Fiat Puluis ſecundùm artem.

DIACALAMINTHES SIMPLEX. *GALENI.*

℞ Calaminthæ Montanæ,
Pulegij,
Origani.
Sem. Petroſelini Macedonici,
Petroſelini,
Seſeleos, ana drachmas duas.
Sem. Apij,
Cymarum Thymi, an. vnciam dimidiam.
Sem. Liguſtici,
Piperis nigri, an. vnciam vnam.
fiat puluis ſecundùm artem.

Fieri etiam poteſt Electuarium, cum Sacchari albiſſimi (ſoluti in aqua Violarum aut Roſarum) libris duabus ſemis.

SPECIES ELECTVARII DIACALAMINTHES COMPOSITI, *FER.*

℞ Pulueris Electuarij Diacalaminthes ſimplicis vnciam dimidiam.
Folior. Praſij,
Maioranæ,
Meliſſæ.
Artemiſiæ,
Sabinæ, aridorum, ana drachmam vnam.
Radic. Cyperi,
Sem. Rubiæ.
Rutæ,
Macis,

Cinna-

Cinnamomi, ana ſcrupulos duos.

Terantur & miſceantur diligentiſſimè; fieri etiam poteſt Electuarium cum Sacchari in aqua Parthenij ſoluti duodecuplo.

DIANISVM, *MES.*

℞ Semin. Aniſi elect. vncias duas ſemis.
Glycyrrhizæ raſæ,
Maſtiches, an. vnciam vnam.
Sem. Carui,
Fœniculi,
Galangæ,
Macis,
Zingiberis,
Cinnamomi, an. drachmas quinque.
Trium Piperum,
Caſiæ ligneæ,
Calaminthæ.
Pyrethri, ana drachmas duas.
Cardamomi,
Caryophyllorum,
Cubebarum,
Spicæ Indicæ,
Croci, ana ſeſquidrachmam.
Sacchari albi vncias quinque.

Fiat Puluis, & cum melle deſpumato Electuarium.

SPECIES ELECTVARII DIACYMINI, *NICOLAI.*

℞ Cymini per diem naturalem infuſi in aceto, & iterum exiccati, vnciam vnam, & ſcrupulum vnum.
Cinnamomi,
Caryophyllorum, an. drachm. duas ſemis.
Galangæ,
Satureiæ,
Calaminthes, ana drachmam vnam & ſcrupulos duos.
Zingiberis,
Piperis nigri, an. drachm. duas, & grana quinque.
Sem. Liguſtici,
Ammios, an. drach. vnam & grana octodecim.
Piperis longi drachm. vnam.
Spicæ Nardi,
Nucis Moſchatæ,
Cardamomi, an. ſcrupulos duos ſemis.

Terantur, & diligenter recondantur ad vſum, in forma Pulueris.

SPECIES ELECTVARII DIAGALANGÆ, *MES.*

℞ Galangæ,
Ligni Aloes, an. drachm. ſex.
Caryophyllorum,
Macis,
Semin. Liguſtici, an. drachm. duas.
Zingiberis,
Piperis longi,
albi,
Cinnamomi,
Calami Aromatici, an. drach. vnam ſemis.

Calaminthæ ſiccæ,
Menthæ ſiccæ,
Cardamomi maioris,
Spicæ Indicæ,
Sem. Apij,
Aniſi,
Fœniculi,
Carui, an. drachm. vnam.
fiat Puluis ſecundùm artem.

Fieri etiam poteſt electuarium cum Sacchari albi, vino Maluatico ſoluti, vel Mellis deſpumati duodecuplo.

SPECIES ELECTVARII DE GEMMIS CALIDI, MES.

℞ Trochiſcorum Diarhodon,
Ligni Aloes, ana drachmas quinque:
Margaritarum albarum.
Zedoariæ,
Doronici,
Cortic. Citri.
Macis.
Sem. Ocimi Caryophyllati.
Ambræ griſeæ veræ, an. drachmas duas.
Corallij rubri,
Succini albi,
Raſuræ Eboris, an. ſcrupulos quinque.
Sapphyri,
Hyacynthi,
Sardæ,
Granati,
Smaragdi,
Cinnamomi,
Galangæ,
Zurumbet, an. drachmam vnam ſemis.
* Been vtriuſque (vide ſucced. pag. 60.)
Caryophyllorum,
Zingiberis,
Piperis longi,
Spicæ Indicæ,
Folij, vel Spicæ Celticæ,
Croci,
Cardamomi maioris, an. drachmam vnam.
Folior. Auri.
Argenti, an. ſcrupulos duos.
Moſchi drachmam dimidiam.
Fiat omnium Puluis ſecundùm artem, & ſeruetur ab aere concluſus diligentiſſimè.

SPECIES ELECTVARII DE GEMMIS FRIGIDI.

℞ Margaritarum præparatarum drachmas tres.
Spodij,
Raſuræ Eboris,
Corallij vtriuſque, ana drachmas duas.
Flor. Roſarũ rubrarum drachmam vnam ſemis.
Hyacinthi,
Sapphyri,
Sma-

Smaragdi,
Sardæ,
Granati,
Santali { albi, rubri, Citrini,
Flor. Borraginis,
Bugloſſi,
Sem. Acetoſæ,
Baſilici,
* Been vtriuſque (vide pag. 60.) ana drachmam vnam.
Oſſis è corde Cerui drachmam dimidiam.
Folia Auri,
Argenti, ana quindecim.
Fiat puluis ſecundùm artem, diligenter reponatur.

SPECIES ELECTVARII DIAIREOS SIMPLICIS, *NICOLAI.*

℞ Ireos vnciam dimidiam.
Sacchari candi,
Specierum Diatragacanthi frigidi, ana drachmas duas.
Fiat Puluis.

SPECIES DIALACCÆ. *MES.*

℞ Laccæ præparatæ,
Rhabarbari,
Schœnanthi, ana drachmas tres.
Spicæ.
Maſtiches,
Succi Abſinthij Romani,
Eupatorij, i. Agerati,
Sem. Apij,
Ammeos,
Fœniculi,
Aniſi,
Sabinæ,
Amygdalarum amararum,
Myrrhæ,
Coſti, ſeu Zedoariæ,
Radic. Rubiæ tinctorum.
Aſari,
Ariſtolochiæ { longæ, rotundæ,
Gentianæ,
Croci,
Cinnamomi,
Hyſſopi ſiccæ,
Caſiæ ligneæ veræ,
Bdellij, ana drachmam vnam ſemi.
Piperis,
Zingiberis, ana drachmam vnam.
fiat Puluis ſ. a.

Fieri etiam poteſt Electuarium cum Mellis vel Sacchari vino albo, vel aquâ Cichorij, ſoluti, q. ſ.

SPECIES ELECTVARII DIAMARGARITON CALIDI, *AVICEN.*

℞ Margaritarum albiſſimarum,
Pyrethri, ana drachmam vnam.
Zingiberis,

Maſtiches, ana vnciam dimidiam.
Doronici,
Zedoariæ,
Sem. Apij,
Cardamomi vtriuſque,
Nucis Moſchatæ,
Macis: ana drachmas duas.
* Been vtriuſq; vide ſuccedan. pag. 60.
Piperis { nigri, longi, ana drachmas tres.
Cinnamomi drachmas quinque.

Puluerizentur, reponantur ad vſum.

SPECIES ELECTVARII DIAMARGARITON FRIGIDI, *NICOLAI.*

℞ Semin. quatuor frigidorũ maiorum mundatorum.
Sem. Portulacæ,
Papaueris albi,
Endiuiæ,
Oxalidis,
Citri,
Trium Santalorum,
Ligni Aloes,
Zingiberis,
Flor. Roſarum rubrarum,
Nymphææ,
Bugloſſi,
Violarum,
Baccarum Myrti,
Oſſis è corde Cerui,
Eboris,
Doronici Romani.
Cinnamomi, ana drachmam vnam.
Corallij vtriuſque, ana drachmam dimidiam.
Margaritarum ſplendidarum drachmas tres.
Ambræ griſeæ.
Caphuræ, ana grana ſex.
Moſchi grana duo.
fiat Puluis ſecundum artem.

Obſeruandum autem, vt ſemina frigida Maiora & Papaueris mundata non priùs addantur, quàm ſpecies requiruntur à Medico ad vſum, alioqui compoſitio fiet rancida: & ſic in reliquis ſpeciebus, quarum compoſitionem hæc ſemina ingrediuntur.

SPECIES ELECTVARII DIAMBRÆ, *MES.*

℞ Cinnamomi,
Doronici, ſiue Zedoariæ,
Caryophyllorum,
Macis,
Nucis Moſchatæ,
Folij,
Galangæ, ana drachmas tres.
Spicæ Indicæ,
Cardamomi maioris,
minoris, ana drachmam vnam.
Zingiberis drachmam vnam ſemis.
Ligni Aloes,
Santali,

Santali Citrini,
Piperis longi, ana drachmas duas.
Ambræ griſeæ ſeſquidrachmam.
Moſchi drachmam dimidiam.
Miſce, fiat omnium Puluis.

SPECIES ELECTVARII DIAMOSCHV DVLCIS, *MES.*

℞ Croci,
Doronici, ſeu Galangæ,
Zedoariæ,
Ligni Aloes,
Macis, ana drachmas duas.
Margaritarum albarum,
Serici crudi toſti,
Succini,
Corallij rubri,
Galliæ Moſchatæ,
Ocimi Citriati, ana drachmas duas ſemis.
Zingiberis.
Cubebarum.
Piperis longi, ana drachmam vnam ſemis.
* Been vtriuſque, vel ſuccedan: pag. 60.
Folij, aut Cinnamomi,
Spicæ Indicæ,
Caryophyllorum, ana drachmam vnam.
Moſchi ſcrupulos duos.
Fiat Puluis ſecundùm artem: fiet & Electuarium, addendo ſaccharo vino albo ſoluti quadruplũ.

SPECIES ELECTVARII DIAMOSCHV AMARI, *MES.*

Ad eadem ingredientia, & pari doſi, adde
Abſinthij,
Roſarum, ana drachmas tres
Aloes optimæ lotæ ſemunciam
Cinnamomi drachmas duas ſemis.
Caſtorei,
Liguſtici, an. drachmam vnam
Fiat puluis.

SPECIES ELECTVARII DIANTHON, *NICOLAI.*

℞ Flor. Roriſmarini vnciam vnã.
Roſarum rubrarum,
Violarum,
Glycyrrhizæ, an. drachmas ſex.
Caryophyllorum,
Spicæ Indicæ.
Nucis Moſchatæ.
Galangæ.
Cinnamomi,
Zingiberis,
Zedoariæ,
Macis,
Ligni Aloes,
Cardamomi,
Sem: Anethi,
Aniſi, an. ſcrupulos quatuor.
Fiat Puluis ſecundùm artem.

DIAPENIDION, *NIC.*

℞ Penidiorum vncias duas.
Nucum Pinearum,
Amygdalarum dulcium mundatarum,
Sem. Papaueris albi, ana drachmas tres, ſcrupulum vnum.
Cinnamomi.
Caryophyllorum
Zingiberis
Succi Glycyrrhizæ,
Gum. Tragacanthi,
Arabici,
Amyli candidiſſimi.
Sem. 4. frig. mai. excortic. ana ſeſquidrachmam.
Camphoræ grana ſeptem.
Sacchari albiſſimi q. ſ. vel in forma Electuarij, cum Syrupo Violarum.

DIARHODON ABBATIS, *NICOLAI.*

℞ Santalorum alborum,
rubrorum, ana drachmas duas ſemis.
Gum. Tragacanthi,
Arabici,
Spodij, ana ſcrupulos duos.
Aſari,
Maſtiches,
Spicæ Indicæ,
Cardamomi,
Glycyrrhizæ,
Croci,
Ligni Aloes.
Caryophyllorum,
Galliæ Moſcatæ,
Sem. Aniſi.
Fœniculi,
Cinnamomi,
Rhabarbari,
Sem. Ocimi.
Acinorum Berberis,
Sem. Scariolæ.
Portulacæ.
Cucurbitæ.
Cucumeris,
Citruli,
Melonum,
Papaueris albi, ana ſcrupulum vnum,
Margaritarum.
Oſſis è Corde Cerui, ana ſcrupulum dimidium.
Sacchari candi,
Roſarum rubrarũ, an. vnciam vnam, & drachmas tres.
Camphoræ grana ſeptem.
Moſchi grana quatuor.
Fiat Puluis ſ. a.

Fieri etiam poteſt Electuarium cum octuplo Sacchari diſſoluti in aqua Roſacea.

DIOSPOLITICVM, *GALENI.*

℞ Cymini præparati,
Piperis longi,
Folior. Rutæ ſiccatorum, ana vnciam vnam.
Nitri vnciam dimidiam.
Fiat puluis.

SPECIES

SPECIES ELECTVARII DIATRAGACANTHI FRIGIDI, *NICOLAI.*

℞ Gum. Tragacanthi albi vncias duas.
Arabici vnciam vnam & drachmas duas.
Amyli vnciam dimidiam.
Glycyrrhizæ,
Sem: Melonum.
Papaueris albi.
Citruli,
Cucumeris,
Cucurbitæ, ana drachmas duas.
Penidiorum vncias tres.
Caphuræ semiscrupulum.
Fiat puluis s.a.

Fieri etiam potest Electuarium, cum syrupi violacei sufficienti quantitate: At cautio habenda est, (vt priùs) de seminibus frigidis.

SPECIES ELECTVARII DIATRION PIPEREON, *GALENI.*

℞ Trium piperum, an. drachmas sex, & grana quindecim.
Sem: Anisi.
Thymi,
Zingiberis, an. drachmam vnam.
Fiat Puluis: & cum Saccharo in aqua florum Rorismarini soluto, vel melle prout res postulauerit fieri potest Electuarium s.a. vide supra diagalang.

SPECIES ELECTVARII DIATRION SANTALON, *NIC.*

℞ Santalorum omnium.
Rosarum rubrarum,
Sacchari candi, ana drachmas tres.
Rhabarbari,
Spodij,
Succi Glycyrrhizæ,
Sem: Portulacæ, an. drachmas duas, & grana quindecim.
Amyli,
Gum: Arabici,
Tragacanthi,
Sem: Melonum,
Cucumeris.
Citruli,
Cucurbitæ;
Scariolæ, an. drachmam vnam semis.
Camphoræ Scrupulum vnum.
Fiat puluis s.a.

Fieri etiam potest Electuarium cum octuplo Sacchari in aqua Rosacea soluti

PVLVIS HALY.

℞ Sem. Papaueris albi drachmas decem.

Gummi Arabici,
Amyli,
Tragacanthi, an. drachmas tres.
Semin: Portulacæ.
Althææ,
Maluæ, an. drachmas quinque.
Cucumeris.
Melonis,
Cucurbitæ,
Citruli,
Cydoniorum mundatorũ, an. drachmas ſeptem.
Spodij,
Glycyrrhizæ, ana drachmas tres.
Penidiorũ ad pondus omniũ.
Fiat puluis ſ. a.

LÆTIFICANS GALENO ADSCRIPTVS.

℞ Florum Ocimi Caryophyllati aut ſem: eiuſdem.
Croci,
Zedoariæ,
Xyloales,
Caryophyllorum,
Corticum Citri,
Galangæ,
Macis,
Nucis Moſchatæ,
Styracis Calamitæ, ana drachmas duas ſemis.
Raſuræ Eboris,
Sem. Aniſi,
Thymi,
Epithymi, ana drachmam vnam.
Oſſis è Corde Cerui,
Margaritarum,
Camphoræ,
Ambræ,
Moſchi, ana drachmam dimidiam.
Folior: Auri,
Argenti, ana ſcrupulum dimidium.
Fiat Puluis ſ. a. reſeruetur diligenter ad vſum.

SPECIES CONFECTIONIS LIBERANTIS.

℞ Radic: Tormentillæ,
Semin: Acetoſæ,
Endiuiæ,
Coriandri præparati,
Citri, an. drachmam vnam ſemis.
Santalorum omnium,
Dictamni albi, an. drachmam vnam.
Boli Armeni,
Terræ Lemniæ, ana drachmas tres.
Margaritarum,
Corallij vtriuſque,
Succini albi,
Raſuræ Eboris,
Spodij,
Oſſis è Corde Cerui,
* Been vtriuſque, vel ſuccedan: pag: 60.
Radic: Angelicæ.

Carda-

Cardamomi,
Cinnamomi,
Macis,
Ligni Aloes,
Caſſiæ Ligneæ,
Croci,
Zedoariæ, ana drachmam dimidiam.
Penidiorum,
Sacchari candi,
Serici crudi toſti,
Smaragdi,
Hyacynthi,
Granati, ana ſcrupulos duos.
Flor. Nymphææ,
Bugloſſi,
Roſarum rubrarum, ana ſcrupulum vnum.
Camphoræ grana ſeptem,
Moſchi,
Ambræ griſeæ, ana grana tria.
Fiat Puluis ſecundùm artem.

LITHONTRIBON, *NIC. SEC. FERN.*

℞ Spicæ Nardi,
Zingiberis,
Cinnamomi,
Melanopiperis,
Cardamomi,
Caryophyllorum,
Macis, ana drachmam dimidiam.
Coſti,
Glycyrrhizæ,
Cyperi,
Tragachanthæ,
Chamædryos, ana ſcrupulos duos.
Semin. Ammeos.
Apij,
Aſparagi,
Ocimi,
Vrticæ,
Citri,
Saxifragiæ,
Pimpinellæ,
Carui,
Dauci,
Fœniculi,
Ruſci,
Petroſelini Macedonici.
Bardanæ.
Seſeleos,
Aſari, ana drachmam vnam.
Lapidis Spongiæ,
Lyncis,
Cancri,
Iudaici, ana drachmam vnam ſemis.
Sanguinis Hircini præparati vnciam vnam ſemis. fiat Puluis ſecundum artem.

PVLVIS SAXONICVS.

℞ Radic. vtriuſque Angelicæ,
Vincetoxici,
Valerianæ domeſticæ,
Polypodij quercini,
Radic. Althææ,
Vrticæ, ana vnciam dimidiam:
Cortic. Mezerei German. drachmas duas.
Granorum herbæ Paridis numero viginti quatuor.
Folior. eiuſdem, cum toto, numero triginta ſex.
Ex maceratis in aceto radicibus, & ſiccatis, fiat omnium puluis.

PVLVIS PALMARII AD MORSVM CANIS RABIDI,

℞ Folior. Rutæ,
Verbenæ,
Saluiæ,
Plantaginis,
Polypodij,
Abſinthij vulgaris,
Menthæ,
Artemiſiæ,
Meliſſophylli,
Betonicæ,
Hyperici,
Centaurij minoris, aa. p.æ.
Legantur ſingula, quo tempore viribus pollent maximis, quod ad Iunij ferè plenilunium aſſequuntur. Papyraceis dein chartis concluſa ſiccentur ſeorſim in loco, ad quem, neque Sol, neque pluuia pertingat: Siccata ad futuros vſus aſſeruentur, eâ lege, vt quotannis renouentur:

Quum vtendi neceſſitas incidet ſingulorum æquale pondus in puluerem tenuiſſimum redigito.

PLERES ARCHONTICON, *NICOLAI.*

℞ Cinnamomi,
Caryophyllorum,
Ligni Aloes,
Galangæ,
Spicæ Indicæ,
Nucis Moſchatæ,
Zingiberis,
Spodij,
Schœnanthi,
Cyperi,
Roſarum,
Violarum, aa. drachmã vnam.
Folij, ſeu Macis,
Glycyrrhizæ,
Maſtiches,
Styracis Calamitæ.
Maioranæ.
Balſamitæ ſeu Menthæ aquaticæ.
Ocimi.
Cardamomi.
Piperis Longi.
Albi.

Myrti.

Myrtilorum baccarum,
Corticum Citri, ana drachm. dimidiam & grana sex.
Margaritarum,
* Been { Albi, / Rubri, } vel succedan. pag. 58.
Corallij rubri,
Serici tosti, ana grana octodecim.
Moschi grana sex.
Camphoræ grana quatuor.
Fiat Pulvis secundùm artem. Poterit etiam cum decuplo sacchari soluti in aqua Melissæ formari in Electuarium.

PVLVIS PRÆSERVATIVVS A PESTE, *MONTAGNANAE.*

℞ Santalorum omnium,
Semin. Ocimi, ana vnciam vnam semis.
Boli Armeni,
Cinnamomi, ana vnciam vnam.
Radic. Dictamni,
Gentianæ,
Tormentillæ, ana drachmas duas semis.
Semin. Citri,
Acetosæ, ana drachmas duas.
Margaritarum,
Sapphyri,
Ossis de corde Cerui, an. drachmam vnam.
Fiat Pulvis secundùm artem, diligenter reponatur.

SPECIES ELECTVARII ROSATÆ NOVELLÆ, *NICOLAI.*

℞ Rosarum,
Sacchari,
Glycyrrhizæ, ana vnciam vnã drachmam vnam, scrupulos duos semis.
Cinnamomi drachmas duas, scrupulos duos, grana duo.
Caryophyllorum,
Nardi Indicæ,
Zingiberis,
Galangæ,
Nucis Moschatæ,
Zedoariæ,
Styracis,
Cardamomi,
Apij, ana scrupulum vnum grana octo.
Sacchari albissimi q.s.
Fiat Pulvis: inde Electuarium s.a.

PVLVIS AD HÆMORRHAGIAM, *GALENI.*

Meth. l. 5. c. 4.

℞ Thuris drachmam vnam.
Aloes drachmam dimidiam.
Fiat Pulvis. Cùm vtendi tempus instat, tantum huius cum oui candido subigitur, quantum mellis reddat

reddat crassitudinem; hoc Leporis mollissimis pilis excipitur, deinde tum vasi profluenti, tum vlceri toti liberaliter imponitur, adhibitâ ligaturâ conuenienti.

PVLVIS AD SCABIEM.

℞ Sulphuris viui,
Nitri,
Folior. Maioranæ, ana drachmas duas.
Lithargiri auri,
Radic. Ellebori nigri, an. drach. vnam.
Pimpinellæ drachmam dimidiam.
Fiat Puluis secundùm artem.

PVLVIS RADVLPHI HOLLAND.

℞ Sem. Anisi,
Carui,
Fœniculi,
Cymini,
Spicæ Nardi,
Cinnamomi,
Galangæ, ana vnciam dimidiam.
Glycyrrhizæ,
Milij Solis, ana vnciam vnam.
Sennæ ad pondus omnium.
Fiat Puluis.

PVLVIS SANCTVS, *BRASAVOLAE.*

℞ Foliorum Sennæ,
Cremoris Tartari, ana vncias duas.
Caryophyllorum,
Cinnamomi,
Galangæ,
Ammeos, ana drachmas duas.
Diagrydij vnciam dimidiam.
Fiat Puluis secundùm artem.

In defectu seminum Ammeos legitimorum aut recentium quibus sæpissime destituimur, substituenda quidem Anisi semina conueniunt cum Antidotario Bergomensi.

PVLVIS SENNÆ.

℞ Sennæ optimæ vncias duas.
Cremoris Tartari vnciam dimidiam.
Macis scrupulos duos semis.
Zingiberis.
Cinnamomi, ana drachmam vnam.
Salis Indi drachmam vnam.
Fiat Puluis s. a.

DIATVRBITH MAIVS SINE RHABARBARO.

℞ Turpeti optimi vnciam vnam.
Diagrydij,
Zingiberis, an. vnciam dimidiã.
Caryophyllorum.

Caryo-

Caryophyllorum, ana drachm. duas.
Galangæ,
Piperis longi,
Macis, ana drachmam vnam.
Fiat Puluis: Et cum Sacchari albissimi vnciis octo & drachmis quinque in aq. Cichorij solutis, fieri potest Electuarium s. a.

DIATVRBITH CVM RHABARBARO, *MONTAGNANAE.*

℞ Turpeti optimi,
Hermodactylorum, an. vnciam vnam.
Rhabarbari drachmas decem.
Diagrydij vnciam dimidiam.
Santali rubri,
albi,
Violarum,
Zingiberis, ana drach. vnam semis.
Mastiches,
Anisi,
Cinnamomi,
Croci, ana drachmam dimidiam, fiat puluis: Et cum Sacchari albissimi libra vna, vnciis duabus, & drachmis duabus in aq. Cichorij solutis, fieri potest Electuarium secundùm artem.

PVLVIS AD LVMBRICOS.

℞ Sem. Sanctonici vncias quatuor.
Folior. Sennæ vnciam vnam.
Coriandri præparati,
Cornu Cerui, ana drachmam dimidiam.
Rhabarbari vnciam dimidiam.
Rutæ siccæ drachmas duas.
Fiat Puluis.

ELECTVARIA.

ANTIDOTVS ANALEPTICA SIVE ELECTVARIVM RESVMPTIVVM, *FERNELII.*

℞ Rosarum rubrarum,
Glycyrrhizæ, ana drachmas duas & grana quinque.
Gum. Arabici.
Tragacanthi, ana drachmas duas & scrupulos duos.
Santali albi,
rubri, ana scrupul. quatuor.
Succi Glycyrrhizæ,
Amyli,
Semin. Papaueris albi,
Portulacæ,
Lactucæ,
Scoriolæ, ana drachm. tres.
Quatuor Semin. frigidorum maioru m.
Sem. Cydoniorum, Maluæ, Bombacis, Violarum,
Strobilorum,
Pistaciorum recentium,
Amygdalarum dulcium,
Pulpæ Sebesten, ana drachmas duas.
Caryophyllorum,
Spodij,
Cinnamomi an. drachm. vnam
Croci grana quinque.
Penidiorum vnciam dimidiã.
Trita omnia excipiantur triplo Syrupi violati, & fiat Electuarium molle.

CONFECTIO ALKERMES, *MES.*

℞ Succi Pomorum fragrantium.
Aquæ Rosarum odoratissimæ, ana libram vnam semis.

Quibus

Quibus infunde per horas viginti quatuor,
Serici crudi vncias quatuor.
Expreſſioni forti adde,
Succi granorum Kermes ad nos aduecti, puri libram vnam.
Sacchari libras duas.
Coque ad mellis conſiſtentiam, Mixturæ ab igne ſepoſitæ, adhuc autem calenti, adde
Ambræ griſeæ crudæ minutim conciſæ vnciam dimidiam.
Quibus optimè liquatis, ſuperinjicito ſequentia pulueriſata.
Cinnamomi electi,
Ligni Aloes optimi,
Lapidis Lazuli vſti in Crucibulo,
(dein pulueriſati, & loti, primum in aqua communi, dein in aqua Roſacea aut Borraginis, idq; multoties, ita vt poſt lotionem exiccetur, denuoque lauetur; & eouſque hæc reiteretur operatio, donec aqua limpida poſt lotionem remaneat) an. drach. ſex.
Margaritarum pellucidarũ præparatarum drach. tres
Folior. Auri,
Moſchi optimi, an. drachm. vnam.
Confice ſecundùm artem.

ELECTVARIVM DE BACCIS LAVRI, *RHASIS.*

℞ Folior. Rutæ aridorum drachmas decem.
Sem. Ammeos,
Cymini,
Liguſtici,
Origani,
Nigellæ,
Carui,
Dauci,
Petroſelini,
Amygdalarum amararum.
Piperis nigri,
longi,
Menthaſtri,
Acori, vel Calami aromatici.
Baccarum Lauri,
Caſtorei, an. drach. duas.
Sagapeni vnciam dimidiam.
Opopanacis drachmas tres.
Mellis deſpumati libram vnam ſemis.
Tritis diligenter quæ terenda, fiat Electuarium ſecundùm artem, ſub finem additis vino dilutis lachrymis.

ATHANASIA MITHRIDATIS, è *GALENO.*

℞ Cinnamomi,
Caſiæ,
Schœnanthis, ana ſeſquiunciã.
Croci,
Myrrhæ, ana vnciam.
Coſti,
Mei,
Acori,
Agarici,
Scordij,
Dauci,

Petroſelini, an. ſemunciam:
Piperis albi grana vndecim.
Mellis q. ſ.
Compone, vt artis eſt.

DIACAPPARIS, *GILBERTI ANGLI.*

℞ Capparis vncias quatuor.
Radic. Agrimoniæ,
Semin. Gith, i. c. Nigellæ Rom.
Scillæ,
Aſari,
Centaureæ,
Pyrethri,
Piperis nigri,
Apij,
Thymi, ana vnciam vnam,
Mellis q. ſ.
Fiat Electuarium ſecundùm artem.

DIACINNAMOMVM. *MES.*

℞ Cinnamomi tenu. drachmas quindecim.
Caſiæ Ligneæ,
Radic. Helenij, ana ſemunciam
Galangæ drachmas ſeptem.
Caryophyllorum,
Piperis longi,
Cardamomi vtriuſque
Zingiberis,
Macis,
Nucis Moſchatæ,
Xyloaloes, an. drachmas tres.
Croci drachmam.
Sacchari tabarzet, i. e. criſtallini albiſſ. drachmas quinque.
Moſchi ſcrupulos duos.
Excepta mellis deſpumati libris duabus, vnciis octo, Coque.
Fiat Electuarium ſecundùm artem.

DIACORALLION VSVAL. *COLON.*

℞ Corallij albi,
rubri,
Boli Armeni veri,
Sanguinis Draconis, an. drachmam.
Margaritarum ſemidrachm.
Xyloaloes,
Roſarum rubrarum,
Gum. Tragacanthi,
Cinnamomi, an. ſcrupul. duos.
Santali albi,
rubri, an. ſcrupulum.
Miſce, fiat Puluis, è puluere Electuarium ſ. a. cum
Sacchari albiſſimi, & Aq.
Cinnamomi ten. ana q. ſ.

DIACORVM, *MES.*

℞ Radic. Secacul, ſeu Siſeris,
Acori, ſeu Calami aromatici,
Pinearum, ana ſeſquilibram.
Radicibus Secacul. mundatis, inciſis, coctis, piſtatis, tritis dum pulti ſimiles, affunde.
Mellis deſpumati libras decem.

Coquan-

Coquantur agitando, ad iuſtam ſpiſſitudinem, tum adde tritas radices Acori, inciſas Pineas, mixtas ſequenti pulueri;

℞ Piperis nigri vnciam,
longi,
Caryophyllorum,
Zingiberis,
Macis, an. ſemunciam.
Nucis Moſchatæ,
Galangæ,
Cardamomi, ana drachmas tres.

Miſce cum radicibus, & Melle q. ſ. agitando ne grumi relinquantur. Fiat Electuarium ſ. a.

ELECTVARIVM è SCORIA FERRI, *RHASIS.*

℞ Scoriæ ferri aceto infuſæ per dies ſeptem, poſteà torrefactæ, drachmas tres.
Spicæ Indicæ,
Schœnanthûs,
Cyperi,
Zingiberis,
Piperis,
Ammeos,
Thuris, ana ſemunciam.
Myrobalanorum { Indarum, Bellericarum, Emblicarum,
Mellis decocti cum apozemate Emblicarũ vncias ſedecim.

Miſce: fiat Electuarium.

DYACYDONIVM SIMPLEX.

℞ Carnis Cydoniorum mundatorum, & in frusta diſſectorum, & in aqua dulci ad ſpiſſitudinem coctorum libras octo.
Sacchari albiſſimi deſpumati, & ad iuſtam conſiſtentiam concocti libras ſex.
Coque ad ſpiſſitudinem.

DYACYDONIVM. GALENI CVM SPECIEBVS.

℞ Succi Pomorum Cydoniorum, Sacchari optimi, ana libras duas.
Aceti vini albi libram ſemis in fine decoctionis.

Coctis ſupra prunas modicè & ſpumâ detractâ, adde
Zingiberis vncias duas,
Piperis albi drachmas decem & ſcrupulos duos.
craſſiuſculè inciſorum, deinde rurſùs lento igne recoque ad mellis craſſitudinem.

DYACYDONIVM LONDINENSE COMPOS.

℞ Sacchari albi libras ſex.
Aquæ fontanæ libras quatuor.
Clarificentur cum albumine oui, & diligenter deſpumentur: Dein

℞ Cydoniorum maturorum à corticibus exterioribus & ſeminibus expurgatorum, & in quatuor partes inciſorum libras octo.

Coquantur in ſyrupo prædicto dum carnes teneræ ſint, deinde per pannum laneum (ſiue boulterum vulgò vocatum) coletur ſuccus ſiue ſyrupus. Iterum coquantur ad gelatinæ conſiſtentiam cum aceti vini albi vnciis quatuor in fine additis, ſyrupo ab igne remoto, dum adhuc caleſcit, inſperge has ſpecies ſequentes ; craſſo modo inciſas, ſcilicet

Zingiberis vnciam vnam.
Piperis albi,
Cinnamomi,
Nucis Moſchatæ, an. drachm. duas.

In pyxidibus diuerſis reſeruetur.

Eodem modo paretur Diacydonium ſimplex.

CONFECTIO DE HYACINTHO.

℞ Hyacinthorum,
Corallij rubri,
Boli Armeni,
Terræ ſigillatæ, ana vnciam dimidiam.
Granorum Kermes.
Radic. Tormentillæ,
Dictamni,
Sem. Citri mundat.
Acetoſæ,
Portulacæ,
Croci,
Myrrhæ,
Roſarum rubrarum,
Santalorum omnium,
Oſſis è Corde Cerui & Cornu
Raſuræ Eboris præparatæ, ana ſcrupulos quatuor.
Sapphyrorum,
Smaragdi,
Lapidis Topaſij,
Margaritarum,
Serici crudi,
Folior. Auri,
Argenti, ana ſcrupulos duos.
Camphoræ,
Moſchi,
Ambræ griſeæ, an. grana quinque.

Cum ſyrupo de Limonibus fiat Confectio ſecundùm artem.

CONFECTIO HVMAINES.

℞ Euphragiæ vncias duas.
Sem. Fœniculi drachm. quinque.
Caryophyllorum,
Cinnamomi,
Cubebarum,
Piperis longi,
Macis, an. drachm. vnam.

Pulueriſatis, cribellatis, adde
Mellis deſpumati libram vnam

quâ

quà simul coque, & depura
Succ. Fœniculi vnciam vnam.
Chelidoniæ,
Rutæ, ana semunciam.
Cum his confectæ Species in vase vitreato reseruentur.

ANTIDOTVM HÆMAGOGVM, ROM.

℞ Lupinorum drachmas duas,
Piperis nigri scrupul. quinque & grana sex.
Glycyrrhizæ scrupul. quatuor.
Aristolochiæ longæ,
Arthemisiæ,
Cassiæ lignææ,
Sem. Petroselini Macedonici,
Pyrethi,
Sem. Rutæ,
Spicæ,
Myrrhæ,
Pulegij, ana scrupulos duos & grana quatuordecim,
Sem. Apij,
Sabinæ ana scrupulos duos & grana tredecim.
Centaurij maioris,
Dauci Cretici,
Nigellæ,
Carui,
Anisi,
Caryophyllorum,
Aluminis, ana scrupulos duos.
Fol. Lauri scrupulum vuum semis & grana tria.
Xyloaloes scrupulum vnum & grana quatuordecim.
Shœnanthi scrupulum vnum & grana tredecim,
Asari,
Acori, id est, Calami Aromatici vulgaris,
Amomi,
Pæoniæ,
Centaurei minoris,
Semin. Atriplicis,
Marathri siue Fœniculi, ana scrupulum vnum & grana sex.
Cyperi,
Helenij,
Zingiberis,
Radic. Capparum,
Cumini,
Orobi, ana scrupulum vnum.
Trita omnia in tenuiss. puluerem excipiantur Mellis quadruplo, & conficiatur Electuarium ex arte.

DIAIREOS SALOMONIS, NICOLAI.

℞ Radic. Iridis vnciam vnam.
Pulegij,
Hyssopi,
Glycyrrhizæ, an. drachmas sex.
Tragacanthæ,
Amyli,
Amygdalarum amararum,
Pinearum Nucum,
Cinnamomi,
Zingiberis,
Piperis, ana drachmas tres.
Caricarum pinguium.

Pulpæ Paſſularum.
Carnis Dactylorũ, ana drachmas tres ſemis.
Styracis Calamitæ drachmas duas.
Sacchari diſſoluti in aqua Hyſſopi, Mellis deſpumati, ana duplum ad omnia, fiat Electuarium ſa.

DIASATYRION, *NICOLAI.*

℞ Radic. Cynoſorchios ſeu Satyrij recentis ac ſolidæ.
Paſtinacæ ſatiuæ,
Eryngij,
Pinearum,
Nucis Indicæ, vel, ſi deſit Nux Indica, Pinearum duplum.
Piſtaciorum, ana vnciam vnam ſemis.
Caryophyllorum,
Zingiberis,
Sem. Aniſi,
Erucæ.
Linguæ auis, quæ eſt ſemen Fraxini, ana drach. quinque.
Cinnamomi,
Caudarum & Lumborũ Scincorum,
Sem. Bulbi,
Vrticæ, ana drach. duas ſemis,
Moſchi grana ſeptem.
Sacchari optimi diſſoluti in vino Maluatico libras tres: fiat Electuarium ſ. a.

DIASATYRION MAGIS GRATVM, *COLON.*

℞ Radic. Satyrij vncias tres.
Carnium Dactylorum.
Amygdalarum dulcium,
Nucis Indicæ,
Pinearum,
Piſtaciorum,
Zingiberis conditi,
Eringij conditi, ana vnciam vnam.
Zingiberis,
Caryophyllorum,
Galangæ,
Piperis longi,
nigri, ana drachmas tres.
Ambreæ griſeæ ſcrupul. vnum.
Moſchi ſcrupulos duos.
Penidiorum vncias quatuor.
Cinnamomi,
Croci, ana vnciam dimidiam.
Vini Maluatici vncias tres.
Nucis Moſchatæ,
Macis,
Granorum Paradiſi, ana drachmas duas.
Linguæ auis, i. Sem. Fraxini,
Ventris & lumborũ Scincorũ,
Boracis factitij,
Aſæ dulcis, i. e. Benzoini, ana drachmas tres.
Ligni Aloes,
Cardamomi, ana drachmas duas.
* Been albi, vide pag. 58.
rubri,

rubri, an. dramch. vnam semis.

Singula simplicia comminuendo ac miscendo, tandem excipe libris duabus & semis syrupi Zingiberis conditi.
fiat Electuarium secundùm artem.

ELECTVARIVM DIASPERMATON, *FERNELII.*

℞ Quatuor semin. Frigidorum, maiorum, & minorum.
Sem. Asparagi,
Pimpinellæ,
Ocimi,
Petroselini,
Granorum Halicacabi, ana drachmas duas.
Milij Solis.
Succi Glycyrrhizæ, ana drachmas tres.
Cinnamomi,
Macis, ana drachmam vnam.
Sacchari albi aquâ Althææ soluti octuplum: fiat Electuarium secundùm artem.

MICLETA, *NICOLAI.*

℞ Myrobalanorum omnium, an. drachmas duas semis.
Sem. Nasturtij,
Cymini,
Anisi,
Fœniculi,
Ammeos,
Carui, ana drach. vnam semis.

Omnia cruda terantur, & aspergantur aceto vini acerrimo, deinde pulueriscntur, mox addantur sequentia:
Spodij siue Eboris vsti,
Balaustiorum,
Sumach,
Mastiches,
Gum. Arabici, ana drach. vna & grana quindecim.
Omnia misceantur cum Syrupi Myrtyni, ad spissitudinem mellis cocti, triplo, id est vnciis decem plùs minùs, fiat Electuarium secundum artem.

ELECTVARIVM PECTORALE, AD. OCCON. *AVG.*

℞ Succi Glycyrrhizæ,
Amygdalarum dulcium,
Auellanarum, ana semunciam.
Pinearum vnciam vnam.
Hyssopi,
Capillorum Veneris,
Ireos,
Sem. Vrticæ,
Aristolochiæ rotundæ, ana sesquidrachmam.
Piperis nigri,
Sem. Nasturtij,
Radic. Enulæ, an. semidrachm.
Mellis vncias quatuordecim.
Fiat Electuarium s. a.

THE-

THERIACA DIATESSARON, *MES.*

℞ Gentianæ,
Baccarum Lauri,
Myrrhæ,
Aristolochiæ rotundæ, ana vncias duas.
Mellis libras duas.
Misce : fiat Electuarium secundùm artem.

ANTIDOTVS MAGNA MATTHIOLI ADVERSVS VENENA & PESTEM.

℞ Rhabarbari,
Rha Pontici veri,
Radic. Phu,
Acori, vel Calami aromatici vulgaris.
Cyperi,
Quinquefolij,
Tormentillæ,
Aristolochiæ rotundæ,
Pœoniæ maris,
Enulæ Campanæ,
Costi,
Iridis, Illyricæ,
Chamæleontis albi, vel Caryophyllatæ, ana drachmas tres.
Galangæ,
Imperatoriæ,
Dictamni albi,
Angelicæ,
Millefolij,
Filipendulæ,
Zedoariæ,
Zingiberis, ana drachm. duas.
Agarici drachmas tres.
Libanotidis,
Gentianæ,
Morsus Diaboli, an. drachm. duas.
Sem. Citrei mali,
Viticis,
Granorum Kermes,
Semin. Fraxini,
Acetosæ,
Pastinacæ sylvestris,
Napi,
Nigellæ,
Pœoniæ maris,
Ocimi,
Irionis, siue Erysini,
Thlaspeos,
Fœniculi,
Ammeos, an. drachmas duas.
Baccarum Lauri,
Iuniperi,
Hederæ,
Smilacis asperæ, vel illius defectu duplum cubebarum.
Cubebarum, an. drachm. vnam semis.
Folior. Scordij,
Chamædryos,
Chamæpityos,
Centaurij minoris,
Stœchados,
Spicæ Celticæ,

Cala-

Calaminthæ,
Rutæ,
Menthæ,
Betonicæ,
Verbenæ,
Scabioſæ,
Cardui benedicti,
Meliſſophylli, ana drachmam vnam ſemis.
Dictamni Cretici drachm. tres.
Maioranæ,
Hyperici,
Schœnanthi,
Marrhubij,
Galegæ,
Sabinæ,
Pimpinellæ, ana drachmas duas.
Caricarum pinguium,
Iuglandium,
Piſtaciorum, ana vncias tres.
Myrobalanorum Emblicarum vnciam dimidiam.
Flor. Violarum,
Borraginis,
Bugloſſi,
Roſarum,
Lauendulæ,
Saluiæ,
Roriſmarini, ana ſcrupul. quatuor.
Croci drachmas tres.
Caſiæ ligneæ drachmas decem.
Caryophyllorum,
Nucis Moſchatæ,
Macis, ana drachmas duas ſemis.
Piperis nigri,
longi,
Santalorum omnium,
Ligni Aloes, ana drachm. vnam ſemis.
Raſuræ Cornu Cerui vnciam dimidiam.
Vnicornu, vel eius loco Lapidis Bezoartici drachmam vnam.
Oſſis è Corde Cerui,
Raſuræ Eboris,
Virgæ Ceruinæ,
Caſtorij, an. ſcrupulos quatuor.
Terræ Lemniæ drachmas tres.
Opij drachmam vnam ſemis.
Perlarum Orientalium,
Fragmentorum Smaragdi,
Hyacinthi,
Corallij rubri, ana drachm. vnam ſemis.
Camphoræ drachmas duas.
Gum. Arabici,
Maſtiches,
Thuris,
Styracis,
Terebinthinæ,
Sagapeni,
Opopanacis.
Laſerpitij, ſiue Myrrhæ, ana drachmas duas ſemis.
Moſchi odorati,
Ambræ griſeæ, ana drachmam vnam.
Olei Vitrioli vnciam dimidiam.
Specierum Cordialium Temperatarum,

tarum,
Diamargaritôn,
Diamoſchi,
Diambræ,
Electuarij de Gemmis,
Trochiſcorum de Camphora,
de Scilla, ana drachmas duas ſemis.
Trochiſcor. de Vipera vncias duas.
Succorum Acetoſæ,
Sonchi,
Scordij,
Ecchij,
Borraginis,
Meliſſophylli, an. libram dimidiam.
Hypociſtidis drachmas duas.
Theriacæ electæ,
Mithridatij optimi, ana vncias ſex.
Vini antiqui odorati libras tres.
Sacchari optimi, vel
Mellis electiſſimi libras octo & vncias ſex.

Ex his omnibus ſummâ diligentiâ, & arte conquiſitis, mundatis, & electis, fiat Electuarium eodem modo, quo componitur Theriaca aut Mithridatium.

DIASCORDIVM *FRACASTORII.*

℞ Cinnamomi.
Caſiæ ligneæ, an. vnciam dimidiam.
Scordij veri vnciam vnam.
Dictamni Cretici,
Tormentillæ,
Biſtortæ.
Galbani,
Gum. Arabici, ana vnciam dimidiam.
Opij drachmam vnam ſemis.
Styracis Calamitæ drachmas quatuor ſemis.
Semin. Acetoſæ drachmam vnam ſemis.
Gentianæ vnciam dimidiam.
Boli Armeni vnciam vnam ſemis.
Terræ Sigillatæ Lemniæ vnciã dimidiam.
Piperis longi,
Zingiberis, an. drachmas duas.
Mellis albi deſpumati libras duas ſemis.
Conſeruæ Roſarum libram vnam.
Vini Canarini Aromatici libram dimidiam.
fiat Electuarium ſ. a.

MYTHRIDATIVM, *DAMOCRATIS.*

℞ Myrrhæ Arabicæ,
Croci,
Agarici,
Zingiberis,
Cinnamomi,
Spicæ Nardi,
Thuris,
Sem. Thlaſpeos, an. drach. decẽ.
Seſeleos,
Opobalſami, ſeu ol. Nuc. Moſc.

per

per expreſſ.
Iunci odorati,
Stœchados,
Coſti veri,
Galbani,
Terebinthinæ,
Piperis longi,
Caſtorei pontici,
Succi Hypociſtidos,
Styracis optimæ,
Opopanacis,
Folior. Malabathri recentium, vel in eius defectu, Macis, ana vnciam vnam.
Caſiæ Ligneæ veræ,
Polij,
Piperis albi,
Scordij,
Sem. Dauci Cretici,
Carpobalſami, vel Cubebarum.
Trochiſc. Cypheos,
Bdellij, ana drachmas ſeptem.
Nardi Celticæ purgatæ,
Gummi Arabici,
Sem. Petroſelini Macedonici,
Opij,
Cardamomi minoris,
Sem. Fœniculi,
Gentianæ,
Folior. Roſarum rubrarum,
Dictamni Cretenſis, ana drachmas quinque.
Sem. Aniſi,
Aſari,
Acori, ſeu Calami Aromatici,
Ireos,
Phu maioris,
Sagapeni, an. drachmas tres.
Mei Athamantici,
Acaciæ,
Ventrium Scincorum,
Summit. Hyperici, ana drachm. duas ſemis.
Vini quantum ſufficit ad ſolutionem gummi & ſuccorum,
Mellis deinde triplum ad omnia, præter vinum.

PHILONIVM PERSICVM, *MES.*

℞ Piperis albi,
Hyoſcyami albi, ana drachm. viginti.
Opij,
Terræ Lemniæ, ana drachmas decem.
Lapid. Hæmatitæ præp.
Croci, ana drachmas quinque.
Caſtorei,
Spicæ Indicæ,
Euphorbij,
Pyrethri,
Margaritarum
succini,
Zedoariæ,
Doronici,
Trochiſc. Ramich, ana drach. vnam.
Camphoræ ſcrupulum vnum.
Mellis roſati optimi triplum. Miſce: fiat Electuarium ſecundùm artem.

PHILONIVM ROMANVM, *NICOLAI.*

℞ Piperis albi,
Sem. Hyoſcyami albi, ana drach. quinque.
Opij drachmas duas ſemis,
Caſiæ ligneæ drachmam vnam ſemis.
Semin. Apij drachmam vnam.
Petroſelini Macedonici, veri,
Fœniculi,
Dauci Cretici, ana ſcrupul. duos, grana quinque.
Croci ſcrupulum vnum ſemis.
Spicæ Indicæ,
Pyrethri,
Zedoariæ, ana grana quindecim.
Cinnamomi drachmam vnam ſemis.
Euphorbij,
Myrrhæ,
Caſtorei, an. drachm. vnam.
Mellis deſpumati pondus triplum.
Miſce: fiat Electuarium ſ. a.

ELECTVARIVM DE OVO, *MAXIMILIANI IMPER.*

℞ Ouum gallinæ recens, & extracto albumine, paruo foramine facto impleatur vacuum Croco optimo non puluerisato, relicto intùs vitello. Poſteà cum alio putamine rurſum obturetur, & lento igne, vel ad fornacem, tamdiù aſſetur, donec tota teſta oui incipiat nigreſcere, diligenter attẽdendo, ne Crocus comburatur (alioqui corrumpit totum medicamentum) Exempta materia exiccetur, vt minutiſſimè poſſit contundi, & in puluerem redigi, addatur puluerís Sinapeos albi quantum prædicta omnia ponderant. Deinde
℞ Puluer. Radic. Dictamni albi, ſiue Fraxinellæ,
Tormentillæ, ana drachmas duas.
Myrrhæ,
Cornu Ceruini,
Radic. Petaſitæ, ana drachmam vnam.
Radic. Angelicæ,
Pimpinellæ,
Granor. Iuniperi,
Zedoariæ,
Camphoræ, ana vnciam dimidiam.
Miſceantur vniuerſa ſimul in mortario, & adiiciatur denique Theriaca optima ad pondus omnium: & iterum piſtillo benè miſceantur per tres fermè horas ſemper agitando, & affundendo Syrupi limonum, q. ſ. donec fiat Electuarium ſ. a.

REQVIES

REQVIES, *NICOLAI.*

℞ Roſarum rubrarum ab vnguibus purgatarum,
Flor. Violarum purpurearum ana drachmas tres.
Opij Thebaici vino ſoluti,
Sem. Hyoſcyami albi,
Papaueris albi,
nigri,
Cortic. Radic. Mandragoræ,
Sem. Scariolæ, ſiue Intybi,
Portulacæ,
Lactucæ ſatiuæ,
Pſyllij,
Spodij vel Antiſpodij ex Ebore vſto,
Gum. Tragacanthi, ana ſcrupulos duos, & grana quinque.
Nucis Moſchatæ,
Cinnamomi,
Zingiberis, ana drachmam vnam ſemis.
Santali citrini,
albi,
rubri, ana drachm. vnam ſemis.
Sacchari in aqua roſacea diſſoluti triplum, miſce, fiat Electuarium ſecundùm artem.

THERIACA ANDROMACHI.

℞ Trochiſcorum Scilliticorum drachmas quadraginta octo.
Trochiſcorum è Viperis,
Piperis longi,
Opij Thebaici,
Magmatis Hedychroi ſicci, ana drachmas viginti quatuor.
Roſarum ſiccarum, refectis vnguibus,
Iridis Illyricæ odoræ,
Succi Glycyrrhizæ,
Sem. Napi dulcis.
Comarum Scordij,
Opobalſami,
Cinnamomi,
Agarici, ana drachmas duodecim.
Myrrhæ,
Coſti odorati ſeu Zedoariæ,
Croci,
Caſiæ ligneæ veræ,
Nardi Indicæ,
Schœnanthi,
Piperis albi,
nigri,
Thuris maſculi,
Dictamni Cretici,
Rhei,
Stœchados,
Marrhubij,
Sem. Petroſelini Macedonici,
Calaminthes ſiccæ,
Terebinthinæ,
Radic. Pentaphylli,
Zingiberis, ana drachm. ſex.
Comarum Polii Cretici,
Chamæpityos,
Nardi Celticæ,
Amomi,

Styracis Calamitæ,
Radic. Mei,
Com. Chamædryos,
Rad. Phu Pontici,
Terræ Lemniæ,
Folior. Malabathri,
Chalcitidis assæ, vel eius loco Chalcanthi Romani vsti.
Radic. Gentianæ,
Gum. Arabici,
Succi Hypociſtidis,
Carpobalſami, vel Nucis Moſchatæ, vel Cubebarum;
Sem. Aniſi fricti.
Cardamomi,
Sem. Fœniculi,
Seſeleos,
Acaciæ, vel eius loco, ſucci inſpiſſati Prunellorum acerborum.
Sem. Thlaſpeos,
Summitatum Hyperici,
Sem. Ammeos,
Sagapeni, ana drach. quatuor.
Caſtorei,
Radic. Ariſtolochiæ longæ,
Bituminis Iudaici,
Sem. Dauci,
Opopanacis,
Centaurij minoris,
Galbani pinguis, ana drach. duas.

Vini antiqui Canarini q. ſ. quo diſſoluantur ſimplicia humida & liquabilia.

Mellis optimi triplum ad pondus ſpecierum aridarum, Miſce ſecundùm artem.

THERIACA LONDINENSIS.

℞ Cornu Ceruini limâ deraſi vncias duas.
Sem. Citri,
Oxalidis,
Pœoniæ,
Ocimi, an. vnciam vnam.
Scordij,
Corallinæ, ana drach. ſex.
Radic. Angelicæ,
Tormentillæ,
Pœoniæ,
Folior. Dictamni,
Baccar. Iuniperi,
Lauri, ana vnciam dimidiam.
Florum Calendulæ,
Caryophyllorum, ſeu Vetonicæ rubræ.
Anthos,
Summitat. Hyperici,
Nucis Moſchatæ,
Croci, ana drachmas tres.
Radic. Gentianæ,
Zedoariæ,
Zingiberis,
Macis,
Myrrhæ,
Folior. Scabioſæ,
Succiſæ,
Cardui benedicti, ana drachmas duas.
Caryophyllorum,

Opij,

Opij, ana drachmam vnam.
Vini Canarinij quantum ſatis.
Mellis triplum. Miſce ſecundùm artem.

BENEDICTA LAXATIVA,
NICOLAI.

℞ Turpeti electi drachmas decem.
Diagridij,
Cort. Radic. Eſulæ præparatæ,
Hermodactylorum,
Roſarum rubrarum, ana drachmas quinque.
Caryophyllorum,
Spicæ Nardi,
Zingiberis,
Croci,
Saxifragiæ veræ,
Piperis longi,
Amomi, vel eius defectu Calami aromatici,
Cardamomi minoris,
Semin. Apij,
Petroſelini,
Carui,
Fœniculi,
Aſparagi,
Ruſci,
Milij Solis,
Salis gemmei,
Galangæ,
Macis, ana drachmam vnam.
Mellis deſpumati triplum; fiat Electuarium ſecundùm artem. Poſſunt etiam ſpecies per ſe in officinis commodè reſeruari.

CARYOCOSTINVM,
Bayr. & Gal.

℞ Caryophyllorum.
Coſti candidi, ſeu Zedoariæ.
Zingiberis,
Cymini, ana drachmas duas,
Hermodactylorum,
Diagrydij, ana vnciam dimidiam.
Mellis deſpumati in vino albo duplum. Miſce, fiat Electuarium ſecundùm artem.

CASSIA EXTRACTA PRO CLYSTERIBVS,
AVG.

℞ Foliorum Violariæ,
Maluæ,
Mercurialis,
Betæ,
Parietariæ,
Flor. Violarum, ana manipul. vnum.
Fiat decoctio in ſufficienti quantitate aquæ, cuius beneficio Caſſia extrahatur; & Cannæ eius interius lauentur, deinde
℞ Caſſiæ cum hac decoctione extractæ, & ad conſiſtentiam coctæ, libram vnam.
Sacchari libram vnam ſemis. Coquantur ad perfectionem ſecundùm artem.

ELECTVARIVM AMARVM MAGISTRALE MAIVS.

℞ Agarici albiſſimi,
Turpeti electi,
Specier. Hieræ ſimp. Galen.
Rhabarbari optimi, ana drach. vnam.
Aloes electæ, illotæ, drachm. duas.
Zingiberis,
Cremoris Tartari, an. ſcrupulos duos.
Iridis Florentinæ,
Farinæ Semin. Fœniculi dulcis ana ſcrupulum.
Syrupi Roſarum ſolutiui q. ſ.
Fiat Electuarium amarum.

ELECTVARIVM AMARVM MINVS.

℞ Epithymi ſemunciam.
Radic. Angelicæ drachmas tres.
Gentianæ,
Zedoariæ,
Acori, ana drachmas duas.
Cinnamomi ſeſquidrachmam.
Caryophyllorum,
Macis,
Nucis Moſchatæ,
Croci, ana drachmam vnam.
Aloes vncias ſex.
Cum ſyrupo Fumariæ,
Scabioſæ,
Saccharo, ana q. ſ.
Fiat Electuarium molle, ſ. a.

DIACASSIA CVM MANNA.

℞ Prunorum Damaſcenorum vncias duas.
Florum Violarum manipul. vnum ſemis.
Aquæ fontanæ libram vnam ſemis.
Bulliant ſecundùm artem ad medietatis conſumptionem. In colatura diſſolue,
Pulpæ Caſſiæ vncias ſex.
Sacchari violati,
Syrupi violati, ana vncias quatuor.
Pulpæ Tamarindorum vnciam vnam.
Sacchari candi vnciam vnam ſemis.
Mannæ optimæ vncias duas.
Commiſceantur, & fiat Electuarium ſecundùm artem.

CASSIA EXTRACTA SINE FOLIIS SENNÆ.

℞ Prunorum numero duodecim.
Florum Violarum manipul. vnum.
Hordei mundati,
Sem. Aniſi,
Carthami,
Polypodij quercini, ana drach. quinque.

Capil-

Capillorum Veneris.
Thymi,
Epithymi, ana ſcrupul. ſemis.
Paſſularum mundatarum ab acinis vnciam dimidiam.
Sem. Fœniculi drach. duas.
Portulacæ,
Maluæ, ana drachm. tres.
Glycyrrhizæ vnciam dimidiã.
Fiat horum decoctio in ſufficienti quantitate aquæ; colentur; & in colatura diſſolue
Pulpæ Caſſiæ libras duas,
Tamarindorũ vnciam vnam.
Cinnamomi drachmas tres.
Sacchari optimi libram vnam.
Coquantur ad perfectionem ſ. a.

CASSIA EXTRACTA CVM FOLIIS SENNÆ.

℞ Electuarij Caſſiæ extractæ ſine foliis Sennæ libras duas.
Pulueris folior. Sennæ vncias duas.
Miſce ſecundùm artem.

DIACARTHAMVM, Seu DIACNICVM, *ARNOLDI DE VILLA.*

℞ Specierum Diatragacanthi frigidi vnciam dimidiam.
Pulpæ Cydoniorum conditorum vnciam vnam.
Pulpæ Sem. Carthami vnciam dimidiam.
Zingiberis albi drach. duas.
Diagrydij per ſe triti drachmas tres.
Turpeti albi drachmas ſex.
Mannæ granatæ vncias duas.
Mellis Roſati colati ſolutiui,
Sacchari Candidi, ana vnciam vnam.
Hermodactylorum vnciam dimidiam.
Sacchari albiſſimi vncias decem ſemis.
Fiat Electuarium liquidum ſecundùm artem.

DIAPHOENICVM *MES. inxtà FERN.*

℞ Pulpæ Palmularum mundatarum ex hydromelite coctæ & cribro cretæ.
Penidiorum recentium, an. libram dimidiam.
Amygdalarum dulcium expurgatarum vncias tres ſemis.
Contuſis & permiſtis omnibus adde,
Mellis deſpumati libras duas.
Paulùm coquantur ac deinde inſperge,
Zingiberis,
Piperis,
Macis,
Cinnamomi,
Fol. Rutæ ſiccorum,
Sem. Fœniculi,
Dauci, ana drachm. duas.
Turpeti tenuiſſimè triti vncias quatuor.

Diagrydij vnciam vnam ſemis.
Fiat Electuarium ſ.a.

DIAPRVNVM SIMPLEX, RECTIVS LENITIVVM, *NICOL.*

℞ Pruna Damaſcena recentia & matura numero centum.
Coquantur in ſ.q. aquæ donec tabeſcant. Pulpa per cribrum trajiciatur & reſeruetur. In percolato iure incoque clementiùs.
Florũ Violarum vnciam vnã, & incolatura diſſolue,
Sacchari libras duas, &
Coque in Syrupum; deinde adde Pulpæ prædictæ & per ſe inſpiſſaæt, libram vnam,
Medullæ Caſſiæ,
Tamarindorum, ana vnciam vnam.
Tn permiſce pulueres ſequentes,
Santali Albi,
Rubri,
Spodij,
Rhabarbari, ana drachmas tres.
Roſarum,
Violarum,
Sem: Portulacæ,
Scariolæ,
Berberis,
Tragacanthæ,
Glycyrrhizæ,
Cinnamomi, ana drachmas duas.
Semin. quatuor frigidorum maiorum, ana drachmam vnam.
Fiat Electuarium ſecundùm artem.

DIAPRVNVM SOLVTIVVM, *NICOLAI.*

℞ Diapruni Lenitiui adhuc recentis & calidi libras quatuor.
Scammonij præparati vncias duas & drachmas quinque.
Miſce, fiat Electuarium ſecundùm artem.
Cum in hoc medicamento Scammonij doſis ſit aucta ſecundùm authorem, minori pondere exhiberi poterit.

DIACATHOLICON, *NICOLAI.*

℞ Pulpæ Caſſiæ,
Tamarindorum,
Folior. Sennæ, ana vncias duas.
Polypodij,
Violarum,
Rhabarbari,
Sem. Aniſi,
Penidiorum,
Sacchati candi, ana vnciam vnam.
Glycyrrhizæ raſæ,
Sem. Cucurbitæ,
Citruli,
Cucumeris,
Melonum, ana drachmas duas.
Conterenda conterantur, & ſume Poly-

Polypodij recentis vncias tres.
Sem. Fœniculi drach. ſex.
Fiat decoctio in libris quatuor aquæ pluuialis vel communis ad tertiæ partis conſumptionem, colentur & colaturæ adde
Sacchari optimi libras duas.
Coquantur iterùm cum pulpis Caſſiæ & Tamarindorum, & in fine additis reliquis puluerizatis, fiat Electuarium ſ. a.

DIACROCVMA SIVE SPECIES ELECTVARII DE CROCO.

MES.

℞ Croci,
Radic. Aſari,
Semin. Petroſelini,
Dauci,
Aniſi,
Apij, an. vnciã dimidiã.
Rhabarbari,
Radic. Mei,
Spicæ Indicæ, ana drachmas ſex.
Caſiæ ligneæ veræ,
Coſti,
Myrrhæ,
Schœnanthûs,
Cubebarum,
Radic. Rubiæ,
Succ. Abſinthij, &
Agerati, inſpiſſatorum,
Opobalſami, ſeu Olei Nucis Moſchatæ, an. drach. duas.
Cinnamomi.
Calami Aromatici, an. drach. vnam.
Scordij,
Ceterach,
Succi Glycyrrhizæ, an. drach. duas ſemis.
Tragacanthi drachm. vnam.
Fiat Electuarium cum octuplo Sacchari albi in aqua Endiuiæ ſoluti & clarificati ſ. a.

ELECTVARIVM DE CITRO SOLVTIVVM.

℞ Corticis Citri condîti,
Conſeruæ florum Violarum,
Bugloſſi,
Pulueris Diatragacanthi frigidi,
Diagrydij, an. vnciam dimidiam.
Turpeti drachm. quinque.
Zingiberis drach. dimidiam.
Folior. Sennæ drach. ſex.
Sem. Fœniculi dulcis drachm. vnam.
Sacchari albiſſimi in aqua roſarum ſoluti, & ex arte cocti vncias decem.
Fiat Electuarium ſolidum ſecundùm artem.

ELECTVARIVM ELESCOPH.

MES.

℞ Scammonij,
Turpeti optimi, an. drach. ſex.
Cary-

Caryophyllorum,
Cinnamomi,
Zingiberis,
Myrobalanorum Emblicarum,
Nucis Moſchatæ,
Polypodii, ana drachmas duas ſemis.
Sacchari vncias ſex.
Mellis deſpumati vncias decem.
Miſce, fiat Electuarium ſecundùm artem.

CONFECTIO HAMECH, *FERNELII.*

℞ Corticis Myrobalanorum citrinarum vncias duas.
Myrobalan. Chebularum,
Nigrarum.
Violarum,
Colocynthidos.
Polypodii quercini, an. vnciam vnam ſemis.
Abſinthii,
Thymi, an. vnciam dimidiam.
Sem. Aniſi,
Fœniculi,
Flor. Roſarum rubrarum, ana drachmas tres.

Tuſa omnia macerentur per diem in ſeri lactis libris duabus, deinde coquantur ad libram vnã, fricentur manibus, & exprimantur, Colatis adde
Succi Fumariæ,
Pulpæ prunorum, &
Vuarum paſſularũ, ana libram dimidiam.
Sacchari albi,
Mellis deſpumati, ana libram vnam.

Coquantur ad Mellis craſſitiem, inſpergendo ſub finem,
Agarici trochiſcati,
Sennæ, trirotum, ana vncias duas.
Rhabarbari triti vnciam vnam ſemis.
Epythymi vnciam vnciam.
Diagrydij drach. ſex.
Cinnamomi vnciam dimidiã.
Zingiberis drachmas duas.
Sem. Fumariæ,
Aniſi,
Spicæ Nardi, ana drachmam vnam.
Fiat Electuarium ſ. a.

ELECTVARIVM INDVM MINVS, *MES.*

℞ Turpeti,
Sacchari, an. drachmas centum.
Macis,
Piperis,
Zingiberis,
Caryophyllorum,
Cinnamomi,
Cardamomi,
Nucis Moſchatæ, ana drachmas ſeptem.
Cinnamomi præparati drachm. duodecim.

Miſce cum Mellis deſpumati triplo, ad reliqua præter Saccharum, fiat

fiat Electuarium ſ. a.

ELECTVARIVM LENITIVVM.

℞ Paſſularum enucleatarum.
Polypodij quercini,
Sennæ Orientalis, ana vncias duas.
Mercurialis manipul. vnum ſemis.
Iuiubarum,
Sebeſten, ana numero viginti.
Capillorum Veneris,
Violarum,
Hordei mundi, ana manipul. vnum.
Prunorum Damaſcenorum enucleatorum,
Tamarindorum, ana drachm. ſex.
Glycyrrhizæ vnciam dimidiã.
Coquantur ſ. a. colentur, in colatura diſſolue
Pulpæ Caſſiæ fiſtularis,
Tamarindorum,
Prunorum recentium,
Sacchati violati, ana vncias ſex.
Sacchari optimi libras duas.
Vltimò adde pulueris Sennæ vnciam vnam ſemis, pro qualibet libra Electuarij.
Sicque in formam redigantur ſ. a.

ELECTVARIVM PASSVLATVM.

℞ Polypodij quercini vncias tres.
Foliorum Sennæ,
Radic. Althææ recentium, ana vncias duas.
Sem. Aniſi drachmas duas.
Omnia infundantur in aqua fontana q. ſ. in vaſe vitreato, & coquantur ſ. a. deinde fiat expreſſio,
Colaturæ adde,
Pulpæ paſſularum per ſetaceum tranſmiſſarum libram dimidiam.
Sacchari albi,
Mannæ, ana vncias quatuor.
Coquantur rurſus ad Cydoniati craſſitudinem, quater in anno renouetur.

ELECTVARIVM è SVCCO ROSARVM, *NICOL. MYREPS.*

℞ Sacchari,
Succi Roſarum rubrarum, ana libram vnam & vncias quatuor.
Trium Santalorum, an. drach. ſex.
Spodij drachmas tres.
Diagrydij drachmas duodecim.
Camphoræ ſcrupulum vnum.
fiat Electuarium ſ. a.
Succus cum ſaccharo coquatur ad iuſtam conſiſtentiam, dein addantur tritæ ſpecies.

ELEC-

ELECTVARIVM REGINÆ COLONIENS.

℞ Sem. Saxifragiæ,
Milij Solis,
Sue. Glycyrrhizæ, ana ſemunciam.
Sem. Carui,
Aniſi,
Apij,
Fœniculi,
Petroſelini Macedonici,
Geniſtæ,
Dauci,
Ruſci,
Aſparagi,
Leuiſtici,
Cymini,
Iuniperi,
Rutæ,
Sileris montani,
Radic. Acori veri,
Pulegij,
Pentaphylli,
Bacc. Lauri, ana drach. duas.
Spicæ Indicæ,
Schœnanthûs,
Peucedani,
Valerianæ,
Carabes,
Lap. Lyncis, ana ſeſquidrachmam.
Galangæ,
Zingiberis,
Turpeti, ana drachmas duas.
Sennæ Alex. vnciam vnam.
Sanguinis Hirci præparati ſemunciam.
Miſce: fiat Puluis; inde Electuarium ſecundùm artem, cum ſacchari in vino albo ſoluti triplo.

HIERA PICRA SIMPLEX, *GALENI.*

℞ Cinnamomi,
Xylobalſami, ſeu Ligni Aloes,
Aſari,
Spicæ Nardi,
Maſtiches,
Croci, ana drachmas ſex.
Aloes (non lotæ) vncias duodecim ſemis.
Mellis deſpumati libr. quatuor & vncias tres.
Miſce, fiat Electuarium, ſ. a.
Species etiam per ſe reſeruantur in officinis.

HIERA CVM AGARICO.

℞ Specierum Hieræ ſimplicis ſine Aloe,
Agarici trochiſcati, ana vnciam dimidiam.
Aloes non lotæ, vnciam vnam.
Mellis deſpumati vncias ſex.
Miſce, fiat Electuarium ſ. a.

HIERA LOGADII, *NIC. MYREPS.*

℞ Pulpæ Colocynthidos.
Polypodij, ana drachmas duas.
Euphorbij,
Polij montani,
Sem.

Sem. Thymelææ, ana drachmam vnam ſemis & grana ſex.
Abſinthij,
Myrrhæ, ana drachmam vnam & grana duodecim.
Centaurij minoris,
Agarici,
Gum. Ammoniaci,
Folij, ſeu Macis,
Spicæ Nardi,
Scillæ præparatæ,
Diagrydij, ana drachmã vnam.
Aloes,
Comarum Thymi,
Chamædryos,
Caſiæ ligneæ,
Edellij,
Marrubij, ana ſcrupulum vnũ & grana quatuordecim.
Cinnamomi,
Opopanacis,
Caſtorei,
Ariſtolochiæ longæ,
Trium Piperum,
Croci,
Sagapeni,
Petroſelini, ana drachmam ſemis.
Hellebori nigri, & albi, ana grana ſex.
Mellis deſpumati libram vnã ſemis.
Miſce, fiat Electuarium, ſ. a.
Species etiam per ſe reſeruantur in officinis.

HIERA PACHII, Seu DIACOLOCYNTHIDOS.

NICOL. ALEX.

℞ Colocynthidos,
Agarici,
Chamædryos,
Marrubij,
Stœchados, ana drach. decem.
Opopanacis,
Sagapeni,
Sem. Petroſelini,
Rad. Ariſtolochiæ rotundæ,
Piperis albi, an. drachmas quinque.
Spicæ Nardi,
Cinnamomi,
Myrrhæ,
Folij,
Croci, ana drachmas quatuor.
Gũmi trita mortario, cribrata cætera, excipiantur Mellis deſpumati libris tribus, vnciis tribus, & drachmis quinque, vt fiat Electuarium ſ. a.

TRYPHERA MINOR,

FOENON. MES.

℞ Myrobal. { Chebularum, Belliricarum, Indarum, Emblicarum,
Nucis Moſchatæ, ana drachmas quinque.
Sem. Naſturtij,

Rad. Aſari,
Origani Perſici, ſeu Cretici Dictamni,
Piperis nigri,
Olibani,
Ammeos,
Zingiberis,
Tamariſci ſatiuæ,
Nardi Indicæ,
Schœnanthûs,
Cyperi rad. ana ſemunciam.
Limaturæ Chalybis præparat. drachmas viginti,

Myrobalani aſſentur modicùm butyro non ſalito: pulueriſata reliqua amygdalino dulci oleo inuoluantur: demùm adjicito

Moſchi electi drachmam vnam.
Mellis deſpumati triplex pondus.

Fiat Electuarium debitâ conſiſtentiâ, ſecundùm artem.

TRYPHERA SOLVTIVA, *RENODAEI.*

℞ Diagrydij drachmas decem.
Turpeti optimi ſeſquiuncium.
Cardamomi minoris,
Caryophyllorum,
Cinnamomi,
Macis, ana drachmas tres.
Santali citrini,
Glycyrrhizæ raſæ,
Sem. Fœniculi dulcis, ana ſemiuncium.
Acori,
Schœnanthûs, ana drachmam.
Cortic. Citri condîti,
Roſarum, ana drachmas tres.
Violarum drachmas duas.
Penidiorum vncias quatuor.
Sacchari tabarzet ſelibram.
Mellis albiſſimi in ſucco Pomorum bene deſpumati libram vnam.

Fiat Electuarium ſ. a.

PILVLÆ

PILVLÆ.

PILVLÆ ALEPHANGINÆ SIVE AROMATICÆ, *MES. iuxtà RENOD.*

℞ Cinnamomi,
Caryophyllorum,
Cardamomi,
Nucis Moſchatæ,
Macis,
Calami Aromatici,
Carpobalſami, aut ſem. Angelicæ,
Schœnanthûs,
Ligni Aloes,
Santali Citrini,
Roſarum rubrarum,
Abſinthij ſicci, ana vnciam dimidiam.

Hæc craſſiuſculè trita, macerentur per horas duodecim in aquæ libris quatuor: Deinde igne lento bulliant ad tertiæ partis abſumptionem, In colatura nutriatur

Aloes libra vna.

Tum abſumptâ aqueâ humiditate ſuper cineres calidos, aut in hypocauſto, adde

Myrrhæ,
Maſtiches, ana vnciam dimidiam.
Croci drachmas duas.
Syrupi de Abſinthio q.ſ.

fiat Maſſa ſ. a.

ALOE ROSATA, *Hier. Fabr. ab Aquap.*

℞ Aloes Succotrinæ lucid. pulueriz. vncias quatuor.
Succi Roſarum Damaſc. depurati libram vnam.

Miſce, digere ad Solem vel in Balneo, dum exhalauerit omnis humiditas: id quater repetatur, paribus euaporatione, formâ, doſi. Maſſa in pyxidem repoſita, in pilulas ſit reducenda.

PILVLÆ DE ALOE, LOTA. AVG.

℞ Aloes lotæ cum ſucco Roſarum pallidarum vnciam vnam.
Agarici Trochiſcati drachmas tres.
Maſtiches drachmas duas.
Specierum Diamoſchi dulcis drachmam dimidiam.
Syrupi è roſis pallidis q. ſ.
fiat Maſſa ſ. a.

PILVLÆ ASSAIRETH, AVICEN.

℞ Specierum Hieræ picræ Galeni vnciam vnam.
Aloes vncias duas.
Maſtiches,
Myrobalanorum Citrinarum, ana vnciam dimidiam.
Cum Syrupo de Stœchade q. ſ.
Miſce, fiat Maſſa ſ. a.

PILVLÆ DE BDELLIO, MES.

℞ Bdellij drachmas decem.
Myrobalan. { Belliricarum, Emblicarum, Nigrarum, ana drach. quinque.
Scoriæ ferri,
Sem. Porri, ana drachmas tres.
Conchulæ (Veneris) aduſtæ,
Corallij vſti,
Charabes, ana ſeſquidrachmã.
Margaritarum ſemunciam.
Infunde Bdellium in ſucco Porri.
Fiant Pilulæ, ſ. a. Cum Syrupo è ſucco Porri.

PILVLÆ DE EVPATORIO, MES.

℞ Myrobalanorum Citrinarum,
Succi Eupatorij, i. Agerati, Abſinthij, ana drachmas tres.
Rhabarbari drachmas tres ſemis.
Maſtiches drachmam vnam.
Croci, drachmam dimidiam.
Aloes optimæ drachmas quinque.
Syrupi è ſucco Endiuiæ q. ſ.
fiat Maſſa ſ. a.

PILVLÆ DE HIERA CVM AGARICO EX AVGVST. MES.

℞ Specierum Hieræ Picræ Galeni,
Agarici Trochiſcati, ana vnciam dimidiam.
Aloes optimæ vnciam vnam.
Mellis roſati q. ſ.
fingantur in Maſſam ſ. a.

PILVLÆ IMPERIALES, FERNELII.

℞ Aloes optimæ vncias duas.
Rha-

Rhabarbari electi vnciam vnã ſemis.
Agarici trochiſcati,
Folior. Sennæ mundatorum, ana vnciam vnam.
Cinnamomi drachmas tres.
Zingiberis drachmas duas.
Nucis Moſchatæ,
Caryophyllorum,
Spicæ Nardi,
Maſtiches, ana drachmã vnam.
Cum Syrupo Violato ſubacta cogantur in Maſſam ſ.a.

PILVLÆ MASTICHINÆ, *FERNELII.*

℞ Maſtiches vncias duas.
Aloes vncias quatuor.
Agarici trochiſcati,
Pulueris Hieræ ſimplicis, ana vnciam vnam ſemis.
Cum vino Maluatico cogantur in Maſſam ſ.a.

PILVLÆ PESTILENTIALES. *RVFFI.*

℞ Aloes optimæ vncias duas.
Myrrhæ electæ,
Croci, ana vnciam vnam.
Excipiantur Syrupo ex ſucco Limonum. fiat Maſſa ſ.a.

PILVLÆ STOMACHICÆ, *MES.*

℞ Aloes drachmas ſex.
Maſtiches,
Roſarum rubrarum, ana drachmas duas.
Cum Syrupo Abſinthij cogantur in Maſſam, ſ.a.

PILVLÆ DE SVCCINO, *ANDREAE AVRIFABRI,*

℞ Succini albi,
Maſtiches, ana drachmas duas.
Aloes drachmas quinque.
Agarici drachmam vnam ſemis.
Ariſtolochiæ longæ drach. ſemis.
Syrupi ex Abſinthio q. ſ.
Fiat Maſſa ſ.a.

PILVLÆ DE RHABARBARO, *MES.*

℞ Rhabarbari electi drachmas tres.
Myrobal. Citrinarum,
Trochiſ. Diarhodon, an. drach. tres ſemi.
Succi Glycyrrhizæ,
Abſinthij,
Maſtiches, ana drachmam vnam.
Sem. Fœniculi,
Apij, ana ſemidrachmam.
Spec. Hieræ picræ ſimpl. Galeni drach. decem.
Excipe ſucco Fœniculi non depurato, & Melle q. ſ.
Fiat Maſſa.

PILVLÆ EX TRIBVS, *FERNELII.*

℞ Maſtiches vncias duas.
Aloes vncias quatuor,
Agarici trochiſcati,
Pulueris Hieræ ſimplicis, ana vnciam vnam ſemis.
Rhabarbari electi vncias duas.
Cinnamomi vnciam dimidiam.
Cum Syrupo è Cichorio fiat Maſſa ſ. a.

PILVLÆ DE AGARICO, *MES.*

℞ Agarici drachmas tres.
Radic. Iteos,
Maſtiches,
Marrhubij, ana drachmam vnam.
Turpeti drachmas quinque.
Specierum Hieræ Picræ Galeni vnciam dimidiam.
Colocynthidos,
Sarcocollæ, ana drachm. duas.
Myrrhæ drachmam vnam.
Sapæ q. ſ.
Fiat Maſſa ſ. a.

PILVLÆ AGGREGATIVÆ SIVE POLYCHRESTÆ, *MES.*

℞ Myrobalanorum Citrinarum,
Rhabarbari optimi, ana vnciã dimidiam.
Succ. Eupatorij, i. Agerati, & Abſinthij inſpiſſatorum, ana drachmas duas.
Diagrydij drachmas quinque.
Myrobal. { Chebularum, Indarum,
Agarici,
Colocynthidos,
Polypodij, ana drachmas duas.
Turpeti optimi,
Aloes, ana drachmas ſex.
Maſtiches,
Roſarum,
Salis gemmei,
Epithymi,
Aniſi,
Zingiberis, ana drachm. vnã.
Cum Syrupo Roſarum pallidarum q. ſ. fiat Maſſa ſ. a.

PILVLÆ ARABICÆ *NICOLAI.*

℞ Aloes optimæ vncias quatuor.
Radic. Bryoniæ,
Myrobal. { Citrinarum, Chebularum, Indarum, Belliricarum, Emblicarum,
Maſtiches,
Diagrydij,
Aſari,
Roſarum, ana vnciam vnam.
Caſtorei drachmas tres.
Croci drachmam vnam.
Cum Syrupo Abſinthij, fiat Maſſa ſecundùm

ſecundùm artem.

PILVLÆ ARTHRITICÆ, *NICOLAI.*

℞ Hermodactylorum,
Turpeti,
Agarici, ana vnciam dimidiam.
Caſiæ ligneæ,
Spicæ Indicæ,
Caryophyllorum,
Xylobalſami, vel ligni Aloes,
Carpobalſami, vel Cubebarũ,
Macis,
Galangæ,
Zingiberis,
Maſtiches,
Aſæ fœtidæ,
Sem. Aniſi,
Fœniculi,
Saxifragiæ,
Aſparagi,
Ruſci,
Roſarum,
Milij Solis,
Salis gemmei, ana drachmas duas.
Scammonij vnciam vnam.
Aloes optimæ ad pondus omnium,
Succi ex Iua Arthritica inſpiſſati cum Sacchari q. ſ. vel Syrupi ex ſucco eiuſdem q. ſ. fiat Maſſa.

PILVLÆ AVREÆ, *NICOLAI.*

℞ Aloes,
Diagrydij, ana drachmas quinque.
Roſarum rubrarum,
Sem. Apij, ana drachmas duas ſemis.
Fœniculi,
Aniſi, ana drachmam vnam ſemis,
Maſtiches,
Croci,
Trochiſcorum Alhandal, ana drachmam vnam.
Trita excipiantur Mellis Roſacei colati q. ſ. fiat Maſſa ſecundùm artem.

PILVLÆ COCHIÆ, *RHASIS.*

℞ Specierum Hieræ Picræ Galeni drachmas decem.
Pulpæ Colocynthidos drachmas tres, & ſcrupulum vnum,
Diagrydij drachm. duas ſemis.
Turpeti,
Stœchados, ana drachm. quinque.
Syrupi de Stœchade q. ſ. fiat Maſſa ſ. a.

PILVLÆ COCHIÆ, CVM HELLEBORO.

℞ Species Pilularum Cochiarum,
Pul. Cort. Rad. Hellebori nigri vnciam vnam.
Cum Syrupo de Stœchade fiat Maſſa ſ. a.

PILVLÆ FOETIDÆ MAIORES, *MES.*

℞ Sagapeni,
Ammoniaci,
Opopanacis,
Bdellij,
Colocynthidos,
Sem. Rutæ agreſtis, vel ſiccæ hortenſ.
Aloes,
Epithymi, ana drach. quinque.
Turpeti vnciam dimidiam.
Scammonij drachmas tres.
Eſulæ præparatæ,
Hermodactylorum, ana drachmas duas.
Zingiberis drachmam vnam ſemis.
Cinnamomi,
Spicæ Indicæ,
Croci,
Caſtorei, an. drachmam vnam.
Euphorbij ſcrupulos duos.

Dilue gummi ſucco Porri, & finge Maſſam cum Syrupo facto, ſucco Porri & Saccharo ſ. a.

PILVLÆ DE FVMARIA, *AVICEN.*

℞ Myrobal. { Citrinarum, Chebularum, Indarum,
Diagrydij, ana drachmas quinque.
Aloes drachmas ſeptem.

Trita omnia ter imbuantur ſucco Fumariæ, terque ſiccari ſinantur, ac demùm cogantur in maſſam cum ſyrupo de Fumaria ſ. a.

PILVLÆ DE HERMODACTYLIS MAIORES, *MES.*

℞ Sagapeni drachmas ſex.
Opopanacis drachmas tres.

Liquentur in ſucco Braſſicæ calefacto q. ſ. & idoneo linteo tranſmittantur, deinde parùm coquantur, Tum

℞ Hermodactylorum,
Aloes,
Myrobalanorum Citrinarum,
Turpeti,
Colocynthidos,
Bdellij mollis, ana drachmas ſex.
Caſtorei,
Sarcocollæ,
Euphorbij,
Sem. Rutæ ſylueſtris vel ſatiuæ,
Apij, ana drachmas tres.
Croci drachmam vnam ſemis.

Cum Syrupo è ſucco Caulium facto cum Melle fiat Maſſa ſ. a.

PILVLÆ INDÆ, *MES. ex HALY.*

℞ Myrobalanorum Indarum,
Ellebori nigri,
Polypodij, ana drachmas quinque.

Epi-

Epithymi,
Stœchados, ana drachmas ſex.
Agarici,
Lapidis Lazuli ſæpius loti,
Troch. Alhandal.
Salis Indi, ana vnciam dimidiam.
Succi Eupatorij, i. Agerati inſpiſſati,
Spicæ Indicæ, ana drachmas duas.
Caryophyllorum drachmam vnam.
Specierum Hieræ picræ ſimpl. Galeni drachm. duodecim.
Cum Syrupo è Succo Apij fiat Maſſa ſ. a.

PILVLÆ DE LAPIDE LAZVLI, MES.

℞ Lapidis Lazuli ſæpiùs loti drachmas quinque.
Epithymi,
Polypodij,
Agarici, ana vnciam vnam.
Scammonij,
Hellebori nigri,
Salis Indi, ana drachmas duas ſemis.
Caryophyllorum,
Sem. Aniſi, ana vnciam dimidiam.
Hieræ picræ drachmas quindecim.
Cum Syrupo è ſucco Cichorij, fiat Maſſa ſ. a.

PILVLÆ LVCIS MAIORES, MES.

℞ Roſarum,
Violarum,
Abſinthij,
Colocynthidos,
Turpeti,
Cubebarum,
Calami Aromatici,
Nucis Moſchatæ,
Spicæ Indicæ,
Epithymi,
Carpobalſami, vel cardamomi,
Xylobalſami, vel Ligni Aloes,
Sem. Seſeleos,
Rutæ,
Aniſi,
Fœniculi,
Apij,
Schœnanthûs,
Maſtiches,
Radic. Aſari,
Caryophyllorum,
Cinnamomi,
Caſiæ ligneæ,
Croci,
Macis, ana drachmas duas.
Myrobal. Citrinarum, Chebularum, Indarum, Belliricarum, Emblicarum,
Rhabarbari, ana vnciam dimidiam.
Agarici,
Sennæ, ana drachmas quinque.

Euphra-

Euphragiæ drachmas ſex.
Aloes Succotrinæ ad pondus omnium; confice cum Syrupo de ſucco Fœniculi, ſ. a.

PILVLÆ MECHOACANÆ, *RENODAEI.*

℞ Mechoacanæ vnciam dimidiã.
Turpeti drachmas tres.
Folior. Thymelææ in aceto maceratorũ & ſiccatorum.
Semin. Ebuli,
Agarici trochiſcati, ana drachmas duas.
Radic. Eſulæ præparatæ,
Maſtiches, ana drachmam vnam ſemis.
Macis,
Cinnamomi,
Salis gemmei, ana ſcrupulos duos.
Fiat omnium puluis; & cum Syrupo facto cum Saccharo & ſucco radicum Iridis fiat Maſſa pro Pilulis ſecundùm artem.

PILVLÆ RVDII.

℞ Colocynthidis drachmas ſex.
Agarici optimi,
Diagrydij,
Elebori nigri,
Turpeti, ana drachm. quatuor.
Aloes ſucco Citrini, vnciam vnam.
Specier. Diarhodon.
Abbatis vnciam ſemis.
Contundantur omnia (exceptis ſpecieb. Diarhod. Abbatis) craſſo modo, & infundantur ad Solem in aqua vitæ opt. per octo dies, ita vt aqua vitæ ſuperemineat octo digit: Deinde infundantur quoq; ſpecies Diarhod. Abbat. in aqua vitæ ſimili modo per quatuor dies, & facta colatura atque expreſſione forti, vtriuſq; miſceantur illæ colaturæ, & (ferè abiecta) ponatur liquor in Alembicum vitreum, vt ſeparata (per diſtillationem) humiditate, remaneat materia denſa, vti mel ex quâ Pilulæ.

PILVLÆ SINE QVIBVS ESSE NOLO, *NICOLAI.*

℞ Aloes lotæ drachmas quatuordecim.
Myrobal. Citrinarum, Chebularum, Belliricarum, Emblicarum, Indarum,
Rhabarbari,
Maſtiches,
Abſinthij,
Roſarum rubrarum,
Violarum,
Sennæ,
Agarici,
Caſſuthæ, ana drachmã vnam.
Diagrydii drachmas ſex ſemis.
Cum Syrupo ex ſucco Fœniculi facto

cto cum Melle, fiat Massa secundùm artem.

PILVLÆ EX ESVLA, *FERNELII.*

℞ Cortic. Radic. Esulæ minoris maceratæ horis viginti quatuor in aceto & succo Portulacæ, drachmas duas.
Grana Ricini expurgata, torrefacta, numero quadraginta.
Myrobalanorum citrinarum sesquidrachmam.
Chamædryos,
Chamæpityos,
Spicæ Nardi,
Cinnamomi, ana scrup. duos.
Trita tenuissimè excipiatur vnciâ vna Tragacanthæ aquâ Rosarum solutæ, Addito syr. Rosarum q. s. vt cogantur in massam s.a.

PILVLÆ EX EVPHORBIO, *MES.*

℞ Euphorbij,
Colocinthydos,
Agarici,
Bdellij,
Sagapeni, ana drach. duas.
Aloes drachmas quinque.
Cum Syrupo ex Succo Porri fiat massa s. a.

PILVLÆ DE OPOPANACE, *MES.*

℞ Opopanacis,
Hermodactylorum,
Sagapeni,
Bdellij,
Ammoniaci,
Colocynthidos, ana drachmas quinque.
Croci,
Castorei,
Myrrhæ,
Zingiberis,
Piperis nigri,
longi,
Casiæ ligneæ,
Myrobal. Citrinarum,
Bellericarum,
Emblicarum, ana drachmam vnam.
Scammonij drachmas duas.
Turpeti semunciam.
Aloes drachmas duodecim.
Infusis lachrymis in aqua Cauliũ, formetur massa s. a. cum Syrupo ex Succo Caulium.

PILVLÆ TVRPETI AVREÆ, *MES.*

℞ Turpeti gummosi drachmas sedecim.
Aloes sesquiunciam.
Myrobalanorum citrinarum drachmas decem.
Rosarum rubrarum,
Mastiches, ana drachmas sex.
Croci drachmas tres.
E puluerizatis cum Syrupo Absinthij q. s. fiat massa.

PILV-

PILVLÆ DE CYNOGLOSSO, *FERNELII.*

℞ Myrrhæ drachmas ſex.
Thuris maſculi drachm. quinque.
Opij,
Sem. Hioſcyami,
Radic. Cynoglofſi aridarum, ana vnciam dimidiam.
Croci,
Caſtorei, ana drachmam vnam ſemis.
Cum Syrupo ex Stœchade fiat Maſſa ſecundùm artem.

LAVDANVM.

℞ Opij Thebaici extracti in ſpiritu Vini vnciam vnam.
Croci ſimiliter extracti drachmam vnam ſemis.
Caſtorei drachmam vnam.
Excipiatur tinctura ſemivnciæ ſpecierum Diambræ recentium in ſpiritu vini factâ.
Addendo (ex gratia) Ambræ griſeæ & Moſchi, ana grana ſex.
Olei Nucis Moſchatæ guttas decem.
Tum euaporatione factâ ad balnei calorem tepidum fiat Maſſa.

PILVLÆ SCRIBONII.

℞ Sagapeni,
Myrrhæ, ana drachmas duas.
Opij,
Cardamomi,
Caſtorei, ana vnciam dimidiam.
Piperis albi drachmam dimidiam.
Sapæ quantum ſufficit.
Fiat Maſſa ſecundùm artem.

PILVLÆ è STYRACE, *MES.*

℞ Styracis liquidæ,
Thuris,
Myrrhæ,
Succi Glycyrrhizæ,
Opij, ana partes æquales:
Miſce, fiat maſſa pro pilulis cum ſufficienti quantitate Syrupi de Papauere ſecundùm artem.

TROCHIS-

TROCHISCI.

So calod fro the forme est & trochus similis like a toppe.

TROCHISCI DE ABSINTHIO, *MES.*

℞ Rosarum rubrarum,
Absinthij Pontici,
Anisi, ana drachmas duas,
Rhabarbari,
Succi Eupatorij, i. Agerati,
Asari,
Sem. Apij,
Amygdalarum amararum.
Spicæ Nardi Indicæ,
Mastiches,
Folii, vel Macis, ana drachmam vnam.
Succi Cichorij, q.s. fiant Trochisci secundùm artem.

TROCHISCI ALEXITERII, *RENODAEI.*

℞ Radic. Gentianæ,
Tormentillæ,
Ireos Florentinæ,
Zedoariæ, an. drac. duas.
Cinnamomi,
Caryophyllorum,
Macis, ana drachmam dimidiam.
Zingiberis drachmam vnam.
Radic. Angelicæ drachm. tres.
Sem. Coriandri præparatorum,
Rosarum, ana drachm. vnam.
Corticis Citri sicci drachmas duas.
Fiat omnium pulvis subtilissimus & cum Succi Glycyrrhizæ vino Hippocratico parùm emolliti, & liquefacti, vnciis sex,
fiat pasta mollis, de qua formentur Trochisci, vel potiùs Bacilli oblongi s. a.

TROCHISCI ALIPTÆ MOSCHATÆ, *NIC.*

℞ Labdani puriss. triti vncias tres.

Styracis Calamitæ vnciam vnam ſemis.
Benzoini vnciam vnam.
Ligni Aloes drachmas duas.
Ambræ griſeæ drachmã vnam.
Camphoræ drachmam dimidiam.
Moſchi ſcrupulum dimidium.
Aquæ Roſarum q. ſ. Miſce, fiant Trochiſci, ſ. a.

TROCHISCI DE ANISO, MES.

℞ Aniſi,
Succi Eupatorij, i. agerati inſpiſſati, ana drachmas duas.
Sem. Anethi,
Spicæ Indicæ,
Maſtiches,
Folij, vel Macis,
Folior. Abſinthij,
Aſari,
Apij,
Amygdalarum amararum, ana drachmam dimidiam.
Aloes drachmas duas.
Succi Abſinthij q. ſ. fiant Trochiſci, ſ. a.

TROCHISCI BECHICI ALBI, VEL ROTVLÆ PECTORALES.

℞ Sacchari albiſſimi libram vnã,
Sacchari candi albi,
Penidiorum, ana vncias quatuor.
Glycyrrhizæ drachmas ſex.
Radicis Iridis Florentinæ vnciã dimidiam.
Amyli ſeſquivnciam.
Mucilaginis Tragacanthæ ex aqua Roſarum factæ, q. ſ.
Fiant Trochiſci, & additis Moſchi granis tribus, & Ambræ griſeæ granis quatuor,
poterunt formari in Rotulas, quas vulgò vocant Rotulas Pectorales. Vel ſi viſum fuerit ſine Moſcho aut Ambra.

TROCHISCI BECHICI NIGRI, RHASIS.

℞ Succi Glycyrrhizæ,
Sacchari albi, ana drachmas decem.
Tragacanthi,
Amygdalarum dulc. mundat. ana drachmas ſex.
Mucilaginis Cydoniorum q. ſ.
Miſce: fiant Trochiſci, ſ. a.

TROCHISCI DE BERBERIS, MES.

℞ Berberorum Baccharum ſiccarum.
Succi Glycyrrhizæ,
Spodij,
Sem. Portulacæ, ana drachmas tres.
Roſarum rubrarum drach. ſex.
Spicæ Indicæ,
Croci,
Amyli,

Amyli,
Tragacanthi, ana drachmam vnam.
Sem. Citruli drachmas tres semis.
Camphoræ drachmam dimidiam.
Confice cum Manna succo Berberorum diluta s. a.

TROCHISCI DE CAMPHORA, MES.

℞ Rosarum rubrarum drachmas quatuor.
Spodij,
Glycyrrhizæ, ana drachmas duas.
Sem. quatuor frigidorum maiorum.
Tragacanthæ,
Croci,
Gummi Arabici,
Spicæ Nardi Indicæ, ana drachmam vnam.
Santali Citrini drachmas duas semis.
Ligni Aloes,
Cardamomi maioris,
Amyli,
Camphoræ, an. scrupul. duos.
Sacchari albissimi,
Mannæ, ana drachmas tres.
Mucilaginis Sem. Psyllij cum aqua Rosarum factæ q. s. ad formandos Trochiscos.

TROCHISCI DE CAPPARIBVS, MES.

℞ Corticum radicum Capparum.
Sem. Agni Casti, ana drachmas sex.
Gum. Ammoniaci,
Sem. Nigellæ,
Calaminthæ,
Acori,
Succi Eupatorij, i. Agerati inspissati,
Amygdalarum amararum,
Folior. Rutæ,
Radic. Aristolochiæ rotundæ.
Sem. Nasturtij, ana drachmas duas.
Scolopendrij, id est, Ceterach,
Cyperi rotundi, ana drachmam vnam.
Ammoniaco in aceto acerrimo soluto pulueres cæteri misceantur, & formentur Trochisci s. a.

TROCHISCI CYPHEOS, DAMOCRATIS.

℞ Pulpæ vuarum passarum pinguium.
Therebinthinæ coctæ, ana vncias tres.
Myrrhæ,
Schœnanthûs, ana vnciam vnam semis.
Calami Aromatici drachmas nouem.
Cinnamomi vnciam dimidiam.

Vnguium Bdellij,
Spicæ Indicæ,
Caſiæ ligneæ,
Cyperi,
Baccarum Iuniperi, ana drachmas tres.
Aſpalathi, ſiue Ligni Aloes drachmas duas ſemis.
Croci drachmam vnam.
Mellis deſpumati q. ſ.
Vini optimi modicum.

Bdellium, Vinum & Myrrha mortario immittantur, benè terantur, donec redierint ad craſſitudinem liquidi Mellis; poſteà Mel addatur, cum Pulpa Paſſul. contritum, poſtremò reliqua omnia læuigata, ſicque fiant Trochiſci ſ. a. ſiccentur in vmbra.

TROCHISCI DIARHODON. *MES.*

℞ Folior. Roſarum rubrarum drachmas ſex,
Spicæ,
Ligni Aloes, ana drachmas duas.
Glycyrrhizæ drachmas tres.
Spodij drachmam vnam.
Croci drachmam dimidiam.
Maſtiches drachmas duas.

Cum vino albo fiant Trochiſci ſecundùm artem.

TROCHISCI DE EVPATORIO, *MES.*

℞ Mannæ,
Succi Eupatorij, i. Agerati inſpiſſati, ana vnciam vnam.
Roſarum rubrarum vnciam dimidiam.
Spodij ex Ebore drachmas tres ſemis.
Spicæ Indicæ drachmas tres.
Rhabarbari,
Aſari,
Aniſi, ana drachmas duas.

Cum aqua Cuſcutæ fiant Trochiſci.

Manna autem cum ſucco eſt ſoluenda: deinde pulueres cæteri paulatim ſucco adijciantur: in vmbra exiccati reponantur.

TROCHISCI DE GALLIA MOSCHATA, *MES.*

℞ Ligni Aloes crudi drachmas quinque.
Ambræ griſeæ drachmas tres.
Moſchi drachmam vnam.

Cum Mucilagine Tragacanthæ extracta cum ſufficienti quantitate aquæ Roſarum, fiant Trochiſci, ſiccentur in vmbra.

TROCHISCI GORDONII.

℞ Semin. 4. frigidorum, { maiorũ, minorũ, } mundatorum.

Sem.

Sem. Papaueris albi,
Maluæ,
Bombacis,
Portulacæ,
Cydoniorum,
Myrtillorum,
Gum. Tragacanthi,
Arabici,
Pinearum mundatarum,
Piſtaciarum,
Sacchari Candi,
Penidiorum,
Glycyrrhizæ mundatæ,
Hordei mundati,
Mucilaginis Pſyllij,
Amygdalarum dulcium, ana vnciam vnam.
Boli Armeni,
Sanguinis draconis,
Spodij,
Roſarum,
Myrrhæ, ana vncias duas.
Conficiantur cum Hydromelite. Fiant Trochiſci ſ. a.

TROCHISCI HEDYCHROI ANDROMACHI EX *GALENO.*

℞ Mari,
Aſari,
Amaraci,
Aſpalathi, ſiue Santali Citrini, ana drachmas duas.
Schœnanthûs,
Calami odorati,
Phu Pontici,
Xylobalſami, aut Ligni Aloes,
Opobalſami, aut olei Nucis Moſchatæ per expreſſionem,
Cinnamomi,
Coſti ana drachmas tres.
Myrrhæ,
Folij Malabathri vel Macis,
Nardi Indicæ,
Croci,
Caſiæ ligneæ, ana drachm. ſex.
Amomi, aut Cardamomi minoris, vnciam vnam ſemis.
Maſtiches drachmam vnam.
Vini Hiſpanici optimi q. ſ.

Primùm Crocus pulueriſatus in pila ſtudiosè teratur cum Vino, deinde Myrrha & Maſtiche probè trita adijciantur, dein Opobalſamum, poſtremò reliqua pulueris formâ inſpergantur, ſimulq; permiſceantur, vino ſubinde affuſo, & tenues Paſtilli formentur ſ. a. & in vmbra ſiccentur.

TROCHISCI HYSTERICI, *RENODAEI.*

℞ Aſæ fœtidæ,
Galbani, ana drachmas duas ſemis.
Myrrhæ drachmas duas.
Caſtorei drachmã vnam ſemis.
Aſari,
Ariſtolochiæ,
Sabinæ,
Matricariæ,
Nepetæ, ana drachmam vnam.
Dictamni drachmam dimidiam.

Cum ſucco aut decocto Rutæ fiant Trochiſci ſ. a.

TROCHISCI DE LACCA, *MES.*

℞ Laccæ mundatæ.
Succorum Glycyrrhizæ,
Eupatorij, (i) Agerati.
Abſinthij.
Berberorum.
Rhabarbari.
Ariſtolochiæ longæ,
Coſti,
Aſari.
Amygdalarum amararum.
Rubiæ tinctorum.
Aniſi,
Apij.
Schœnanthûs, ana drachmam vnam.

Cum decocto Ariſtolochiæ & Schœnanthûs, vel ſucco Eupatorij aut Abſinthij, fiant Trochiſci ſecundùm artem.

TROCHISCI DE TERRA LEMNIA, *MES. ſec. FERN.*

℞ Sanguinis Draconis,
Gummi Arabici aſſati,
Trochiſcorum Ramich,
Roſarum rubrarum.
Sem. Roſarum,
Amyli aſſati,
Spodij,
Acaciæ,
Hypociſtidis,
Lap. Hæmatitæ,
Balauſtiorum,
Boli Armeni,
Terræ Lemniæ,
Corallij rubri,
Succini, ana drachmas duas.
Margaritarum,
Tragacanthæ,
Sem. Papaueris nigri, an. drachmam vnam ſemis.
Sem. Portulacæ parum toſt.
Cornu Cerui vſti,
Thuris,
Nucum Cupreſſi,
Croci, ana drachmas duas.

Cum ſucco, aut aqua Plantaginis fiant Trochiſci ſ. a.

TROCHISCI è MYRRHA RHASIS.

℞ Myrrhæ drachmas tres.
Farinæ Lupinorum drachmas quinque.
Foliorum Rutæ,
Mentaſtri,
Pulegij,
Sem. Cymini,
Radic. Rubiæ,
Aſæ fœtidæ,
Sagapeni,
Opopanacis, ana drachmas duas.

Diſſoluantur gummi in aceto Scillitico, & cum ſucco Artemiſiæ fiant Trochiſci.

TRO-

TROCHISCI POLYDÆ SPHRAGIS, ANDROMACHI EX GALENO.

℞ Florum Mali Punici, id est, Balaustiorum drachmas duodecim.
Aluminis Scissillis drach. tres.
Thuris.
Myrrhæ, an. vnciam dimidiam.
Chalcanthi drachmas duas.
Fellis Taurini drachmas sex.
Aloes vnciam vnam.
Vini austeri q. s. fiant Trochisci secundùm artem.

PASTILLI ANDRONIS, GALENI.

℞ Cytinorum Balaustior. drach. decem.
Chalcanthi drach. duodecim,
Gallæ omphacit,
Aristolochiæ,
Thuris, an. vnciam.
Aluminis Scissilis,
Myrrhæ ana semunciam.
Misy, drachmas duas.
Cum vini austeri heminis duabus fiant Trochisci, s. a.

TROCHISCI MVSÆ, GALEN.

℞ Aluminis scissi,
Aloes,
Chalcanthi,
Myrrhæ, ana drachmas sex.
Crocomagmatis,
Croci, ana drachmas tres.
Cytinorum semunciam.
Vini odorati.
Mellis, ana q. s. vt formentur Pastilli, s. a.

CROCOMAGMA DAMOCRATIS. GALENI.

℞ Croci drachmas centum,
Rosarum rubrarum,
Myrrhæ, ana drachmas quinquaginta,
Amyli,
Gummi, ana drachmas triginta.
Vini q. s. fiant Trochisci, s. a.

TROCHISCI DE LIGNO ALOES, MES.

℞ Xyloaloes,
Rosarum rubr. ana drachmas duas.
Mastiches,
Cinnamomi,
Caryophyllorum,
Nardi Indicæ,
Nucis Moschatæ,
Cardamomi maioris,
minoris,
Cubebarum,
Galliæ Moschatæ,
Pastinacæ,
Cortic. Citri,

Macis, ana ſeſquidrachmam.
Ambræ griſeæ,
Moſchi, ana ſemiſcrupulum,
Cum Melle Paſſularum fiant Trochiſci.

TROCHISCI RAMICH, MES.

℞ Succi Acetoſæ vncias ſedecim.
Foliorum Roſarum rubrarum vnciam vnam.
Baccarum Myrti vncias duas.
ſemel feruefiant & colentur, adde colatis
Gallarum recentium accuratè tritarum vncias tres.
Coque iterum aliquantiſper, deinde inſpergatur ſequentium ſpecierum minutiſſimus & optimè commixtus Puluis.

℞ Roſarum rubrarum vnciam vnam.
Santali Citrini drachmas decem.
Gummi Arabici vnciam vnam ſemis.
Sumach,
Spodij, ana vnciam vnam.
Granorum Myrti vncias quatuor.
Ligni Aloes,
Caryophyllorum,
Macis,
Nucis Moſchatæ, ana vnciam dimidiam.
Omphacij ſeu Agreſtæ drachmas ſeptem.

Miſce omnia ſimul, & extende in ſcutella lapidea, dum exiccentur, exiccata rurſus in tenuiſſimum puluerem terantur, & formentur Trochiſci parui cum Camphoræ drachma vna, & q. ſ. aquæ Roſarum, & Trochiſcos hos aromatizant Moſchi grana quindecim.

TROCHISCI DE ROSIS, MES.

℞ Roſarum rubratum vnciam dimidiam.
Ligni Aloes drachmas duas.
Maſtiches drachmam vnam ſemis.
Abſinthij Rom.
Cinnamomi,
Nardi Indicæ,
Caſiæ ligneæ,
Schœnanthûs, ana drachmam vnam.
Vini veteris, & decocti quinque radicum aperitiuarum an. q.ſ. fiant Trochiſci ſ. a.

TROCHISCI DE SCILLA, GALENI.

Scillam initio Iulij collectam mediæ magnitudinis, plenam, candidam, cortice primo detracto, & parte duriore, cui radiculæ adhærent abiecta, farinâ tritici ſubactâ inuolues, & couſque in clibano coques, donec farina probè ſiccata

cata sit,& ea perforata,stilo ligneo (vel potiùs festucâ) tentabis an Scilla vndique tenera sit. Eâ exemptâ, ipsam in mortario diligenter teres, cui admiscebis farinæ Erui albi, vel eius loco Ciceris rubri tenuissimè cribrati vncias octo ad singulas Scillæ libras, & formabis in Trochiscos ponderis drachmarum duarum (manibus rosaceo inunctis) & siccabis in superiore parte ædium meridiem spectante, in vmbra,sæpiùs obvertendo, donec probè siccati sint,deinde repone in vase stanneo puro,vel vitreo vitatis plumbis.

TROCHISCI DE SPODIO, MES.

℞ Rosarum rubrarum drachmas duodecim.
Spodij drachmas decem.
Sem. Acetosæ drachmas sex.
Portulacæ.
Coriandri in aceto maceratorũ & torrefactorum.
Pulpæ Sumach, ana drachmas duas semis.
Amyli tosti,
Balaustiorum.
Berber. ana drachmas duas.
Gummi Arabici assati drachm. vnam semis.
Agrestæ q. s. fiat Trochisci.

TROCHISCI DE SANTALIS MAIMES.

℞ Santalorum trium, ana vnciam
Sem. Cucumeris,
Cucurbitæ,
Citruli,
Portulacæ,
Spodij, ana semunciam.
Rosarum drachmas septem.
Succi Berber. drachmas sex.
Poli Armeni drachm. quatuor.
Camphoræ drach. vnam.
Cum aqua Portulacæ fiant Trochisci.

TROCHISCI DE VIPERA ANDROMACHI EX GALENO.

℞ Carnis Viperinæ detractâ cute, exemptis interaneis & adipe, abiectis capitibus & caudis, cum Anetho, sale pauco & aquâ coctæ vnciar octo.
Panis tritici purissimi, aut potiùs biscocti triti & cribrati vncias duas.
Formentur Trochisci, cum iure in quo decoctæ fuerint carnes Viperinæ,si opus sit liquore,& inungantur Opobalsamo vel Oleo Nucis Moschatæ per expressionẽ. Siccentur loco vmbroso libero, ventoque perflabili per dies quindecim, aut eo amplius, sæpe autem sunt conuertendi, donec probè

bè exiccati fuerint, deinde in pyxidem vitream, aut figlinam vitreatam, benè obturatam reponendi. Annũ integrum perſeuerent, quanquam longè meliùs fuerit haud multo poſtquam ipſos confeceris Theriacam adornare. Qui porro diutiùs conſeruare velit, ſubinde eos à puluiſculo abſtergat, qui illis obnaſci conſueuit, qui ſi diutiùs inhæreat Paſtillos perforabit; hoc modo conſeruari poſſunt integri ad tertium annum.

TROCHISCI VITICIS Siue AGNI CASTI,

RENODAEI.

℞ Sem. Viticis, ſeu Agni caſti,
Lactucæ,
Roſarum,
Balauſtiorum, ana drachmam vnam.
Scobis Eboris,
Electri, ana drachmam vnam ſemis.
Boli Armeni in Aqua Centinodij loti drachmas duas.
Sem. Plãtaginis ſcrup. quatuor.
Saſſafras ſcrupulos duos.
Cum Mucilagine ſem. Cydoniorum in Aqua Nenupharis extracta fiant Trochiſci ſ. a.

TROCHISCI ALBI,

RHASIS.

℞ Ceruſſæ aquâ Roſarum lotæ drachmas decem.
Sarcocollæ craſſioris drachmas tres.
Amyli drachmas duas.
Gum. Arabici,
Tragacanthi, ana drachmam vnam.
Caphuræ,
Opij, ana drachm. dimidiam.
Lacte excipiantur ſingula, & fiant Trochiſci ſ. a.

Parari etiam poſſunt hi Trochiſci ſine Opio.

TROCHISCI ALKAKENGI,

MES.

℞ Baccarũ Alkakengi drach. tres.
Sem. Melonum.
Cucumeris,
Citruli,
Cucurbitæ, ana drachmas tres. ſemis.
Gum. Arabici,
Tragacanthi,
Thuris maſculi,
Sanguinis Draconis,
Pinearum,
Amygdalarum amararum,
Sem. Papaueris albi,
Amyli,
Succi Glycyrrhizæ,
Boli Armeni, ana drachm. ſex.
Sem. Apij,
Hyoſcyami,
Carabes,
Terræ ſigillatæ,
Opij, ana drachmas duas.

Cum

Cum ſucco recentium Baccarum Halicacabi, aut decocto earundem fiant Trochiſci ſ. a.

Parantur etiam ſine Opio.

TROCHISCI DE CARABE, MES.

℞ Carabes drachmas ſex.
Cornu Cerui vſti,
Gum. Arabici aſſati,
Corallij rubri vſti,
Tragacanthi,
Acaciæ,
Hypociſtidos,
Balauſtiorum,
Maſtiches,
Laccæ lotæ,
Sem. Papaueris nigri aſſat. ana drachmas duas.
Thuris,
Croci,
Opij, ana drachmam vnam ſemis.
Mucilaginis Sem. Pſyllij q. ſ. formentur Trochiſci ſecundum artem.

TROCHISCI DIACORALLIV. GALENI.

℞ Boli Orientalis,
Corallij rubri, ana vnciam vnam.
Balauſtiorum,
Amyli,
Terræ Lemniæ, ana vnciam dimidiam.
Hypociſtidos,
Sem. Hyoſcyami,
Opij, ana drachmas duas.
Succi Plantaginis quantitatem ſufficientem: formentur Trochiſci, ſecundùm artem.

TROCHISCI DIASPERMATΩN, GALENI.

℞ Sem. Apii,
Ammeos, ana vnciã vnã.
Aniſi,
Fœniculi, ana vnciam dimidiam.
Opii,
Caſiæ ligneæ, ana drachmas duas.
Cum aqua pluuiali fac Paſtillos ſecundùm artem.

HÆMOPTOICI PASTILLI, GALEN.

℞ Amyli,
Balauſtiorum,
Terræ Samiæ,
Succi Hypociſtidos,
Gummi,
Croci,
Opii, ana drachmas duas,
Excipe ſucco Plantaginis, fiant Trochiſci ſ. a.

SIEF, DE PLVMBO, MES.

℞ Plumbi vſti & loti,

Æris

Æris vsti,
Antimonij,
Tutiæ lotæ,
Gum. Arabici,
Tragacanthi, ana vnciam vnã.
Opii drachmam dimidiam.
Aquæ pluuiæ quantitatem sufficientem. fiant Trochisci.

TROCHISCI Ê SVCCINO, GALENI.

℞ Iridis Illyricæ,
Ramentorum Succini,
Mastiches,
Croci, ana drachmas duas.
Opii drachmas quinque.
Excipiantur omnia Mucilagine ex Sem. Psyllii. fiant Pastilli.

SIEF DE THVRE RHASIS.

℞ Cadmiæ,
Pompholigos,
Thuris, ana drachmas decem.
Cerussæ drachm. quadraginta.
Gum. Arabici,
Opii, ana drachmas sex.
Aquæ pluvialis q. s. fiant Pastilli, siccandi & seruandi.

AGARICVS TROCHISCATVS, MES.

℞ Agarici electi vncias quatuor.
Infusionis Zingiberis in vino generoso factæ quantitatem sufficientem. fiant Trochisci.

TROCHISCI DE AGARICO.

℞ Agarici electi vncias tres.
Salis gem. drachmas sex.
Zingiberis drachmas duas.
Cum Oxymelite simplici q. s. fiant Trochisci secundùm artem.

TROCHISCI ALHANDAL, MES.

℞ Pulpæ Colocynthidos albæ, leuis, à seminibus repurgatæ vncias decem.
Forcipibus incide & frica aliquoties cum olei rosati vnciâ vnâ, & Trochiscos finge, cum parte,
Mucilaginis, Gum.
Arabici,
Tragacanthi,
Bdellii, ana drachmis sex.
Macerentur per quatriduum in aqua Rosarum. Siccati in vmbra denuò terantur, & cum reliqua Mucilagine refingantur secundùm artem.

TROCHISCI DE RHABARBARO, MES.

℞ Rhabarbari electi drachmas decem.
Succi Eupatorii, i. Agerati condensati.

Amyg-

Amygdalarum amararum, ana vnciam vnam.
Roſarum drachmas tres.
Spicæ Indicæ,
Abſinthij,
Sem. Aniſi,
Apij,
Rad. Rubiæ tinctorum,
Aſari, ana drachmam vnã.
Cum aqua Cuſcutæ vel eius loco ſucci Eupatorij depurati fiant Trochiſci ſecundùm artem.

TROCHISCI è VIOLIS SOLVTIVI, *MES.*

℞ Violarum modicè ſiccatarum drachmas ſex.
Turpeti optimi ſemunciam.
Succi Glycyrrhizæ,
Scammonij,
Mannæ, ana drachmas duas.
Cum Syrupo violarum formentur Trochiſci.

O OLEA

OLEA SIMPLICIA PER EXPRESSIONEM.

OLEVM AMYGDALARVM DVLCIVM. *MES.*

℞ Amygdalarum dulcium ſiccarum, ſed non rancidarum confricatarum q. v. terantur optimè, & è prælo exprimatur oleum ſine vi caloris.

OLEVM AMYGDALARVM AMARVM. *MES.*

Eodem modo fit, vt Amygdalarum dulcium.

OLEVM AVELLANARVM *MES.*

℞ Auellanarum mundatarum quantitatem ſufficientem, terantur optimè, & relinquantur per horas quinque vel ſex in Balneo tepido, deinde torculari exprimatur oleum.

Et eodem modo fiunt,

OLEVM BALANINVM vel DE BEEN, EX BALANO MYREPSICA, MES.

Oleum
- Macis,
- Nucis Indicæ,
- Nucis Moschatæ.
- Nucum Iuglandium Caryinon.
- ex Nucleis
  - Cerasorum.
  - Mali Armenij, Chrysomelinum.
  - Mali Persici.
  - Pinearum.
  - Prunorum.
  - Pistaciarum.
  - Strobylorum.
- ex Seminibus
  - Aurantiorum.
  - Cannabis.
  - Carthami & dicitur Cnicinum.
  - Citri.
  - Cucumeris.
  - Cucurbitæ.
  - Citruli.
  - Ebuli.
  - Hyoscyami,
  - Lactucæ,
  - Lini,
  - Melonum.
  - Papaueris.
  - Petroselini,
  - Raphani,
  - Rapi,
  - Ricini, & dicitur Oleum de Cherua Cicinum; Ricininum.
  - Sesami, dicitur Sesaminum.
  - Sinapi,
  - Ex Vuarum acinis.

OLEVM

OLEVM LAVRINVM, MES.

℞ Baccarum Lauri maturarum & recentium q. ſ. contundantur, & cum aquæ quantitate ſufficienti coquantur, donec pingue ſupernatauerit, deinde exprimatur torculari, & oleum ſupernatans aquæ ſeparetur ſ. a.

OLEVM OLIVARVM COMMVNE.

Exprimitur ex Oliuis maturis.

OLEVM OLIVARVM OMPHACINVM.

Ex Oliuis immaturis fit per expreſſionem.

OLEVM EX VITELLIS OVORVM, MES.

℞ Vitellorum ouorum ad duritiem in aqua coctorum, & poſteà in vaſe vitreato ad lentum ignem probè calefactorum quantum vis. Cauendo ne inter calefaciendum adurantur, è quibus deinde prælo exprimatur oleum.

Obſeruandum, quòd ſi irrorentur aromatico & calido Vino dum calefiunt & ſubiguntur, commodius elicietur oleum.

OLEA SIMPLICIA PER INFVSIONEM VEL DECOCTIONEM.

OLEVM ROSACEVM OMPHACINVM.

℞ Olei Omphacini libram vnam.
In qua infunde,
Roſarum rubr. immaturarum contuſarum vncias quatuor.
Pone in vaſe vitreo, vel vitreato, & diligenter obtura, & expone Soli per dies ſeptem, & quotidie agita, ita vt vndequaque incaleſcat: deinde leuiter decoque in duplici vaſe: poſteà exprime & illas Roſas abjice, & ſecundò alias Roſas infunde, & vt priùs expone Soli per dies ſeptem, rurſum decoque: iteretur infuſio Roſarum tertiâ vice, & decoquatur leuiter ſecundùm artem, & reponatur oleum & vſui ſeruetur.

OLEVM ROSATVM COMPLETVM, *MES.*

Fit eodem modo, ex oleo dulci & maturo ſæpe loto, & Roſis rubris expanſis, contuſis, & Soli expoſitis, & leuiter decoctis in duplici vaſe, ita tamen vt tertia infuſio ſit per quadraginta dies; quibus peractis (ſi placet) reponatur Oleũ cum Roſis ſine expreſſione.

Eodem modo fiunt

Oleum Abſinthites, ex comarum Abſinthij vnciis quatuor & Olei libris tribus, ter repetendo comarum infuſionem, & vltimâ infuſione addendo Succi Abſinthij vncias quatuor, & coquendo leuiter ad Succi conſumptionem.

Oleum Anethinum, ex Olei completi libra vna, florum & frondium Anethi vnciis quatuor, cum triplici intuſione.

Oleum de Caſtoreo, ex Caſtorei vncia vna, Olei libra vna, Vini q. ſ. coctis ad Vini conſumptionem.

Oleum Chamæmelinum, ex oleo completo & floribus q. ſ. per 40. dies inſolentur.

Eodem modo & Oleum è Meliloti Summitatibus.

Ōleum Cheirinum, ex floribus Leucoij Lutei i. Keiri, & oleo veteri claro, vt oleum Anethinum.

Oleum Cydoniorum, ex carnis immaturæ cum cortice, & Succi Cydoniorum, ana vnciis ſex. Olei Omphacini libris tribus. Inſolentur in vaſe vitreo per dies quindecim: tum coque vaſe duplici per horas quatuor: poſt fiat permutatio carnis & ſucci eorum ter: demùm cola, & reconde.

Oleum Enulatum, ex Enulæ radicum contuſarum, & Succi eiuſdem, & Olei Amygdalarũ, ana libra dimidia, Vini dulcis vnciis tribus, coctis ad Vini conſumptionem.

Oleum Euphorbij, ex Euphorbij vncia dimidia, Olei Cheirini, Vini odoriferi, ana vnciis quinque, coctis in duplici vaſe ad vini conſumptionem.

Oleum Formicarum *Nic.* ex Formicarum alatarum vnc. ij. & olei vnc. viij. maceratis, inſolatis per dies 40. excolatis, repoſitis.

OLEVM

OLEVM HYPERICI.

℞ Summitatum Hyperici vncias quatuor : Macerentur in Olei Oliuarum veteris libra vna, & Vini odoriferi vnciis ſex, per triduum ad Solem vel in Balnei calore, & exprimantur : Eodem modo renovetur infuſio ſummitatum Hyperici ſecundâ & tertiâ vice : Vltima infuſio coquatur ad vini ferè conſumptionem, & exprimatur ; Expreſſioni adde Terebinthinæ vncias tres, Croci ſcrupulum vnum. Parum iterum coquatur & reponatur.

Oleum Iaſminum.
Ex floribus & oleo veteri claro, vt Roſaceum.

OLEVM IRINVM.

℞ Radicum Iridis Flor. libram vnam.
Florum Liliorum alborum libram dimidiam.
Aquæ cui incoctæ ſunt aliæ Iridis Flor. radices q. ſ.
Olei dulcis libras ſex.
In vaſe duplici coque, radices & flores recentes iterum immitte, prioribus expreſſis & abiectis, vt in oleo Roſato.

OLEVM LVMBRICORVM.

℞ Lumbricorum terreſtrium libram dimidiam.
Probè lauentur in vino, deinde adde
Olei Oliuarum libras duas.
Vini vncias octo.
Coque in duplici vaſe ad Vini conſumptionem.

Oleum Sampſuchinum vel Maioranæ ſimplex, Ex herbæ vnciis quatuor, infuſis in Vini vnciis ſex, & olei libra vna, cum inſolatione & duabus aliis infuſionibus repetitis, & tandem euaporatione Vini in Balneo.

OLEVM MASTICHINVM.

℞ Olei Roſati Omphacini libram vnam.
Maſtiches vncias tres.
Vini odoriferi vncias quatuor.
omnia in vaſe vitreato impoſita, coquantur in duplici vaſe ad Vini conſumptionem.

Oleum Menthæ. Ex herbis & oleo Omphacino, vt Roſaceum.

Oleum Myrtillorum, ex Baccarum Myrtillorum confractarũ & vino adſtringẽte aſperſarum

libra vna (vt Myrtinũ è foliis)
Olei Omphacini libris tribus.
Macerentur & insolentur per octiduum; dein coquantur & repetatur tertiò Baccarum noua infusio, & insolatio, & coctio in vase duplici: tum exprimatur Oleum & reseruetur vsui.

OLEVM MYRRHÆ.

Aliquot oua recentia coquantur donec induruerint, per mediam longitudinem incidantur, vitelli eximantur, cauitates Myrrhâ tritâ ad medietatem impleantur; & denuò coniungantur albumina, filoque parum constringantur, & craticulæ inter duas paropsides collocandæ superponantur. Tum in cella vinaria, vel alio loco subterraneo & humido ponantur. Sic enim Myrrhæ liquatus humor in paropsidem inferiorem destillabit.

Oleum Narcissinum, Ex floribus & oleo, vt Rosaceum.

Oleum Nardinum simplex, Ex Spicæ Nardi vnciis tribus.
Olei dulcis libra vna semis.
Vini, & aquæ, ana vnciis duabus cum semisse, coctis in duplici vase ad humoris consumptionem.

Oleum Nenupharinum, ex
Olei Omphacini libra vna.
Florum Nymphææ alb. recent. vnciis quatuor, ter repetitis, vt in oleo Rosato.

Oleum Papaueris, ex floribus, capitibus, & foliis Papaueris satiui, & oleo Omphacino, vt Anethinum.

Oleum Rutaceum simplex, ex herbis contusis & oleo maturo, vt Rosatum.

Oleum Sabinæ eodem modo fit vt Rosaceum.

Oleum Sambucinum, ex floribus & oleo, vt Rosatum.

Oleum Scorpionum simplex, ex Scorpionibus numero triginta.

Olei Amygdalarum amararum libris duabus.
Macerentur per dies quadraginta loco calido, in vase vitreo insolentur, colentur, reponantur.

Oleum Sicyonium, ex radicum Cucumeris agrestis, & succi eiusdem, ana vnciis sex.

Olei

Olei Oliuarum maturarum libra vna, coctis in duplici vase ad succi consumptionem.

Oleum Solani, ex baccarum Solani maturarum vnciis quatuor, coctarum in olei libra vna.

Oleum de Styrace, ex olei Oliuarum libra vna.

Styracis vnciis tribus.

Vini q. s. coque post sufficientem macerationem ad vini consumptionem.

Oleum Verbenaceum, ex herba & oleo, vt oleum Menthæ.

Oleum Violaceum, ex oleo Oliuarum Omphacino, & floribus Violarum, vt Rosatum.

OLEA COMPOSITA.

OLEVM APARICII BENEDICTVM. Hier. Fabr. ab Aq. pentateuch. l. 2. c. 7.

℞ Olei vetustissimi vncias tres.
Terebinthinæ puræ vncias octo.
Tritici puri sesquivnciam.
Flor. Hyperici vncias duas.
Rad. Cardui benedicti.
Valerianæ, ana vnciam.
Thuris puluerizati vncias duas.

Radices & herbæ crasso modo contundantur, in olla ponantur, tantum Vini albi superfundatur, vt Vino mergantur omnia: factâ per biduum infusione, Oleum & Triticum adjiciuntur, & coquuntur omnia ad vini consumptionem. Factâ forti expressione additur Terebinthina & Thus; sinuntur parum bullire iterum; seruantur vase vitreo.

OLEVM DE CAPPARIBVS.

℞ Corticum Radicum Capparum vnciam vnam.
Cortic. Tamarisci.
Folior. Tamarisci,
Sem. Agni Casti,
Cetrach siue Asspleni,
Radic. Cyperi, ana drachmas duas.
Rutæ drachmam vnam.
Olei Oliuarum maturi libram vnam.
Aceti albi fortis,
Vini albi, ana vncias duas.

Trita & macerata aliquandiu, leuiter coquantur in duplici vase vsque ad consumptionem Vini & Aceti: exprimantur, colentur, reponantur.

OLEVM

OLEVM DE CASTOREO, *IACOBI* de *MANLIIS*.

℞ Caſtorei,
Styracis Calamitæ,
Galbani,
Euphorbij,
Caſiæ ligneæ,
Croci,
Opopanacis,
Carpobalſami, ſive Cubebarũ,
Spicæ Nardi,
Coſti, ana drachmas duas.
Cyperi,
Schœnanthûs,
Piperis longi,
nigri,
Sabinæ,
Pyrethri, ana drachmas duas ſemis.
Olei libras tres.
Vini Hiſpanici libras duas.

Galbanum, & Opopanax in Vino ſeorſim diſſoluantur, deinde reliqua omnia contuſa, cum oleo & vino coquantur in duplici vaſe, poſteà colentur, ac diſſolutum expreſſumq; Galbanum cum Opopanace, oleo affundãtur, & iterum coquantur, ſæpiùs miſcendo, vt Galbanum & Opopanax in vaſis fundo ſubſidentia oleo commiſceantur. Styrax autem per ſe diſſoluatur in vino. Adde poſteà Terebinthinæ drachmam vnam ſemis, quò meliùs Styrax oleo commiſceri poſſit.

OLEVM COSTINVM, *MES.*

℞ Coſti amari vncias duas.
Caſiæ ligneæ vnciam vnam.
Summitatum Sampſuchi vncias octo.

Trita macerentur biduo in Vini q. ſ. deinde cum olei oliuarum Vino loti libris tribus coquantur in duplici vaſe ad conſumptionem Vini ſ.a.

OLEVM CROCINVM, *MES.*

℞ Croci vnciam vnam.
Myrrhæ puræ vnciam dimidiam.
Cardamomi drachmas nouem.
Calami aromatici vnciam vnã.

Infundãtur omnia in aceto, (præter Cardamomũ) diebus quinque, ſexto projiciatur ſuper ea Cardamomum, & ſtent ſimul per diem vnum: mane ſequenti adde libram vnam ſemis olei, & coquantur lento igne ad aceti conſumptionẽ ſecundùm artem. Sunt qui ponunt Vinum loco Aceti.

OLEVM DE EVPHORBIO COMPOS. *NIC.*

℞ Staphidis agriæ,
Struthii, vel Saponariæ, ana vnciam

ciam dimidiam.
Pyrethri drachmas ſex.
Calaminthes montanæ ſiccæ vnciam vnam ſemis.
Coſti drachmas decem.
Caſtorei drachmas quinque.

Trita, triduoque macerata in Vini odori libris tribus ſemis coquantur cum olei Leucoij lutei libra vna ſemis, ad Vini ferè conſumptionem, tunc inſperge

Euphorbij recentis & albi tenuiſſimè triti vnciam dimidiam. & miſcendo coque ad perfectionem.

OLEVM EXCESTRENSE, vulgò EXCETER dictum.

℞ Folior. Abſinthij,
Centaurij minoris,
Eupatorij,
Fœniculi,
Hyſſopi,
Lauri,
Maioranæ,
Meliſſæ,
Nepetæ,
Pulegii,
Sabinæ,
Saluiæ,
Thymi,
Flor. Chamæmeli,
Geniſtæ,
Liliorum alborum,
Sambuci,
Sem. Cymini,
Fœnugræci,
Radicum Hellebori albi,
nigri,
Corticum Fraxini,
Limonũ, ana vncias quatuor.
Foliorum Abrotoni,
Betonicæ,
Iuæ arthriticæ, i. Chamæpityos,
Lauendulæ, ana vncias ſex.
Roriſmarini libram vnam.
Euphorbii,
Sinapeos,
Caſtorii,
Pyrethri, ana vnciam vnam.
Olei libras ſedecim.
Vini libras tres.

Contuſis herbis, floribus & ſeminibus, & Euphorbio, & inciſis radicibus, corticibus & Caſtorio affuſis Vino & Oleo, ſtent per duodecim horas ad Balnei calorem, poſteà coquantur igne lento ad Vini & humoris conſumptionem; Coletur & ſeruetur vſũi Oleum.

OLEVM HYRVNDINVM.

℞ Hirundinum integrarum numero ſedecim.

Cha-

Chamæmeli,
Rutæ,
Plantaginis maioris,
minoris,
Folior. Lauri,
Pulegij,
Anethi,
Hyssopi,
Rorismarini,
Saluiæ,
Hyperici,
Balsamitæ, ana manipulum vnum.

Olei communis libras quatuor.

Vini Hispanici libram vnam.

Confice s. a. Si vero tantum Butyri Maialis accipiatur quantum olei, & prædicta cum eo coquantur, Vnguenti & nomen, & consistentiam acquiret.

OLEVM HYPERICI COMP.
Seu
BALSAMVM MAGISTRALE FLORENT.

℞ Vini albi potentis libras tres.
Summit. Hyperici maturarum manipulos quatuor.

Tere, Macera in vase vitreo, obturato eius orificio per duos dies, coque in duplici vase, & fortiter exprime; in Colaturam injice alios flores, vt dictum est, & tertiò idem facito, dein colato, & ad singulas collaturæ libras, adde

Olei veteris libras quatuor.
Terebinthinæ vncias sex.
Olei Absinthij vncias tres.
Dictamni,
Gentianæ,
Cardui benedicti,
Tormentillæ,
Carlinæ, vel Cardui Mariæ,
Calami aromatici, ana drachmas duas.
Lumbricorum pluries in Vino lotorum vncias duas.

Terantur crassiusculè terenda, & insolentur triginta aut quadraginta diebus, & benè obturatum reponas.

OLEVM IRINVM COMPOSIT.
NICGL. ALEX.

℞ Olei veteris libras quindecim.
Aquæ libras quatuor & dimidiam.
Radic. Iridis Flor. libras tres & vncias quatuor.
Flor. Liliorum alborum vncias quindecim.
Radic. Cyperi recentium vncias sex.
Helenij vncias tres.
Anchusæ vncias duas.
Cinnamomi,
Spicæ Nardi,

Asæ

Asæ odoratæ, seu Benzoini, ana vnciam vnam.

Contundantur radices & aliæ species, & macerentur in oleo & aqua diebus quinque ad Solem vel loco calido, posteà in duplici vase coquito, donec aqua consumpta fuerit, refrigescere sinito, colato, exprimito, & reponito.

OLEVM MAIORANÆ Seu SAMPSVCHI COMPOS. ACTVARII.

℞ Foliorum Sampsuchi manipul. quatuor.
Serpylli manipul. duos.
Fol. Myrti vel Baccarum manipulum vnum.
Abrotoni,
Sisymbrij seu Méthæ aquaticæ, ana manipul. dimidium.
Casiæ ligneæ veræ vncias duas.
Olei Omphacini libras tres.

Concidantur & contundantur omnia, ac imponantur in vitrum, ac Oleum affundatur: tum obstructo vasis orificio, macerentur ad Solem, vel in æstuario diebus octo. Tandem exprimantur, & Oleo expresso infundantur recentes species, quod tertiò est repetendum.

OLEVM MANDRAGORÆ, NICOLAI.

℞ Olei communis libras duas.
Succi Pomorum Mandragoræ, vel (eius defectu) foliorum vncias quatuor.
Succi Hyosciami albi vncias duas.
Succi capitum Papaueris nigri vncias tres.
Succi Violarum,
Cicutæ, ana vnciam vnã.
Opij,
Styracis Calamitæ, ana vnciam dimidiam.

Succi cum Oleo decem diebus ad solem macerentur, deinde coquantur in duplici vase ad succorum consumptionem; Cola; Opium dissoluatur in succis, & Styrax dissoluatur cum modico Terebinthinæ, probè misce s. a.

OLEVM MOSCHELINVM.

℞ Nuces Moschatas numero duas.
Moschi drachmam vnam.
Folij, seu Macis,
Spicæ Nardi,
Costi,
Mastiches, ana drachmas sex.
Styracis Calamitæ,
Casiæ Lignea,

Myrrhæ,
Croci,
Cinnamomi,
Caryophyllorum,
Carpobalſami, vel Cubebarũ,
Bdellij, ana drachmas duas.
Olei puri libras tres.
Vini generoſi vncias tres.

Terenda ex arte trita, atque confusè miſta, bulliant ad Vini diſſipationem. Percolatum oleum vſui reſeruetur.

OLEVM NARDINVM,
MES.

℞ Spicæ Nardi vncias tres.
Sampſuchi vncias duas.
Xyloaloes,
Enulæ,
Folij Indi vel Macis,
Calami aromatici,
Folior. Lauri,
Cyperi,
Schœnanthûs,
Cardamomi, an. vnciam vnam ſemis.

Craſſiuſculè terantur, deinde in Vini & Aquæ ana vnciis quatuordecim, & Olei Seſamini, vel Oliuarum libris quatuor ſemis macerentur per horas viginti quatuor deinde coque in vaſe duplici igne lento horis ſex, perſæpe mouendo.

OLEVM NICODEMI,
Fallop. mat. med. in prim. Dioſcorid. c. 19.

℞ Sem. (ſeu ſummit.) Hyperici,
Terebinthinæ antiq. ana libram vnam.
Lithargyri drachmas ſex.
Aloes hepaticæ,
Tutiæ Alex. ana drach. tres.
Croci vnciam vnam.
Vini albi optimi libras quatuor.
Olei antiqui libras duas.

Bulliant omnia ſimul in duplice vaſe, donec pars quarta conſumatur, demùm ſepeliantur in arena diebus Canicularibus per dies decem: poſteà per pannum candidum cola, ſepara Vinum ab Oleo, & vtrumque ſeparatim ſerua.

OLEVM NICOTIANÆ.

℞ Succi Peti, ſeu Nicotianæ,
Olei communis, ana libram vnam.

Macerentur, & coquantur ad ſucci conſumptionem.

OLEVM

OLEVM DE PIPERIBVS, MES.

℞ Piperis longi,
nigri,
albi, ana drachmas tres.
Myrobal. Chebularum,
Belliricarum,
Emblicarum,
Indarũ, ana drachmas quinque.
Radic. Apij,
Fœniculi, ana drachmas tres,
Sagapeni,
Opopanacis,
Ammoniaci,
Hyoſcyami albi, ana drachmas duas ſemis.
Turpeti drachmas duas.
Zingiberis drachmas tres.
Surculorum Thymi recentium,
Rutæ viridis, ana manipulum vnum.

Macerentur ſecundùm artem in ſ. q. Aquæ vitæ & Olei Cheirini libris duabus, deinde coque ad conſumptionem Aquæ vitæ.

OLEVM POPVLEVM, NICOL.

℞ Gemmarum Populi recent. libras tres.
Vini libras quatuor.
Olei com. libras ſeptem vncias duas.

Terantur diù Gemmæ Populi; diebus ſeptem in Oleo & Vino macerentur; demùm coquantur vaſe duplici ad Vini conſumptionem: ſi ſecundò & tertiò, eſt efficacius. Tandem exprimatur Oleum & reponatur.

OLEVM VVLPINVM, MES.

℞ Vulpem (quâ fieri poteſt) pinguem, ætatis mediæ, venatu defatigatam, recenterque occiſam, mox & exenteratam, detractâque pelle, nec non oſſibus diligenter confractis, in partes plures conſciſſam. Decoque in
Vini albi &
Aquæ Fontanæ ana libris ſex
Ad medietatem vſque, nec ſine diligenti deſpumatione in cocturæ principio: tùm demùm admiſce
Olei antiqui dulciſſimi libras quatuor.
Salis communis vncias tres,
Florum Saluiæ,
Thymi, ana libram vnam.

Procedatque coctio ad totius aquæ ferè conſumptionem, mox affundantur

Aquæ impregnatæ,
(Anethi,
Thymi, an. manipulo vno pleno incocto,) libræ octo.

Denuò inuicem coquantur omnia lento igne ad consumptionem aquæ: Oleumque ab aquositate post colaturam, infundibulo separatum, vsui reseruetur.

VNGVEN-

VNGVENTA SIMPLICIORA.

VNGVENTVM ALBVM *RHASIS.*

℞ Olei Roſacei vncias nouem.
Ceruſſæ bonæ in aqua Roſarũ lotæ vncias tres.
Ceræ albæ vncias duas.
Fiat vnguentum ſecundùm artem.
Adde Camphoræ drachmas duas, & erit Camphoratũ.

VNGVENTVM ÆGYPTIACVM, *MES.*

℞ Æruginis drachmas quinque.
Mellis drachmas quatuordecim.
Aceti fortis drachmas ſeptem.
Coquantur omnia ſimul, donec fiat vnguentum ſpiſſum & colore ſubrubeum.

VNGVENTVM ANODYNVM, EX *CORDO.*

℞ Olei Liliorum alborum vncias ſex.
Anethini,
Chamæmelini, ana vncias duas.
Amygdalarum dulcium vnciã vnam.
Pinguedinis Anatis,
Gallinæ, ana vncias duas.
Ceræ albæ vncias tres.
Miſce ſecundùm artem.

VNGVENTVM Siue LINIMENTVM, *ARCEI.* l. 1. c. 4.

℞ Gummi Elemni,
Terebinthinæ Abietinæ, ana vnciam vnam ſemis.

Seui Veruecini antiqui,
& liquefacti, vncias duas.
Pinguedinis Porcinæ,
antiquæ, & liquefactæ,
vnciam vnam.
Miſce, fiat Vnguentum ſ. a.

VNGVENTVM AVREVM.

M E S.

℞ Ceræ Citrinæ libram dimidiam.
Olei libras duas ſemis.
Terebinthinæ vncias duas.
Reſinæ pineæ,
Colophoniæ, ana vnciam vnam ſemis.
Thuris,
Maſtiches, ana vnciam vnam.
Croci drachmam vnam.
Confice ſecundùm artem.

VNGVENTVM BASILICON MAIVS,

M E S.

℞ Ceræ albæ,
Reſinæ Pini,
Seui Vaccini,
Picis Græcæ,
Terebinthinæ,
Olibani,
Myrrhæ, ana vnciam vnam.
Olei libram vnam, aut quantitatem ſufficientem.
Miſce, fiat vnguentum.

VNGVENTVM BASILICON MINVS,

Seu

TETRAPHARMACVM.

M E S.

℞ Ceræ flauæ,
Reſinæ pinguis,
Picis Græcæ, ana libram dimidiam.
Olei libras duas, vncias quatuor.
His duntaxat liquatis & permixtis fiat vnguentum iuſtæ conſiſtentiæ.

VNGVENTVM ex BDELLIO.

M E S.

℞ Bdellij drachmas ſex.
Euphorbij,
Sagapeni, ana drachmas quatuor.
Caſtorei drachmas tres.
Ceræ drachmas quindecim.
Olei Sambucini, vel Cheirini drachmas decem.
Bdellium & Sagapenum in aq. Rutæ agreſtis diſſoluantur: cætera cum aq. calida vniantur.
Fiat vnguentum ſ. a.

VN.

VNGVENTVM DE CALCE. *FOESII.*

℞ Calcis ſepties ſaltem ablutæ ſe-
libram.
Olei Roſati libram.
Agitentur probè in mortario plumbeo, adde Ceræ tres vncias.

VNGVENTVM DIALTHÆÆ SIMPLEX. *NICOLAI.*

℞ Radic. Althææ recentium, & contuſarum libras duas.
Sem. Lini,
Fœnugræci contuſorum, ana libram vnam.
Macerẽtur in aquæ libris octo. Deinde leuiter coquantur, & exprimatur Mucilago, cuius
℞ Libras duas, & Olei libras quatuor.
Bulliant ſimul, dum Mucilago ſit abſumpta, actum adde
Ceræ libram vnam.
Reſinæ libram dimidiam.
Terebinthinæ vncias duas.
Percoquantur in vnguenti conſiſtentiam.

VNGVENTVM DIALTHÆÆ COMPOSITVM, *NICOLAI.*

℞ Radic. Althææ libras duas,
Sem. Lini,
Fœnugræci, ana libram vnã.
Scillæ pulpæ libram dimidiam.
Olei libras quatuor.
Ceræ libram vnam.
Terebinthinæ,
Gum. Hederæ,
Galbani, ana vncias duas.
Colophoniæ,
Reſinæ, ana libram dimidiam.
Radices benè abluantur & terantur; ſimiliter Fœnugrecum, Sem. Lini & Scilla, & cum benè trita fuerint, poſteà in libris octo aquæ per tres dies macerentur, quarto die ſuper ignem bulliant, & extrahatur Mucilago, cuius
℞ Libras duas: & cum oleo ſimul bulliant ad ſucci conſumptionem. Poſteà addãtur, Cera, Reſina, & Colophonia, quæ cum liquefacta fuerint, adde Terebinthinam, poſteà Galbanum, & Gum. Hederæ in aceto diſſoluta.
Coque parumper, & ab igne remoueatur, tamdiù agitando donec infrigeſcat, & vt benè incorporentur omnia.

VNGVENTVM ENVLATVM.

℞ Radic. Enulæ, dum emolleſcant in aceto coctarum, tri-

tarum, cretarum, libram vnam.
Axungiæ Porcinæ, vet. ſalitæ, libram vnam.
Olei communis vncias quatuor.
Ceræ nouæ vncias duas.
Salis communis vnciam vnam.
Hydrargyri ſaliuâ vel ſuc. limo extincti,
Terebinthinæ reſiduo coct. Enulæ lotæ, ana vncias duas.

Simul Axungia, Cera, & Oleum liquefiant. His adde pulpam Enulæ, & Salem puluerizatum: tandem Hydrargyrum cum Terebinthina, & pauca Axungia in mortario agitatione multâ re extinctũ. Fiat vnguentum ſ. a.

Parari etiam debet ſine Mercurio.

VNGVENTVM DIAPOMPHOLYGOS NIHILI, *NICOLAI.*

℞ Olei Roſacei vncias ſedecim.
Succi Solani vncias ſex.

Bulliant ad Succi conſumptionem, adde

Ceræ albæ vncias quinque.
Ceruſſæ lotæ vncias duas.
Plumbi vſti & loti,
Pompholygos præparatæ,
Thuris puri, ana vnciam vnam.

Redigantur in Vnguenti formam ſecundùm artem.

VNGVENTVM REFRIGERANS, *GALENI.*

Ceratum etiam dicitur.

℞ Ceræ albæ vncias quatuor.
Olei Roſati Omphacini libram vnam.

Liquentur in duplici vaſe, & tranſfuſa in vas aliud, ſenſim affusâ aquâ frigidiſſimâ, ac ſubinde mutatâ, diù ſubigantur donec albeſcant, poſtremò lauabis in Aqua Roſarum, & addes

Aceti Roſacei & aq. Roſaceæ parùm.

VNGVENTVM DE MINIO Seu RVBRVM CAMPHORATVM.

℞ Olei Roſacei libram vnam ſemis.
Minij vncias tres.
Lithargyri vncias duas.
Ceruſſæ ſeſquivnciam,
Tutiæ drachmas tres,
Camphoræ drachmas duas.
Ceræ in æſtate vncias duas,
in Hyeme vnciam vnam.

Fiat Vnguentum in pila plumbea cum piſtillo plumbeo; Cerâ priùs in Oleo liquatâ ad lentum ignem; poſteà reliquis adiectis tenuiſſimè tritis.

VN-

VNGVENTVM NICOTIANÆ seu PETI, *IOVBERTI.*

℞ Fólior. Nicotianæ libras duas.
Axungiæ Porcinæ recentis diligenter lotæ libram vnam.
Herba trita maceretur per noctẽ in Vino rubro; manè bulliat igne lento cum Axungia ad Vini consumptionem, Cola & colaturæ adde
Succi Nicotianæ depurati libram dimidiam.
Resinæ abiegnæ vncias quatuor.
Coquantur ad succi consumptionem, addendo circa finem,
Radic. Aristolochiæ rotundæ puluerisatæ vncias duas.
Ceræ nouæ q.s. fiat Vng.

NVTRITVM seu CRVDVM, seu è LITHARGYRO seu TRIPHARMACVM, *MES.*

℞ Lithargyri auri tenuissimè læuigati libram dimidiam.
Olei Rosati libram vnam.
Aceti vncias quatuor.
Affunde vicissim modo Oleum, modò Acetum, & agita in mortario tamdiù donec totum liquorem ebiberit Lithargyrus. Fiatque consistentia Vnguenti albidi.

VNGVENTVM OPHTHALMICVM,

℞ Boli Armeni in aqua Rosarum loti vnciam vnam.
Lapidis Calaminaris in aqua Euphragiæ abluti,
Tutiæ præparatæ, ana drachm. duas.
Margaritarum tenuissimè læuigatarum drachmam dimidiam.
Caphuræ scrupulum dimidiũ.
Opij grana quinque.
Vnguenti Rosacei vncias quinque. Et Olei Rosacei q. s.
Fiat Vnguentum s. a.

LINIMENTVM GVIL. PLACENTINI SIMPLEX.

℞ Ceruſæ lotæ vncias octo.
Ceræ albæ vncias septem.
Lythargyri loti,
Succi Solani, ana vncias quinque.
Thuris puluerisati drachmas decem.
Olei Rosacei pluries in aqua simplice loti libras duas.
Misce, fiat Linimentum.

VN-

VNGVENTVM è PLVMBO, *FOES.*

℞ Plumbi vsti cum Sulphure,
Lythargyri, ana vncias duas.
Ceruſæ,
Antimonij, ana vnciam vnam.
Olei Roſati q. ſ.
Fiat Vnguentum.
Elimatam Plumbi ſcobem in olla Sulphure exurito.

POMATVM; SEVVM CONFECTVM. Amat. Luſitan. ſine Speciebus.

℞ Adipis Ceruini, vel Hædini ad renes, libras duas.
Pinguedinis Suillæ recentis libram ſemis.
Pomorum Camuſiorũ mund. inciſ. numero octo,
Pinguedines membranis purgatas Vino albo abluito, panno lineo exprimito, in olla vitreata aquâ Roſaceâ ſemiplena infundito, prunis lenibus admoueto, bacillis agitato, feruere permittito, aquoſitas dum ferè conſumatur. Reſiduum in vaſe fictili Roſaceâ inſperſo per rarum linteum percolato. Colatis addito
Olei Amygdalarum dulcium vncias ſex.
Ceræ albæ vncias quatuor.
Ad ignem liquefacta recolato; Roſaceâ abluta reſeruato.

VNGVENTVM POTABILE EX *FOES.*

℞ Butyri recentis ſine ſale libram vnam ſemis.
Rubiæ tinctorum,
Caſtorei,
Spermatis Ceti,
Radic. Tormentillæ, ana vnciã dimidiam.
Bulliant ſimul in Vini odorati q.ſ. ad Vini conſumptionem, & fiat Vnguentum.

VNGVENTVM AD PRVRITVM SCABIOSORVM, *RENODAEI.*

℞ Axungiæ Suillæ in ſucco Scabioſæ ſæpiùs lotæ libram dimidiam.
Radicis Oxylapathi in aceto ad putrilaginem coctæ, & per ſetaceum traiectæ,
Sulphuris in ſucco Limonum abluti, ana vnciam vnã ſemis.
Vnguenti Populnei in ſucco Enulæ nutriti vnciam dimidiã.
Omnibus in mortario ſubactis fiat Vnguentum ſ. a.

VN-

VNGVENTVM ROSATVM, *MES.*

℞ Axungiæ Porcinæ, membranis expurgatæ, libram vnam, lauetur nouies aquâ calidâ, & deinde toties aquâ frigida, deinde additâ

Rosarum rubrarum recentium contusarum librâ vnâ,

sinatur marcescere per dies septem, deinde coquatur lento igne & coletur: rursus cum pari admistione Rosarum recentium contusarum totidem dies marcescat: tum coquatur & coletur vt antè, tandem affunde succi rosarum rubrarum vncias sex.

Coque igne lento ad succi consumptionem: coletur: fiat Vnguentum secundùm artem.

VNGVENTVM RVBRVM, DESICCATIVVM, *NICOLAI.*

℞ Olei Rosati Omphacini libram vnam semis.

Ceræ albæ vncias quinque.

Liquatis insperge, in plumbeo mortario

Terræ Lemniæ, vel Boli Armeni,

Lapidis Calaminaris, tritorum exquisitè, ana vncias quatuor.

Lithargyri auri,

Cerussæ, ana vncias tres.

Caphuræ drachmam vnam.

Fiat Vnguentum s. a.

VNGVENTVM TVTIÆ VVLGARE.

℞ Tutiæ præparatæ vncias duas.

Lapidis Calaminaris sæpiùs vsti, & in aqua Plantaginis extincti vnciam vnam.

Pulueriſentur tenuissimè, & cum Axungiæ Porcinæ sæpiùs in aqua rosacea lotæ libra vna semis

Fiat Vnguentum.

Paratur etiam cum Vnguento rosaceo, loco Axungiæ.

VNGVENTA MAGIS COMPOSITA.

VNGVENTVM ADSTRINGENS. *FERNELII.*

℞ Olei Rosati in aqua aluminosa sæpiùs loti libram vnam semis.

Ceræ albæ vncias quatuor.

Gallarum

Gallarum immaturarum.
Nucum cupreſſi,
Baccarum Myrti,
Balauſtiorum,
Malicorij,
Corticum glandium,
Acaciæ,
Rhois,
Maſtiches, ana vnciam vnam.

Omnia exquiſitiſſimè trita macerentur in ſuccis Meſpilorum & Sorborum immaturorum per dies quatuor, deinde ſiccentur igne non acri, ſicque cum Oleo & cera fiat Vnguentum ſecundùm artem.

VNGVENTVM AGRIPPÆ, *NICOLAI.*

℞ Radic. Bryoniæ libras duas.
Radic. Cucumeris Agreſtis libram vnam.
Scillæ laminarum libram dimidiam.
Radic. Ireos recentis vncias tres.
Radic. Filicis maris.
Ebuli,
Tribuli aquatici; vel ari ana vncias duas.

Tuſa omnia recentia macerentur diebus ſex vel octo in Olei albiſſimi non rancidi libris quatuor.

Coquantur deinde igne lento, donec radices incipiant marceſcere, poſteà exprimantur, & in expreſſo oleo, Ceræ albiſſimæ vnciæ quindecim liquefiant, & reducantur in Vnguenti conſiſtentiam.

VNGVENTVM DE ALABASTRO. BEN. VICT. FAVENT.

℞ Succi Chamæmeli vncias quatuor.

Succi { Roſarum rubrarum vncias duas. / Rutæ recentis. / Betonicæ, ana vnciam vnam ſemis.

Succi Radic. Althææ vncias duas.
Olei Roſacei Omphacini libram vnam ſemis.
Alabaſtri puri ſubtiliſſimè pulueriſati vncias tres.

Infundantur per noctem, deinde coquantur ad ſuccorum conſumptionem, & cum Ceræ albæ vnciis ſex fiat Vnguentum ſecundùm artem.

VNGVENTVM APOSTOLORVM, *AVICEN.*

℞ Terebinthinæ,
Reſinæ,
Ceræ albæ,
Ammoniaci, ana drachmas quatuordecim.
Radic. Ariſtolochiæ longæ,

Thuris

Thuris masculi,
Bdellij, ana drachmas sex.
Myrrhæ,
Galbani, ana vnciam dimidiã.
Opopanacis,
Floris æris, ana drachmas duas.
Lithargyri drachmas nouem.
Olei (si æstas fuerit) libras duas,
(Sin Hyems) libras tres.
Aceti q. s. ad Ammoniacum,
Opopanacem, & Galbanum dissoluenda.
Confice secundùm artem.

VNGVENTVM ARE GON, ADIVTORIVM. *NICOLAI.*

℞ Rorismarini,
Maioranæ,
Serpylli,
Rutæ,
Radic. Ari,
Radic. Cucumeris Agrestis, ana vncias quatuor semis.
Fol. Lauri;
Saluiæ,
Sabinæ,
Radic. Bryoniæ,
Pulicariæ, i. Conizæ maioris. & minoris, (& in defectu minoris accipe duplũ maioris) ana vncias quatuor.
Laureolæ vncias nouem.
Fol. Cucumeris Asinini,
Nepetæ, ana libram dimidiam.
Omnia Mense Maio Collecta & expurgata tundantur recentia, & macerentur diebus septem in olei optimi libris sex, affusâ aquæ Vitæ librâ vnâ: deinde coquantur dum contabescant, & dum consumpta sit aqua. Oleum percoletur, in quo liquentur,
Ceræ vnciæ sedecim.
Adipis Vrsini,
Olei Laurini, ana vnciæ tres.
Olei Moschelini vncia dimidia.
Petrolei vncia vna.
Butyri vnciæ quatuor.
Coagitatis demùm hi pulueres inspergantur,
Mastiches,
Olibani, ana drachmæ septem.
Pyrethri,
Euphorbij,
Zingiberis,
Piperis, ana vncia vna.
Omnia in Vnguenti formam redigantur secundùm artem.

VNGVENTVM Ex SVCCIS APERITIVIS PRIMVM, *FOESII.*

℞ Succi Apij,
Endiuiæ,
Menthæ,
Absinthij,
Petroselini vulgaris,
Valerianæ, ana vncias tres.
Olei Absinthij,
Menthæ, ana libram dimidiam.

Ceræ Citrinæ vncias tres.
Miſce, & ad ignem fiat Vnguentũ
Additur quandoque Pulueris
Calami Aromatici,
Spicæ Nardi, ana drachma vna.
Olei Capparum aliquid.

VNGVENTVM APERITIVVM SECVNDVM, *FOESII.*

℞ Succi Ebuli vncias octo.
Apij,
Petroſelini, ana vncias quatuor.
Succi Abſinthij,
Ireos, ana vncias quinque.
Olei communis libram dimidiam.
Olei Liliorum alborum vncias decem.
Olei Abſinthij,
Chamæmeli, ana vncias ſex.
Pingued. Anatis,
Gallinæ, ana vncias duas.
Coquantur omnia ſimul ad conſumptionem Succorum; poſteà colentur, & cum Ceræ albæ vnciis ſeptem, & pauxillo Aceti paretur Vnguentum ſ. a.

VNGVENTVM DE ARTANITA MAIVS, *MES.*

℞ Succi Artanitæ, id eſt, Cyclaminis, vel eius defectu decocti radicum fortis libras tres.
Succi Cucumeris agreſtis,
Butyri vaccini, ana libram vnã.
Olei Irini libras duas.
Pulpæ Colocynthidos vncias quatuor.
Polypodij vncias ſex.
Euphorbij vnciam dimidiam.
Contundenda terantur, & macerentur in ſuccis, & oleis per dies octo in vaſe vitreato bene obturato: poſteà coquantur in duplici vaſe ad ſuccorum ferè conſumptionem: Cola, colaturæ adde
Ceræ vncias quinque,
Fellis Taurini drachmas ſeptem ſemis.
Feruefiant ſimul, donec Cera liqueſcat, & adde
Sagapeni drachmas ſeptem ſemis.
Myrrhæ drachmas tres.
In aceto diſſoluta agitentur ſimul, donec partim infrigeſcant, & tunc inſperge paulatim puluerem ſubſequentium medicamentorum ſimul mixtorum,
Scammonij,
Aloes,
Colocynthidos,
Mezeræi foliorum, vel baccarũ.
Turpeti, ana drachmas ſeptem ſemis.
Salis gemmæ drachmas quatuor ſemis.
Euphorbij,
Piperis longi,
Zingiberis,

Zingiberis,
Chamæmeli, ana drachm. tres.
Miſce, fiat Vnguentum ſ. a.

VNGVENTVM CATAPSORAS.

℞ Ceruſſæ, in aqua Portulacæ priùs lotæ, deinde in aceto, radicum Raphani ſylueſtris infuſarum ſuccis imprægnato, & ab iiſdem expreſſo:
Lapidis Calaminaris,
Chalciteos, ana drachmas ſex.
Lithargyri plumbi vncias duas.
Plumbi vſti,
Sanguinis Hirci, ana ſemiunciam.
Argenti viui ſublimati vnciam vnam.
Succor. Semperuiui,
Solatri,
Plantaginis, ana vncias duas.
Axungiæ Porcinæ à pelliculis mundatæ libras tres.
Oleorum Violarum,
Papaueris,
Mandragoræ, an. vnciam vnam.

Miſceantur, & benè incorporentur priùs Sublimatũ & Axungia, deinde addantur Olea cum Succis, & poſtremò pulueres, vt ex omnibus diligenter inuicem commiſtis, fiat ſ. a. Vnguentum.

VNGVENTVM CITRINVM, Seu CITRIVM. *NICOLAI.*

℞ Boracis vnciam vnam.
Caphuræ drachmam vnam.
Corallij albi vnciam dimidiam.
Amenti vel Gypſi, vel Aluminis plumoſi vnciam vnam.
Vmbilici marini, ſeu belirici,
Tragacanthæ albiſſ.
Amyli, ana drachmas tres.
Cryſtalli,
Entalis,
Dentalis,
Olibani, i. Thuris albiſſ.
Nitri,
Marmoris albi, ana drachmas duas.
Gerſæ Serpent. ex radic. Dracuntij factæ vnciam vnam.
Ceruſſæ vulgaris vncias ſex.
Adipis Suilli recentis, non ſalici, mundi, libram vnam ſemis.
Seui Caprini præpar. vnciam vnam ſemis.
Adipis Gallinacei vncias duas ſemis.

Redigantur puluerizanda in puluerem ſubtiliſſimum ſ. æ plurima verò per ſe. Conficiatur Vnguentum ſic: Adipem Suillum & Gallinaceum mundatum, immitte in ollam fictilem vitreatam ſtricti orificij, quibus imponantur Citria mala duo, mediæ magnitudinis, vnà cum pulpa & ſucco interiori fruſtulatim

fruſtulatim inciſa: cooperiatur vas & collocetur in Balneo calido per dies ſeptẽ, deinde excolentur Citria, liquefactoque Seuo Caprino ſenſim inſpergantur pulueres, Caphura verò & Borax vltimo injicienda erunt, probè agitando donec Vnguenti formam acquirat.

VNGVENTVM COMITISSÆ, *VARIGNANAE.*

℞ Cortic. medianorum,
Glandium,
Caſtanearum,
Quercus arboris.
Fabarum,
Baccarum Myrti,
Caudæ Equinæ,
Gallarum,
Acinorum Vuarum,
Sorborum immatur. ſiccorum,
Meſpillorum immaturorũ ſicc.
Folior. Pruni ſylueſtris,
Radic. Biſtortæ,
Tormentillæ ana vnciam vnam ſemis.

Terantur craſſiuſcule & coquantur in Aquæ Plantaginis libris octo, donec pars media conſumpta fuerit, colentur. deinde,

℞ Ceræ citrinæ nouæ vncias octo ſemis, diſſolue cum Olei Myrtini ſimplicis libris duabus ſemis, & lauetur nouies cum decoctione prædicta ſemper nouã decoctionem affundendo quotieſcunque laueris. Poſteà inſperge ſequentium, tenuiſſimũ puluerem.

℞ Corticum Medianorum,
Glandium,
Caſtanearum,
Quercus arboris,
Gallarum, ana vnciam vnam,
Succi Hypociſtidos,
Cineris offium cruris bubuli,
Baccarum Myrti,
Acinorũ Vuarũ immaturarum.
Sorborum immat. ſiccorum, ana vnciam dimidiam.
Trochiſcorum de Carabe vncias duas.

Miſce & cum prædicta Cera & Oleo Myrtino lotis, addendo Olei Maſtichini non loti q. ſ. fiat Vnguentum bonæ conſiſtentiæ ſ. a.

VNGVENTVM AD HÆMORRHOIDAS,

℞ Amyli albiſſ.
Ceruſſæ lotæ,
Lithargyri præparati,
Plumbi vſti,
Tragacanthæ, ana drachmam vnam & dimidiam.
Opij Thebaici,
Cãphoræ, ana ſcrupulum vnũ.
Albuminis oui vnius,
Olei Roſacei,
Violacei, ana vnciam vnã & dimidiam.
Ceræ q. ſ. fiat vnguentum.

VN-

VNGVENTVM HÆMORRHOIDALE SAXONIÆ,

pag. 154.

℞ Mucilag. è sem. Psyllij,
Cydoniorũ,
extractæ aquâ Solani, ana semunciam.
Olei Rosacei completi vnciam.
Vitellum vnius Oui.
Agitentur simul in mortario plumbeo, pistillo plumbeo, addendo Ceræ liquatæ parum.
Misce, fiat Vnguentum s. a.

VNGVENTVM LAVRINVM VVLGARE.

℞ Foliorum Lauri libram vnam.
Baccarum Lauri libram dimidiam.
Foliorum Brassicæ vncias quatuor.
Olei ex pedibus Bouinis libras quinque.
Seui Bouini libras duas.
Contundantur herbæ, & baccæ, & coquantur cum oleo & seuo ad humoris consumptionem, & colentur.

VNGVENTVM MARTIATVM, *NICOLAI.*

℞ Folior. Lauri,
Rorismarini, ana vncias octo.
Rutæ vncias septem.
Fol. Tamarisci vncias sex.
Ebuli,
Esbrij, vel Maioranæ,
Sabinæ,
Balsamitæ, vel Menthæ aquaticæ,
Saluiæ,
Ocimi,
Polij Montani,
Calaminthæ,
Artemisiæ,
Enulæ,
Betonicæ,
Brancæ Vrsinæ,
Spargulæ vel Aparines,
Herbæ venti, i. Anemones syluestris, vel Parietariæ in eius defectu.
Pimpinellæ, i. Sanguisorbæ,
Agrimoniæ,
Absinthij,
Herbæ Paralyseos,
Herbæ sanctæ Mariæ, i. Costi hortensis,
Cymarum Sambuci,
Crassulæ Maioris, Semperuiui minoris,
Semperuiui, i. Sedi Maioris,
Millefolij,
Chamædryos,
Centaurij minoris,
Quinqueneruiæ, i. Plantaginis maioris,
Fragariæ,
Tetrahit, vel eius loco Virgæ aureæ,
Quinquefolij, ana vncias quatuor semis.

Radic. Althææ.
Sem. Cymini,
Myrrhæ, ana vncias tres.
Fœnugræci vnciam vnam ſemis.
Sem. Vrticæ maioris,
Violarum,
Papaueris rubri, i. erratici,
Mentaſtri, ſeu Menthæ agreſtis,
Menthæ ſatiuæ,
Acetoſæ,
Polytrichi, i. Adianthi albi,
Carduncelli, i. Cardui benedicti,
Matriſyluæ, i. Periclymeni,
Maturellæ, i. Valerianæ maioris.
Herbæ Moſchatæ, vel Geranij Moſchati,
Alleluiæ, i. Trifolij acetoſi,
Linguæ Ceruinæ,
Criſpulæ, i. Buphthalmi,
Camphoratæ, i. Abrotoni,
Medullæ Ceruinæ,
Styracis Calamitæ, ana vnciam dimidiam.
Butyri drachmas decem.
Adipis Vrſini,
Gallinacei,
Maſtiches,
Thuris, ana vnciam vnam.
Olei Nardini vncias duas.
Ceræ libras duas.

Herbæ recentes inciſæ Vino odorifero cum Olei libris octo, diebus ſeptem infundantur, octauo die omnia ſimul decoquantur ad vini ferè conſumptionem. Amotum ab igne coletur, atque rurſus in lebetem Oleum injiciatur, cui lentò igne parum calefacto injice butyrum, Medullam, Adipes, Oleum Nardinum, & Ceram; deinde Styracem, diſſolutam in Vino & paulo Terebinthinæ mixtam. Maſtichem verò, Myrrham, & Thus, pulueriſata poſtremò inſperge. Cumque fuerint omnia probè mixta, agitatione continuâ in vaſe reconde.

MVNDIFICATIVVM EX APIO. Guid. tr. 7. do. 1. c. 5.

℞ Succi Apij libram vnam.
Mellis vncias nouem.
Farinæ Tritici vncias tres.
Coquantur ad ignem vſque ad ſpiſſitudinem.
Fiat vnguentum ſ. a.

VNGVENTVM NEAPOLITANVM. *RENODAEI.*

℞ Axungiæ Suillæ ſucco Saluiæ lot. libram vnam.
Hydrargyri per laneum traiecti, ſaliuâ ritè extincti, vncias quatuor.
Olei Laurini,
Chamæmelini,
Lumbricorum, ana vncias duas,
De Spica ſeſquiunciam.
Aquæ vitæ vnciam vnam.
Ceræ flauæ vncias duas.

Tere-

Terebinthinæ in ſucco Enulæ lot. vncias tres.
Pulueris Chamæpityos,
Saluiæ, ana drachmas duas.
Fiat Vnguentum, vt artis eſt.

VNGVENTVM RESINVM.

Euſt. Rud. Morb. Gall. l. 5. c. 1. f.

℞ Reſinæ Pini optimæ,
Terebinthinæ,
Ceræ citrinæ lotæ,
Olei puri, ana p. æ. Miſce.

VNGVENTVM NERVINVM.

℞ Fol. Paralyſeos, cum flor.
Saluiæ,
Chamæpityos,
Roriſmarini,
Lauendulæ,
Lauri, cum baccis.
Chamæmeli,
Rutæ,
Apij,
Meliloti cum flore,
Abſinthij, ana manipul. vnum.
Menthæ,
Betonicæ,
Pulegij,
Petroſelini,
Centaurij Minoris,
Hyperici, ana manipulum dimidium.
Olei ex pedibus Ouinis, vel Bouinis, libras quinque.
Seui Ouini, vel Bouini, vel Medullæ eiuſdem libras duas.
Olei de Spica vnciam dimidiam.
Contuſis herbis, & coctis cum oleis, & ſeuis, fiat Vnguentum ſ. a.

VNGVENTVM PECTORALE, *NICOLAI.*

℞ Butyri recentis aq. Violarum loti vncias ſex.
Olei Amygdalarum dulcium vncias quatuor.
Chamæmelini,
Violacei, ana vncias tres.
Adipis Gallinæ,
Anatis, ana vncias duas.
Radic. Ireos drachmas duas.
Croci drachmam dimidiam.
Ceræ albæ vncias tres.
Ceram & Adipes in Oleis liquato, dein ſæpiùs lauato aquâ Hordei, vel aq. Hyſſopi. His probè lotis adde Iridem & Crocum in tenuiſſ. puluerem redacta, fiat Vnguentum ſ. a.

VNGVENTVM POPVLNEVM, *NICOLAI.*

℞ Oculorum Populi arboris recentium libram vnam ſemis.

Axungiæ Porcinæ recentis & insulsæ libras tres.

Oculi seu Gemmæ Populi contundantur & macerentur in Axungia, donec sequentes herbæ colligi possunt.

℞ Folior. Papaueris nigri,
Mandragoræ,
Cymarum Rubi tenerrimarum,
Folior. Hyosciami,
Solani,
Lactucæ,
Vermicularis (i) Semperuiui minoris, (non illecebræ)
Sedi, seu Semperuiui maioris.
Violarum,
Vmbilici Veneris,
Bardanæ, ana vncias tres.

Contusa omnia permisceantur Axungiæ, & Oculis Populi: exactis diebus decem, affunde aq. Rosarum libram vnam, coquantur igne lento, dum aqua, omnisq; liquor absumatur: colatur, exprimatur, & si sit opus recoquatur, dum Vnguenti temperaturam acceperit.

VNGVENTVM RESVMPTIVVM, *NICOLAI.*

℞ Axungiæ Porcinæ recentis vncias tres.
Adipis Gallinæ,
Anseris,
Anatis, ana vncias duas.
Oesypi humidæ vnciam dimidiam.
Olei Violati,
Chamæmelini,
Anethini, ana vncias duas.
Butyri recentis libram vnam.
Ceræ albæ vncias sex.
Mucilaginis Tragacanthi,
Sem. Cydoniorū,
Lini,
Radic. Bismaluæ,
Gummi Arabici, ana vnciam dimidiam.

Mucilagines extrahantur aquâ rosaceâ, & additis reliquis, fiat Vnguentum s. a.

VNGVENTVM SPLENICVM,

℞ Olei Capparum vnciam vnam.
Olei Liliorum,
Chamæmelini,
Butyri recentis,
Succi Bryoniæ,
Cyclaminis, ana semunciam.

Bulliant Olea ad consumptionem Succorum, addendo
Ammoniaci aceto soluti drachmas duas semis.
Pinguedinis Gallinæ,
Medullæ cruris Vituli,
Oesypi, ana semiunciam.

Cortic.

Cortic. rad. Tamariſci
Capparum,
Ceterach,
Radic. Filicis, ana drachmam vnam.
Pulueris ſem. Agni caſti,
Geniſtæ, ana ſcrupulum.
Ceræ, q. ſ. Fiat in formam Vnguenti.

VNGVENTVM ALIVD SPLENICVM MAGISTRALE.

℞ Corticis radicum Capparum drachmas ſex.
Radicum Bryoniæ,
Iridis Florentinæ,
Farinæ ſem. Fœniculi dulcis,
Ammoniaci in aceto ſoluti, ana ſemunciam.
Comarum Abſinthij,
Florum Camomillæ, an. drachmam vnam.
Vng. ex ſuccis aperitiuis Fœſij, viz. deſcriptionis ſecundæ,
Vng. ex floribus Aranciorum, ana drachmas ſex.
Olei Irini,
Capparum, ana vnciam vnam cum ſemiſſi.

Trituranda triturentur exactè, vt, per cribrum tranſmiſſa, cæteriſque in mortario calido ſ. a. (elaboratâ contuſione) admixtis, fiat Vng.

Sunt qui vnguenta non admittunt, Emplaſtra verò facile ferunt; His igitur (pro data occaſione) Vnguenti partem in formam Emplaſtri redactam citiſſime coaptare licebit, (quod nec minus intentioni ſatisfacit) ſuperaddendo Ceram, Picem nauale m, & Terebinthinæ Cypriæ modicum.

VALENTIA SCABIOSÆ IOANNIS ARDERNII, ex oppido (vulgò) Newark, in Comitatu Nottingham: Chirurgi exercitatiſſimi: qui floruit anno 1370. tempore *Edouardi* tertij Regis Angliæ, ipſiſſimis verbis ex antiquo manuſcripto excerpta.

℞ Succum Scabioſæ, in æſtate per pannum colatum, & cum Axungia Porci à pelliculis mundatâ, in mortario benè tundatur, percutiendo ſed non conterendo, & ſemper paulatim pone de ſucco, ad axungiam, vt bene imbibi poſſit, & vt axungia viridis fiat; Quo facto, accipe illam axungiam, & cum dicto ſucco, in aliquo vaſe ponatur, vt axungia ſucco cooperiatur, & ſic ſtare permittas per nouem dies: poſt nonam diem iterùm accipe prædictã axungiam cum ſucco, & modo prædicto contunde, & aquoſitas quæ de eo exibit tenuis & diſcolorata deponatur, & ſic permitte ſtare per quinque dies, poſt quintum diem iterùm accipe nouum ſuccum Scabioſæ,

& iterùm (vt prædictum eſt) cum dictâ axungiâ contundatur; quo facto, iterum per quindenam in vaſe aliquo cum ſucco quieſcere permittatur; quo verò tempore tranſacto, iterum contundatur (vt prædictũ eſt) & ab aquoſitate purgetur, & in vaſe mundo reponatur, & ſic ſtet in pace per aliam quindenã cum appoſitione noui ſucci; poſt quindenam verò, iterùm contundatur, & ſi fuerit ſatis viridis coloris, poſt bonam contuſionem, in vaſe terreo vel vitreo vſui reſeruetur.

De quantitate vtriuſq; tàm axungiæ quàm ſucci, haud ambigendum: Illius enim pro ſuo arbitrio quantitatem, Pharmacopœus ſibi præparandum ſuſcipiat, quam quidem vſui futuram eſſe conjiciat: Huius autem ſucco frequenter repetito, illam imbuat, donec viridi colore ſaturo axungiam imprægnari conſpexerit. Hæc ſiquidem debet eſſe regula, pro menſura ſucci.

Hoc autem monitum eſſe volumus, quanto viridius, tanto efficacius Vnguentum reddi: ſi ergò primâ vice, vel etiam ſecundâ, copioſa ipſius Scabioſæ folia, poſt vnam vel alteram diem à collectione ſ. a. reſeruata (vt aquoſitatis excrementitiæ aliquid deponant) cum axungiâ contundantur, nec non aliorum ſuccus prælo fortiter expreſſus ſuperaffundatur, vt digitos ad minimum duos ſuperemineat, & in vaſe conuenienti obturato commixta, Soli exponantur, totidem vel pluribus diebus ab authore conſtitutis: deindè poſt fortem expreſſionem, ſucco ſolo fortiter (vt ſuprà) expreſſo, & ab aquoſitate modicè ſeparato, vireſcens axungia repetitis vicibus (haud neglectâ contuſione) imbuatur, colorem authoris ad mentem induci, ſimulque vires Vnguento maiores imprimi, experientia edocti atteſtamur.

TAPSIVALENCIA
eiuſdem Authoris.

℞ Tapſibarbati, & cum axungiâ Porci à pelliculis mundatâ, & minutim inſciſsâ, benè in mortario vel in pelui contundantur inuicem, donec axungia benè de ſucco fuerit imbuta, & poſtquàm feceris, permittatur illa axungia cum ſucco ſimiliter ſtare, per nouem dies, aut plus, donec axungia viridis appareat; Quo viſo, iterum cum ſucco nouo benè contundatur, & quandò axungia de ſucco perfectè imbuta fuerit & colorata, quod ſuperfluum eſt de ſucco effundatur, & iterum bene ſine aliquo ſucco contundatur, & in vaſe terreo reponatur, & vſui reſeruetur. Et nota quòd iſta medicina de menſe in menſem debet ſemel contundi, & in contuſione, de Oleo Roſaceo, Violaceo, & Chamæmeli imponere

ponere paulatim, vt Valentia ea competenter possit imbibere: Etsi de bono populeone prædictis addatur, efficacius erit medicinæ iuuamentum.

TAPSIMEL eiusdem.

℞ Succum Chelidoniæ, Tapsi barbati ana: Mellis despumati quantum de succis, & inuicem bulliant ad consumptionem succi, posteà ab igne deponatur, & vsui reseruetur. Cùm indè contra pruritum vti volueris, accipe de eo quantum volueris, & ei impone, de Puluere Vitrioli combusti, & Aluminis combusti, Atramenti, i. arrementi. Et si necesse fuerit, iterùm bulliant donec Vnguentum satis tenax fuerit, & inde in Anum ponatur parùm, contra pruritum, & citò cessabit pro certo, & in omni parte corporis, & hoc Vnguentum dicitur Tapsimel, à Tapsi barbato & Melle: Istud pro certo est nobile vnguentum.

Hæc ad verbum ex veteri Manuscripto, & stylo suo.

Caueat Pharmacopœus, ne Mel ex coctione contrahat empyreuma.

VNGVENTVM STOMACHICVM.

NORIMB.

℞ Olei Absinthini,
Mastichini,
Nardini, ana vnciam vnã.
Rosarum rubrarum,
Corallij rubri,
Caryophyllorum,
Cinnamomi,
Ligni Aloes,
Masticis,
Menthæ,
Schœnanthus, ana drachmam vnam.
Ceræ q. s.
fiat Vnguentum s. a.

VNGVENTVM AD LVMBRICOS MAIVS.

FOESII.

℞ Olei Rutæ,
Sabinæ,
Menthæ,
Absinthij,
Amygdalarum amararum ana vnciam vnam semis.
Succi florum vel foliorum Persicæ.
Absinthij, ana vnciam dimidiam.
Puluris Rutæ,
Menthæ,
Gentianæ,
Centaurij minoris,

Tor-

Tormentillæ, ana drachmam vnam.
Semin. Caulium.
Pulpæ Colocynthydos, ana drachmas duas.
Aloes hepaticæ drachmas tres.
Farinæ Lupinorum vnciam dimidiam.
Myrrhæ in aq. Graminis lotæ drachmam vnam ſemis.
Fellis Taurini vnciam vnam ſemis.
Cum Succi Limonum q. ſ. & Ceræ vncia vna ſemis, fiat Vnguentum ſecundùm artem.

EMPLA-

EMPLASTRA ET CERATA.

EMPLASTRVM EX AMMONIACO.

℞ Ammoniaci vnciam vnam.
Vng. Dialthææ, } ana vnciã
Emplastri Meliloti, } dimidiã.
Furfuris frumenti optimè cribrati vnciam vnam.
Puluueris radic. Bryoniæ, & Ireos, ana vnciam dimidiam.
Pingued. Anatis,
Anseris,
Gallinæ, ana drachmas tres.
Bdellij,
Galbani, ana drachmam vnam semis.
Resinæ Pini,
Ceræ, ana vncias quinque.
Olei Irini,
Terebinthinæ, ana vnciam vnam semis.

Bulliant pinguedines, & Oleum cum s. q. Mucilaginis sem. Lini, & Fœnugræci: & vt ad debitam Emplastri formam ducatur, addantur Cera & Terebinthina: mox Vng. Dialthææ, & Emplastrum de Meliloto, deinde Gummi in aceto dissoluta: postremòq; Puluueres atque resina Pini puluerizata subtiliter, omnia miscendo bene, & fiat Emplastrum s.a.

ALBVM COCTVM, DE CERVSSA, *VLMENSE.*

℞ Cerussæ subtilissimè tritæ,
Ceræ Citrinæ,
Olei Oliuarum, ana partes æquales.

Ceruſsâ æneum in cacabum immiſsâ, lentè addatur Oleum, & lento igne bulliant, aſſiduò & agitentur dum ſimul deſideant: dein indatur Cera minutim conciſa ſucceſſiuè, nec ferueat, donec probe liquata: Coquantur demùm omnia ſ. a. dum nigricent, ad iuſtam conſiſtentiam.

EMPLASTRVM DE BACCIS LAVRI.

MES.

℞ Baccarum Lauri vncias duas.
Thuris,
Maſtiches,
Myrrhæ, ana vnciam vnam.
Cypeti,
Coſti, ana vnciam dimidiam.
Terebinthinæ vnciam vnam.
Mellis deſpumati, & leuiter tantum calefacti q. ſ. fiat Emplaſtrum ſecundùm artem.

EMPLASTRVM BARBARVM MAGNVM,

Gal. comp. med. ſec. gen. l. 2. f.

℞ Picis ſiccæ libras octo.
Ceræ Citrinæ libras ſex, vncias octo.
Reſinæ Pini libras quinque, vncias quatuor.
Bituminis Iudaici, vel Mumiæ, libras quatuor.
Olei ſeſquilibram.
Æruginis æris,
Lithargyri,
Ceruſſæ, ana vncias tres.
Thuris ſelibram.
Aluminis liquidi, vel Rochæ non vſti ſeſquiunciam.
ſciſſilis, vel Rochæ combuſti vncias quatuor.
Opopanacis,
Squamæ æris,
Galbani, ana drachmas duodecim.
Aloes,
Opij,
Myrrhæ, ana ſemunciam.
Succi Mandragoræ, vel cortic. rad. ſicc. drachmas ſex.
Aceti libras quinque.

Lithargyrus, Ceruſſa, Oleum coquantur ad mellis ſpiſſitudinem: Pix liquefacta, cum Puluere Bituminis, incorporetur: addantur, & coquantur alia ſ. a. donec Acetum conſumatur, nec manus inquinentur. Fall. vuln. gen. c. 15.

EMPLASTRVM DE BETONICA,

ANDERNACI.

℞ Betonicæ viridis,
Pimpinellæ,
Agrimo-

Agrimoniæ,
Saluiæ,
Pulegij,
Millefolij,
Conſolidæ maioris,
Gallitrici, ana vncias ſex.
Thuris,
Maſtiches, ana drachmas tres.
Ireos,
Ariſtolochiæ rotundæ, ana drachmas ſex.
Ceræ albæ,
Terebinthinæ, ana vncias octo.
Gummi Oleæ Æthiopicæ. i.
Gummi Elemi vncias duas.
Reſinæ Pini vncias ſex.
Olei Abietini vncias duas.
Vini albi libras tres.

Contuſæ herbæ decoquantur in Vino, deinde colentur, & colaturæ reliqua addantur, & fiat Emplaſtrum ſ. a.

EMPLASTRVM D. CAESARIS.

℞ Radic. Biſtortæ,
Nucum Cupreſſi,
Roſarum rubrarum
Santalorum omniũ,
Menthæ,
Semin. Coriandri, ana drachmas tres.
Maſtiches vnciam dimidiam.
Hypociſtidos,
Acaciæ,
Sanguinis Draconis,
Terræ Sigillatæ,
Boli veri,
Corallij rubri, ana drachmas duas.
Terebinthinæ aquâ Plantaginis lotæ vncias quatuor.
Olei Roſacei vncias duodecim.
Succor. Sempertiui,
Plantaginis,
Telephij, ana vnciam vnam.
Ceræ flauæ libram vnam ſemis.

Hypociſtis & Acacia diſſoluantur cum ſuccis, & coquantur lento igne ad conſiſtentiam, deinde commiſceantur reliqua, & fiant Emplaſtrum ſ. a.

EMPLASTRVM CATAGMATICVM, VIGONIS.

℞ Succ. Rad. Althææ vncias ſex.
Cort. rad. Fraxini, & folior eius,
Rad. Conſolidæ maioris & minoris, vnà cum foliis, ana vncias duas.
Baccarum Myrti vnciam vnam ſemis.
Folior. Salicis.
Summitat. Hyperici, ana manipul. vnum ſemis.

Contuſis contundendis, bulliant ſimul in vini rubri adſtringentis, & aquæ fabrorum, ana libris duabus,

bus, ad medietatis consumptionem; colentur, adde
Olei Myrtini,
Rosacei,
Omphacini, ana libram vnam semis.
Seui Hircini liquefacti vncias octo.
Lithargiri Auri, &
Argenti,
Minij, ana vncias quatuor.
Ceræ flauæ libram vnam.
Colophoniæ libram dimidiã.
Denuò bulliant ad consumptionem decocti, addendo sub finem,
Myrrhæ,
Thuris,
Mastiches, ana vnciam dimidiam.
Terebinthinæ claræ vncias duas.
Boli Armeni,
Terræ sigillatæ, ana vnciam vnam.
Baculo optimè agitentur, dum decoquuntur, & fiat Emplastrum secundùm artem.

CATAGMATICVM, RENODAEI.

℞ Rad. Symphyti minoris,
Althææ,
Visci querni, ana vncias duas.
Plantaginis,
Chamæpityos,
Hyperici, ana manip. vnum.
Fiat decoctio in æquis partibus Vini nigri, & aquæ fabrorum, ad medias: colaturæ adde
Mucilaginis sem. Cydoniorum in decocto Omazorum extractæ
Olei Mastichini,
Rosacei, ana vncias quatuor.
Ceræ Virgineæ libram vnam.
Lithargyri auri vncias duas.
Terebinthinæ vncias tres.
Balaustiorum,
Rosarum,
Myrtillorum,
Acaciæ, ana semunciam.
Mumiæ,
Granorum Androsæmi,
Colophoniæ,
Mastiches,
Succini, ana drachmas sex.
Picis naualis sesquiunciam.
Boli Armeni,
Farinæ volatilis,
Thuris, ana drachmas duodecim.
Sanguinis Draconis vncias duas.
Ad elixatas in percolato Mucilagines, aquosa humiditas cum exhalauerit, admisceantur Olea, tum Cera, pòst Lithargyrus. Coctis, vnitis, agitatis, ab igne semotis, addatur Terebinthina, deinde pulueres. Sic demũ misceantur, agitẽtur, subigãtur omnia, vt in Emplastrũ coeant consistentiâ legitimum.

EMPLA-

EMPLASTRVM CEPHALICVM.

℞ Resinæ claræ vncias duas.
Picis nigræ vnciam vnam.
Ladani vnciam dimidiam.
Myrrhæ,
Mastiches, ana drachmam vnam semis.
Gum. Iuniperi drachmas duas.
Terebinthinæ,
Farinæ Fabarum,
Orobi, ana vnciam dimidiam.
Nigellæ odoratæ drachm. tres.
Nucis Moschatæ drachmas duas.
Stercoris Columbini vnciam dimidiam.

Dissoluatur Myrrha in Vino Maluatico, & cum reliquis in mortario calido admistis fiat Emplastrum s. a.

Si vis fortius, adde pulueris
Euphorbij,
Pyrethri,
Piperis nigri, ana scrupulos duos.

EMPLASTRVM CEROMA Seu CERONEVM.

NICOLAI ALEXANDRINI, Cap. 286.

℞ Picis [naualis, i. ex nauibus vetustis derasæ, quæ multiplicem aquæ marinæ loturam sunt expertæ.]
Ceræ flauæ illotæ, ana drachmas septem.
Sagapeni drachmas sex.
Ammoniaci,
Terebinthinæ,
Colophoniæ,
Croci, ana drachmas quatuor.
Aloes,
Thuris [masculi]
Myrrhæ, ana drachmas tres.
Styracis calamitæ,
Mastiches,
Opopanacis,
Galbani,
Aluminis.
Sem. Fœnugræci, ana drachmas duas.
Confitæ, i. fecis liquidæ Styracis.
Bdellij, ana drachmam vnam.
Lithargyri semidrachmam.

EMPLASTRVM EX CICVTA CVM AMMONIACO.

℞ Cicutæ manipulos quatuor.
Ammoniaci semilibram, infunde Aceto acerrimo dies octo, dein bulliant, dum Ammoniacum soluatur: hinc per pannũ lineum validè exprimatur, iterumque expressus liquor ebulliat quinquies, & adiectâ Cerâ & oleo Amygdalino dulci f. Emplast.

EMPLASTRVM DE CRVSTA PANIS.

℞ Mastiches,
Menthæ,
Spodij,
Corallij rubri,
Santalorum omnium, ana drachmam vnam.
Crustæ Panis tostæ, infusæ in aceto Rosaceo, per mediam horam vncias duas.
Olei Mastichini,
Cydoniorum, ana vnciã.
Ceræ vncias duas.
Styracis liquidæ,
Ladani, ana drachmas tres.
Farinæ Hordei q.s.

Misce, fiat Emplastrum secundùm artem.

EMPLASTRVM è CYMINO.

℞ Semin. Cymini,
Baccarum Lauri, ana libram vnam.
Resinæ Pini libras duas.
Communis libras tres.
Olei Anethini selibram.
Ceræ libram vnam.

Misce, fiat Emplastrum.

DIACHYLON SIMPLEX.

MES.

℞ Mucilaginis Fœnugræci,
Sem. Lini,
Radic. Althææ, ana libram vnam.
Olei veteris clari, libras tres.
Lithargyri libram vnam semis.

Lithargyrus tenuissimè teratur, & cum Oleo subigatur, posteà igne lento coquatur, spatha semper agitando, donec probè permixta sint: ab igne deposita paulatim frigescant: posteà mucilagines affundantur, permiscentur & decoquantur ad iustam crassitiem secundùm artem.

DIACHYLON IREATVM

Adde Pulueris Ireos vnciam vnam singulis libris Diachyli simp. & erit Ireatum.

DIACHYLON MAGNVM.

MES.

℞ Lithargyri auri tenuissimè pulueriſati libram vnam.
Olei Irini,
Anethini,
Chamæmelini, ana vncias octo.
Mucilaginis Radic. Althææ,
Sem.

Sem. Lini,
Fœnugræci,
Vuarum paſſarum,
Caricarum pinguium,
Icthyocollæ,
Succi Ireos,
Scillæ,
Oeſypi, vel Olei ex pedibus Ouillis, ana drachmas duodecim ſemis.
Terebinthinæ vncias tres.
Reſinæ Pini,
Ceræ flauæ, ana vncias duas.
Miſce: fiat Emplaſtrum ſ. a.

DIACHYLON MAGNVM CVM GVMMI EX *RENODAEO.*

℞ Bdellij,
Sagapeni,
Ammoniaci, ana vnciam vnam.

Diachyli magni maſſæ addantur Vino diſſoluta priùs, colata, & ad mellis craſſitiem cocta: & ſic fit Diachylon cum gummi.

DIACHYLON COMPOSITVM, Siue EMPLASTRVM DE MVCILAGINIBVS. *MES.*

℞ Mucilaginis Radic. Althææ,
Sem. Lini.
Fœnugræci,
Cortic. Mediani Vlmi, ana vncias quatuor ſemis.
Olei Chamæmelini,
Liliorum,
Anethini, ana vnciam vnam ſemis.
Ammoniaci,
Galbani,
Opopanacis,
Sagapeni, ana vnciam dimidiam.
Ceræ nouæ vncias viginti.
Terebinthinæ vncias duas.
Croci drachmas duas.
Vino ſoluantur Gummi,
Fiat Emplaſtrum ſ. a.

DIAPALMA Seu DIACHALCITEOS, *GALENI.*

℞ Axungiæ Porcinæ inſulſæ, vetuſtæ, à membranis purgatæ, libras duas.
Olei veteris,
Argenti ſpumæ, (i.) Lithargyri, tritæ, & cretæ, ana libras tres.
Chalcitidis vſtæ, læuigatæ, ſeu Vitrioli albi vſti, & pulueriſati vncias quatuor.

Conficitur autem in hunc modum.

Primùm Lithargyrum tenuiſſimè læuigatum lento igne cum oleo, & axungia diutiſſimè coquunt, ac nutriunt ſemper agitando ridicu-

lâ, ſeu ramo Palmæ, vel aliûs arboris aſtringentis, vt Quercus, Buxi, vel Meſpili, qui recenter ſit inciſus, atque vt ſpatulæ vis medicamentoſa meliùs Emplaſtro communicetur, eius extremitatem ſubinde præſcindunt, & ſuperficiem abradunt, ad humiditatem vſque natiuam: mixturæ ſic coctione & agitatione incraſſatæ, & igni ſubſtractæ Vitriolum album, Chalcitidis veræ penuriâ, pulueriſatum injiciunt & ſubigunt, ſicque maſſam habent laudabilem pro Emplaſtro.

EMPLASTRVM DIAPHOENICON CALIDVM, MES.

℞ Ceræ vncias duas.
Olei Roſacei,
Nardini, ana vncias quatuor.
Simul liquentur, deinde
℞ Dactylorum ſiccorum numero quadraginta.
Panis biſcocti vnciam vnam.
Macerentur in Vino odorato per biduum, deinde
℞ Carnis Cydoniorum in Vino rubro coctorum vnciã vnam.
Contundatur & permiſceatur ſuperioribus; & adde ſequentia in mortario benè contuſa.
℞ Maſtiches.
Thuris,
Abſinthij Romani, ana drachmas duas ſemis.
Ligni Aloes,
Macis,
Myrrhæ,
Aloes lotæ,
Spicæ Nardi,
Acaciæ,
Galliæ Moſchatæ.
Trochiſcorum Ramich,
Calami Aromatici, ana drachmam vnam.
Ladani drachmas duas.
Miſce, & fiat Emplaſtrum ſ. a.

DIAPHOENICON FRIGIDVM, MES.

℞ Dactylorum maturitati proximorum in Vino auſtero coctorum vncias quinque.
Panis biſcocti vnciam vnam.
Carnis Cydoniorum in Vino auſtero coctorum vnciam vnam.
Styracis Calamitæ,
Maſtiches,
Ladani,
Acaciæ,
Omphacij, id eſt, ſucci Vuarum immaturarum.
Flor. Labruſſæ, vel Vitis ferentis vuas acidas vel auſteras.
Roſarum rubrarum,
Santali Citrini,
Trochiſcorum Ramich,
Myrrhæ

Myrrhæ,
Ligni Aloes, ana vnciam dimidiam.
Ceræ vncias quatuor.
Terebinthinæ aquâ Roſaceâ lotæ vnciam vnam ſemis.
Olei Roſacei vncias decem.
Vini auſteri q. ſ.
Fiat Emplaſtrum ſ. a.

EMPLASTRVM DIVINVM, NICOLAI.

℞ Magnetis vncias quatuor.
Ammoniaci vncias tres, & drachmas tres.
Bdellij vncias duas.
Galbani,
Myrrhæ, an. drachmas decem.
Olibani drachmas nouem.
Opopanacis
Maſtiches,
Ariſtolochiæ longæ,
Viridis æris, ana vnciam vnam.
Lithargyri libram vnam ſemis.
Olei communis libram vnam ſemis.
Ceræ nouæ vncias octo.

Miſce ſ. a. Lithargyrus cum Oleo diù agitetur poſteà coquantur ad ſpiſſitudinem, tum Cera addatur, ea liquatâ, ab igne auferantur, & adjiciantur Gummi in aceto, aut vino diſſoluta, cocta, & colata, deinde puluis Myrrhæ, Maſtiches, Thuris, Ariſtolochiæ, & Magnetis, poſtremò Æruginis, ne diutiùs cocta Emplaſtrum faciat rubrum, & ſic fiat Emplaſtrum ſecundùm

EMPLASTRVM DE GVMMI ELEMI

Pet. Apon. Conciliat. ſec. Vig. Antid. cap. 16.

℞ Gum. Elemi vncias tres.
Reſinæ Pini,
Ceræ puræ,
Ammoniaci vncias duas.
Terebinthinæ tres vncias & mediam.

Vino Maluatico q. ſ. ad conſumptionem Vini coquantur cætera: tum Ammoniacum aceto diſſolutum adjiciatur.

EMPLASTRVM GRACIA DEI. NICOLAI.

℞ Terebinthinæ libram dimidiam.
Reſinæ libram vnam.
Ceræ albæ vncias quatuor.
Maſtiches, vnciam vnam.
Betonicæ, Verbenæ, Pimpinellæ recentium, ana manipul. vnum.

Tuſæ herbæ in vino albo coquantur dum tabeſcant, liquor exprimatur, in quo Cera & Reſina coquantur

quantur ad liquoris consumptionem: ab igne sublatis, Terebinthina permisceatur, & postremò Mastiche in puluerem redacta; & sic fiat Emplastrum, s.a.

EMPLASTRVM GRISEVM DE LAPIDE CALAMINARI.

℞ Lapidis Calaminaris præparati vnciam vnam.
Lithargyri vncias duas.
Cerussæ vnciam dimidiam.
Tutiæ drachmam vnam.
Terebinthinæ drachmas sex.
Ceræ albæ vnciam vnam semis.
Seui Ceruini vncias duas.
Thuris electi drachmas quinque.
Mastiches drachmas tres.
Myrrhæ drachmas duas.
Camphoræ drachmam vnam semis.
Ceræ, & Seui Ceruini, ana q. s.
Confice s. a.

EMPLASTRVM AD HERNIAM. *FERNELII.*

℞ Gallarum,
Nucum Cupressi,
Psidiæ, siue Malicorij.
Balaustiorum,
Acaciæ,
Sem. Plantaginis,
Psyllij,
Nasturtij,
Cupularum Glandium,
Fabarum torrefactarum,
Aristolochiæ longæ, & rotundæ,
Myrtyllorum, ana vnciam dimidiam.
Hæc omnia puluerisentur, & in aceto Rosato macerentur per dies quatuor, deinde torrefiant & exiccentur, tum
℞ Consolidæ maioris & minoris.
Caudæ equinæ,
Glasti,
Scolopendrij, i. Ceterach,
Radic. Osmundæ regalis,
Filicis, ana vnciam vnam.
Thuris,
Myrrhæ,
Mastiches,
Mummiæ, ana vncias duas.
Boli Armeni loti in aceto,
Lapidis Calaminaris præparati,
Lithargyri Auri,
Sanguinis Draconis, ana vncias tres.
Picis Nauales libras duas.
Terebinthinæ vncias sex, vel q. s.
Vt fiat Emplastrum secundùm artem.

EMPLA-

EMPLASTRVM HYSTERICVM, *NICOLAI.*

Præpar. ſec. *RENODAEVM.*

℞ Radic. Biſtortæ libram vnam.
Ligni Aloes,
Santali Citrini,
Nucis Moſchatæ,
Berberis acinorum,
Antheræ, ana vnciam vnam.
Cinnamomi,
Caryophyllorum,
Schœnanthûs,
Flor. Chamæmeli, ana vnciam dimidiam.
Thuris,
Maſtiches,
Aliptæ Moſchatæ,
Galliæ Moſchatæ,
Styracis Calamitæ rubri, ana drachmam vnam.
Moſchi optimi drachmam dimidiam.
Ceræ libram vnam ſemis.
Terebinthinæ libram dimidiã.
Olei Moſchelini vncias quatuor.
Ladani libras quatuor.
Picis Naualis libras tres.

Cerâ cum Pice liquatâ, Ladanum & Terebinthinæ addantur, dein Styrax, poſtremò reliqua trita & creta, & fingatur Emplaſtrum ſecundùm artem.

EMPLASTRVM DE IANVA. Siue DE BETONICA. *NICOLAI.*

℞ Succi Betonicæ,
Plantaginis,
Apij, ana libram vnam.
Ceræ,
Picis,
Reſinæ,
Terebinthinæ, ana libram dimidiam.

In ſuccis Cera, & Reſina lento igne coquantur, & continenter moueantur ad ſuccorum conſumptionem; poſtremò Terebinthina & Pix addantur bone agitando, & ſic fiat Emplaſtrum ſ. a.

EMPLASTRVM DE MASTICHE, *RENODAEI.*

℞ Maſtiches vncias tres.
Boli Armeni in Vino nigro loti vnciam vnam ſemis.
Roſarum rubrarum drachmas ſex.
Scobis Eboris,
Corallij rubri, ana vnciam dimidiam.
Terebinthinæ vncias duas.
Ceræ flauæ,
Olei Myrtillorum, ana libram dimidiam.

fiat

fiat Emplastrum s. a. addendo
Colophoniæ, vel Tacamahacæ,
Ladani, ana vncias duas.

EMPLASTRVM DE MELILOTO.
MES.

℞ Florum Meliloti vncias sex.
Flor. Chamæmeli,
Sem. Fœnugræci,
Baccarum Lauri,
Radic. Althææ,
Maioranæ,
Com. Absinthij, ana drachmas tres.
Sem. Apij,
Cardamomi,
Ireos,
Cyperi,
Spicæ Nardi,
Casiæ ligneæ,
Sem. Ammeos, ana drachmam vnam semis.
Ammoniaci drachmas decem.
Styracis calamitæ,
Bdellij, ana drachmas quinque.
Terebinthinæ vnciam vnam semis.
Ficuum pinguium numero duodecim.
Seui Hircini,
Resinæ, ana vncias duas semis.
Ceræ vncias sex.
Olei Sampsuchini,
Nardini, ana q. s.
Tum ℞ Meliloti noui, & Fœnugræci, & Chamæmeli, ana q. s. & coquantur in aquæ libris duabus ad medias, deinde in colaturam immissis triturandis subtilissimè pulueriſatis cum radicibus & ficubus coctis & cribratis, rursum coquantur optime semper mouendo, ne comburantur, & additis Oleis, Terebinthinâ, Cerâ, Seuo, & Resinâ simul liquatis, gummisque in aceto dissolutis, fiat Emplastrum secundùm artem.

EMPLASTRVM DE MINIO COMPOSITVM,
VIGONIS.

℞ Olei Rosacei odorati libram vnam semis.
Olei Myrtini,
Vnguenti Populei, ana vncias quatuor.
Pinguedinis Gallinæ vncias duas.
Seui Castrati, i. Veruecis.
Vaccini, ana libram dimidiam.
Axungiæ Porcinæ vncias septem.
Lithargyri Auri,
Argenti, ana vncias tres semis.
Cerussæ vncias quatuor.
Minij vncias tres.
Terebinthinæ vncias decem.
Ceræ q. s.

fiat

fiat Emplastrum s. a. tendens ad nigredinem.

ALIVD DE MINIO SIMPLICIVS, LONDINENSIVM.

℞ Minij vncias nouem.
Olei Rosarum rubrarum libra vnam semis.
Aceti vini albi vncias sex.
Coquantur in perfectam Emplastri consistentiam.

Paratur etiam sine aceto in hunc modum.

℞ Minij libram vnam.
Olei Rosacei libram vnam semis.
Ceræ libram dimidiam.
fiat Emplastrum s. a.

EMPLASTRVM ISIS EPIGONI Gal. comp. med. gen. l. 5.

℞ Ceræ luteæ drachmas centum.
Terebinthinæ drachmas ducentas.
Squamæ Æris rubei,
Ærugimis rasæ,
Aristolochiæ rotundæ,
Thuris,
Salis Ammoniaci,
Guttæ Ammoniacæ,
Æris vsti, ana drachmas octo.
Aluminis combusti drachmas sex.
Aloes,
Myrrhæ,
Galbani, ana sesquiunciam.
Olei antiqui libram vnam.
Aceti acris q. s.

Metallicis Aceto sub Sole dissolutis, mox affunduntur liquabilia, deinde pulueres; demum ex omnibus fiunt magdaleones.

EMPLASTRVM DE MASTICHE, *NIC. AL.*

℞ Masticbes,
Picis naualis,
Sagapeni,
Ceræ, ana drachmas sex.
Ammoniaci,
Terebinthinæ,
Colophoniæ,
Croci,
Aloes,
Thuris,
Myrrhæ, ana drachmas tres.
Opopanacis,
Galbani,
Styracis calamitæ,
Aluminis (Rondeletius substituit, & nos ex eo) Bituminis,
Fœnugræci, ana drachmas duas
Comphitæ, i. fæcis Styracis liquidæ, &

Bdellij,

Lithargyri, ana ſemidrachmã. Lithargyrus in puluerem redactus cum ſufficienti aqua decoquatur, deinde Pix, quâ liquefactâ, adde Ceram, Ammoniacum, poſteà Sagapenum; Opopanax, Galbanum infundantur & liquentur, & percolata injiciantur: mox Styracem, Comphittã, Terebinthinam ſpatulâ miſce: poſtremò Colophoniæ, Maſtiches, Thuris, Bdellij, Aluminis, Myrrhæ, Fœnugræci pulueres paulatim inſperge: coquatur: coctum in aqua fundatur, & forma magdaleones.

EMPLASTRVM MHTROПROПTΩTIKON.

℞ Maſtiches vnciam vnam cum ſemiſſe,
Galbani purioris in Vino rubro diſſoluti, & à fœcibus poſt colaturam expurgati, drachmax ſex.
Terebinthinæ Cypriæ drachmas duas.
Nucum Cupreſſi,
Gallarum, ana ſeſquidrachmam.
Olei Nucis Moſchatæ per expreſſionem, drach. vnam.
Picis ex nauibus vetuſtis deraſæ drach. duas cum ſemiſſe.
Moſchi grana duo cum ſemiſſe.
Contundantur leuiter Maſtiche, Pix, Galbanum, & Terebinthina, cum calido piſtillo in mortario calido, ſub finem admiſcendo Nucis Moſchatæ Oleum. Tum demum per vices adjiciantur pulueres, nec nonMoſchus ſuper marmore cum modico Olei Maſtichini diſſolutus, & poſt exactam miſtionem fiat Emplaſtrum.

EMPLASTRVM NIGRVM, AVGVSTAN.
STICHPFLASTER.

℞ Colophoniæ,
Reſinæ,
Picis naualis,
Ceræ albæ,
Vitrioli Romani,
Ceruſſæ,
Olibani,
Myrrhæ, ana vncias octo.
Olei Roſacei vncias ſeptem.
Ol. Iuniperi ex granis vncias tres.
Ol. Ouorum vncias duas.
Ol. De Spica vnciam vnam.
Vitrioli albi,
Corallij rubri,
Mumiæ, ana vncias duas.
Terræ ſigillatæ,
Maſtiches,
Sang. Draconis, ana vnciam vnam.
Adipis Ardeæ vnciam vnam.
Thymalli vncias tres.
Lap. Magnetis præpar. vncias duas.
Lumbricorum præparatorum,

Cam-

Camphoræ, ana vnciam vnam.
Fiat Emplastrum ſ. a.

EMPLASTRVM NERVINVM, *VIGONIS.*

℞ Olei Chamæmelini,
Roſacei, ana vncias duas.
Olei Maſtichini,
Terebinthini,
Lini, ana vnciam vnam ſemis.
Terebinthinæ coctæ vncias quatuor.
Seui caſtrati Vituli,
Hircini, ana vncias duas ſemis.
Herbarum Roriſmarini,
Betonicæ,
Caudæ Equinæ,
Centaurij minoris, ana manip. vnum.
Vermium terreſtrium lotorũ & purgatorum in vino vncias tres.
Hyperici fol. & ſem. eius, ana manipul. vnum.
Maſtiches pulueriſatæ,
Gummi Elemi, ana drachmas decem.
Radicũ Rubiæ tinctorũ drachmas decem.
Picis naualis,
Reſinæ, ana vnciam vnam ſemis.
Lithargyri Auri,
Argenti, an a vncia duas ſemis.
Minij vncias duas.
Galbani,
Sagapeni,
Ammoniaci, ana drachmas tres.

Coquantur Herbæ, Radices, & Vermes in Vini libra vna ſemis ad medietatis conſumptionem, deinde exprimantur, & expreſſum bulliat iterum cum Oleis, Seuis, Lythargyro, & Minio ad Vini conſumptionẽ: deinde adde Gummi in Vino odorifero diſſoluta: poſtremò Terebinthinam, Reſinam, Picem, & Maſtichem in puluerem redacta, & fiat Emplaſtrum ſecundùm artem.

EMPLASTRVM OXYCROCEVM, *NICOLAI.*

℞ Croci,
Picis Naualis,
Colophoniæ,
Ceræ, ana vncias quatuor.
Terebinthinæ,
Galbani,
Ammoniaci,
Myrrhæ,
Olibani,
Maſtiches, ana vnciam vnam drachmas tres.

Modus conficiendi hic ſit; Cera, Colophonia, & Terebinthina ſimul liquentur; auferendo ab

igne: mox Picem puram adde, dū adhuc feruet; tum Galbanū, Ammoniacum, Thus, & Myrrham dissoluta in aceto, injice: posteà Mastichem in puluerem redactam & Crocum pulueriſatum in aceto probè humectatum: & ſic fiat Emplaſtrum ſ. a.

VIGONIS OXYCROCEVM (in quo nil Croci) præſtantius
NOR. AVG.

℞ Ol. Myrtini,
Roſacei,
Omphacini, ana ſeſquilibrā.
Succi Rad. Althææ, libras duas.
Rad. & fol. Fraxini,
Conſolidæ minoris,
Fol. Myrti, ana manipulum.

Omnia priùs aliquantulum contuſa bulliant in Vino nigro, q. ſ. ad conſumptionem medietatis, cum

Myrrhæ,
Thuris, ana ſemunciâ.

Colentur inde Fortiter: addantur colaturæ

Seui Hircini ſelibra,
Terebinthinæ vnciæ duæ,
Maſtiches vncia.

Iterum cum prædictis Oleis bulliant, ad conſumptionem decoctionis. Colentur poſtmodùm addendo

Lithargyri Auri,
Argenti, ana vncias tres.
Boli Armeni,
Terræ Sigillatæ, ana vncias duas.
Minij drachmas decem.

Coquantur igne lento, & cum Cera noua ſufficiente, ſemper agitando, fiat Emplaſtrum.

EMPLASTRVM DE RANIS.
VIGONIS.

℞ Olei Chamæmelini,
Anethini,
Spicæ,
Liliorum, ana vncias duas.
Olei de Croco vnciam vnam, vide pag. 132. col. 2.
Axungiæ Porcinæ libram vnā.
Pinguedinis Vituli libram dimidiam.
Euphorbij drachmas quinque.
Thuris drachmas decem.
Olei Laurini vnciam vnā ſemis.
Adipis viperæ, vel (eius defectu) Colubri, vncias duas ſemis.
Ranarum viuentium numero ſex.
Lumbricorum in vino lotorū vncias tres ſemis.
Succi Radic. Ebuli,
Enulæ, ana vncias duas.
Schœnanthūs,
Stœchados,
Artemiſiæ, ana manipul. vnum.
Vini odoriferi libras duas.
Lithargyri Auri libram vnam.
Terebinthinæ claræ vncias duas.

Ceræ

Ceræ flauæ q. ſ.
Styracis liquidæ vnciam vnam ſemis.
Argenti viui ſaliuâ hominis ieiuni, vel ſucco Limonum extincti, vncias quatuor.

Modus conficiendi hic ſit.

Coquantur ſimul Ranæ, Lumbrici, & herbæ cum ſuccis, & oleis Chamæmeli, Anethi, Liliorũ, Axungiâ, pinguedine, & librâ vnâ ſemis vini odorati; Colaturæ adde Lithargyrũ, Ceræ vncias quatuor, & reſiduum Vini(i)librã dimidiã. Coquantur ſimul ad conſumptionem totius Vini, & dum digitis non adhæreat, tum adde Oleum de Croco, Laurinum de Spica, & Adipem: poſteà puluerem Thuris & Euphorbij, poſtremò Argẽtum viuum probè commixtum cum Styrace liquidâ, & Terebinthina, ſimul omnia cum ſpatula agitando vt ſimul incorporentur. Cauendum tamen ne imponatur Argentum viuum, cum nimis feruet Maſſa, ne euolet.

EMPLASTRVM SANCTVM *ANDR.* à CRVCE.

℞ Reſinæ Pini rec. claræ odor. vncias duodecim.
Olei Laurini puri,
Terebinthinæ optimæ, ana vncias duas.
Gum. Elemi tranſparentis, grauis, vncias quatuor.
Reſina & Gummi in caciola ænea, ſuper ignem clarum debilem, aſſiduò rudiculâ arundineâ, vel ſpatulâ æneâ coagitentur, donec liqueſcant. Inde addantur Laurinum & Terebinthina, iterum parum bulliant, mouendo itidem. Cum incraſſatum, per ſtamineam, aut tamiſium percoletur: quod extillauerit, in vaſe vitreato terreo operto aſſeruetur.

SPARADRAPVM Seu TELA *GALTERI* ex *RENOD.*

℞ Olei Roſacei libram dimidiam.
Seui Arietini vncias quatuor.
Ceræ vncias decem.
Lithargyri,
Reſinæ Pini,
Thuris,
Maſtiches, ana vncias duas.
Boli Armeni,
Farinæ volatilis, ana vnciam vnam.

Coquantur ſimul Oleum, Seuum, & Lithargyrus, donec Lithargyrus ſit incorporatus; deinde ex arte fiat Emplaſtrum, in quod adhuc liquatum & calidum, tela parùm attrita immergatur.

EMPLASTRVM ΣΤΕΦΑΝΙΑΙΟΝ.

℞ Ladani ſemunciam.
Styracis calamitæ gummoſæ & colatæ,

Sandaracæ Arabum, i. gummi Iuniperi, ana drachmas duas.
Succini,
Terebinthinæ Cypriæ, ana drachmam vnam.
Coralliorum rub.
Mastiches, an. semidrachmam.
Florum Saluiæ,
Rosarum rubrarum,
Iridis Florentinæ, ana scrupulũ.
Resinæ, ex aqua Rosacea lotæ semunciam.

Resina, Ladanum, & Mastiche, cum Styrace, Sandaracâ & Terebinthinâ, in mortario calido leuitèr contundantur, eò vsque s. a. cum pistillo calido (Vini rub. guttas aliquot aspergendo) donec inuicem coiuisse videantur: Tum demùm Pulueres per vices immittantur, ità vt diligenti agitatione continuò factâ, ex omnibus exactè commixtis fiat Emplastrum.

EMPLASTRVM SINE PARI,

ANONYMI ex manuscripto excerptum.

℞ Thuris Libani,
Bdellij,
Styracis gummosæ, ana drachmas tres.
Ammoniaci,
Galbani, ana drachmam vnam cum semisse.
Picis naualis drachmas sex.
Medullæ Ceruinæ,
Adipis Gallinæ,
Anseris, ana drachmas duas.
Sulphuris viui ex lacte loti,
Pulueris Hermodactylorum, ana sesquidrachmam.

Dissoluantur Gummi in Vino albo tenui (non autem in aceto, quod neruosis & membranosis partibus est inuicem) & cum Olei Rosati completi partibus duabus, Olei Ouorum parte vna, & Olei Terebinthinæ modico fiat s. a. Emplastrum.

STICTICVM PARACELSI.

℞ Olei oliuarum vncias sex.
Ceræ vnciam vnam semis.
Lithargyri triti vncias quatuor semis.
Ammoniaci,
Bdellij, ana vnciam dimidiam.
Galbani,
Opopanacis,
Olei Laurini,
Lap. Calaminaris,
Aristolochiæ vtriusque.
Myrrhæ,
Thuris, ana drachmas duas.
Resinæ abietis, vel Terebinthinæ puræ vnciam vnam.

Oleum, Cera, & Lithargyrus simul coquantur, dum digitis non adhæreant; deinde massa ab igne remota paulùm frigescere sinatur addendo gummi dissoluta in aceto Vini albi, quod recoquendo euaporet,

euaporet; & coletur ſtrenuè, poſtremò pulueres & Terebinthinã & Oleum Laurinum adjice, & fiat Emplaſtrum ſ. a.

EMPLASTRVM STOMACHICVM, MESVE.

℞ Ligni Aloes,
Abſinthij,
Gummi Arabici,
Maſtiches,
Cyperi,
Coſti,
Zingiberis, ana vnciam dimidiam.
Calami Aromatici,
Olibani,
Aloes, ana drachmas tres.
Caryophyllorum,
Macis,
Cinnamomi,
Spicæ Nardi,
Nucis Moſchatæ,
Galliæ Moſchatæ,
Schœnanthûs, ana drachmam vnam ſemis.

Excipe Miuâ Cydoniorum, & fiat Emplaſtrum, vſus tempore extendatur ſuper pannum, & ſuffumigetur ligno Aloes, & ſuperponatur ſtomacho.

EMPLASTRVM STOMACHICVM MAGISTRALE.

℞ Menthæ,
Abſinthij,
Stœchados,
Fol. Lauri, ana drachmam vnam:
Maioranæ,
Roſarum rubrarum,
Santali Citrini, ana drachmas duas.
Calami Aromatici,
Ligni Aloes,
Florum Lauendulæ,
Nucis Moſchatæ,
Cubebarum,
Galangæ,
Piperis longi,
Macis, ana drachmam vnam.
Maſtiches drachmas tres.
Caryophyllorũ drachmas duas ſemis.
Olei Menthæ vnciam vnam ſemis.
Olei Nardini vnciam vnam.
Olei Spicæ drachmam vnam.
Reſinæ,
Ceræ, ana vncias quatuor.
Ladani vncias tres.
Styracis liquidæ vnciam ſemis.

Fiat Emplaſtrum.

DE

DE CERATIS.

CERATVM AMMONIACVM.

℞ Ammoniaci dissoluti in aceto vnciam vnam.
Vng. Dialthææ,
Empl. de Meliloto, ana semunciam.
Furfuris Frumenti optimi cribrati vnciam.
Pulu. radic. Bryoniæ sicc.
Ireos sicc. ana semunciam.
Pinged. Anatis,
Anseris,
Gallinæ, ana drachmas tres.
Olei Irini sesquiunciam.
Bulliant leuiter in mucilaginibus Sem. Lini.
Fœnugræci, ana q. s.
Adde Ceræ vncias quatuor.
Fiat Ceratum s. a.

CERATVM DE GALBANO.

℞ Galbani præparati vnciam vnã semis.
Asæ fœtidæ vnciam dimidiam.
Sem. Dauci scrupulum vnum.
Myrrhæ rubeæ drachmas duas.
Bdellij drachmam vnam.
Matricariæ,
Artemisiæ, ana drachmam dimidiam.
Gummi dissoluantur in aceto, & fiat Ceratum s. a. addita Ceræ q. s.

CERATVM OESYPATVM, *GALENI.*

℞ Oesypi vncias decem.
Olei Chamæmelini,
Irini, ana libram dimidiam.
Ceræ flauæ libras duas.
Resinæ libram vnam.
Mastiches.
Terebinthinæ, ana vnciam vnam.
Spicæ Nardi drachmas duas semis.
Croci drachmam vnam semis.
Ammoniaci vnciam vnam.
Styracis Calamithæ vnciam dimidiam.
fiat Ceratum s. a.

CERATVM SANTALINVM, *MES.*

℞ Rosarum drachmas duodecim.
Santali rubri drachmas decem.
Santali

Santali albi,
citrini, ana drachmas ſex.
Boli Armeni drachmas ſeptem.
Spodij ex Ebore drachmas quatuor.
Camphoræ drachmas duas.
Ceræ albæ lotæ drachmas triginta.
Olei Roſacei vncias ſex.
fiat Ceratum ſ. a.

CERATVM STOMACHICVM, *GALENI.*

℞ Roſarum rubrarum,
Maſtiches, ana drachmas viginti.
Fol. Abſinthij ſicc. drachmas quindecim.
Spicæ Nardi drachmas decem.
Ceræ mundæ vncias quatuor.
Aquæ Roſaceæ q. ſ.
Olei Roſati libram vnã ſemis.
& ſic Vnguenti inſtar liqueſcit & fluit ad extrema. tum adde
Olei Roſati vncias octo.
Ceræ vncias quatuordecim.
Pulueres vt ſupra (præter Maſtichem quæ liquatur Oleo Roſato.)

EMPLASTRVM à NOSTRATIBVS, FLOS VNGVENTORVM DICTVM.

℞ Reſinæ,
Reſinæ Pini,
Ceræ,
Seui ouini, ana libram dimidiã.
Olibani vncias quatuor.
Terebinthinæ vncias duas ſemis.
Myrrhæ,
Maſtiches, ana vnciam vnam.
Caphuræ drachmas duas.
Vini albi libram dimidiam.
Coque ſimul in formam Cerati.

OLEA

OLEA CHYMICA.

OLEA EX HERBIS.

OLEVM ABSINTHII.

℞ Abſinthij ſicci libram vnam.
Aquæ fontanæ libras viginti.
Macerentur per horas viginti quatuor, & fiat diſtillatio per Alembicum magnum cum ſuo Refrigeratorio. Oleum cum aqua extrahes, quod ſeparabis per infundibulum. Aqua, quæ exſtillârit, ab Oleo ſeparata ſeruetur ad nouam diſtillationem.

Eodem modo parantur,

Olea Ex floribus Chamæmeli,
Chelidonij,
Hyſſopi,
Lauendulæ,
Maioranæ,
Menthæ,
Naſturtij,
Origani,
Pulegij,
Roſarum,
Roriſmarini,
Rutæ,
Sabinæ,
Saluiæ,
Satureiæ,
Thymi,
Verbaſci,

Et ex omnibus aliis floribus, & herbis calidis.

OLEA EX SEMINIBVS.

OLEVM SEM. ANETHI.

℞ Semin. Anethi contuſorum libras duas.
Aquæ fontanæ libras ſedecim.
Macerentur

Macerentur per viginti quatuor horas, deinde distillentur per Alembicum magnum cum suo refrigeratorio, extrahes Oleum, & aquam, quod separabis per infundibulum.

Eodem modo paratur

Oleum ex Seminibus { Anisi, Carui, Cymini, Dauci, Fœniculi, Frumenti, Petroselini, Rutæ, Saxifragiæ, &c.

OLEA EX BACCIS.

OLEVM EX BACCIS IVNIPERI.

℞ Baccarum Iuniperi recentium libras quinquaginta.

Contunde & pone in vase ligneo cum aquæ libris viginti quatuor. Addendo fermenti acrioris libram vnam: stent in Cellario, benè clauso vase, per tres menses: deinde distillentur per Alembicum cum conuenienti quantitate aquæ, post separationem Olei, reserua aquam, ad aliam distillationem.

Eodem modo fit,

Oleum ex Baccis { Hederæ, Lauri,

OLEA EX AROMATIBVS.

OLEVM CINNAMOMI.

℞ Cinnamomi contusi libras quinque.
Aquæ fontanæ libras quinquaginta.

Macerentur per horas viginti quatuor, & distillentur per Alembicum magnum cum refrigeratorio.

Eodem modo paratur

Oleum { Caryophyllorum, Macis, Nucis Moschatæ, Piperis,

OLEA EX CORTICIBVS.

Olea ex Corticibus siccis,
Aurantiorum,
Citri,
Limonum,

Parantur eodem modo, quo Olea ex Herbis.

EX

EX LIGNIS.

OLEVM EX GVAIACO.

Oleum ex ligno Guaiaco fit per retortam in reuerberatorio clauso: separetur tenuior & suauior pars à fœtidiore, crassiore; & rectificetur cum Sale, vel Tartaro calcinato, vel Colcothare, vel arena. Eodem modo fit Oleum è Buxo, Quercu, & aliis lignis solidioribus.

EX LIGNO SASSAFRAS.

Oleum Sassafras fit sicut Oleum Cinnamomi: Et sic fit

Oleum ex Ligno Rhodio,
Iuniperi,
Rorismarini,
Hederæ.

OLEA EX FVSILIBVS.

OLEVM CERÆ.

℞ Ceræ flauæ libram vnam.
Liqua, & adde pulueris Tegularum libras tres.

Misce, & pone in retortam, & extrahe Oleum igne conuenienti, rectificetur per retortam sine tegulis, additâ aquâ: Conueniens ignis est, qui primò extruitur supra retortam vsque dum exibilare desierit, dein infra retortam: Et hoc modo parantur

Olea ex Pinguedinibus.

OLEA EX GVMMIS ET RESINIS.

OLEVM MYRRHÆ.

℞ Myrrhæ contusæ libras sex.
Aquæ fontanæ libras triginta.
Salis nigri libras sex.

Misceantur, & distillentur per Alembicum.

OLEVM TEREBINTHINÆ.

℞ Terebinthinæ Venetæ libras viginti octo.
Aquæ communis libras nonaginta sex.

Imponantur in vas cupreum amplum cum suo cooperculo, & refrigeratorio: sic exstilletur Oleum tenue, & album, & in fundo restabit Colophonia, si ignis augeatur. Oleum istud album, instar aquæ, commodè extrahetur sine empyreumate in B. M. in vase vitreo; si verò flauum & rubrum velis, opus est validiori igne, vt cinerum aut arenæ sine aqua in vase vitreo.

OLEVM

OLEVM BALSAMI
Pet. Apon. Concil.

℞ Myrrhæ,
Aloes,
Spicæ Nardi,
Sanguinis Draconis,
Thuris,
Mumiæ,
Opopanacis,
Carpobalſami, vel cubebarum,
Bdellij,
Ammoniaci,
Sarcocollæ,
Croci,
Maſtiches,
Gummi Arabici,
Styracis liquidæ, ana drachmas duas.
Ladani,
Caſtorei, ana drachmas duas ſemis.
Moſchi ſemidrachmam.
Terebinthinæ ad pondus omnium.

Terenda terantur, miſceantur omnia, & diſtillentur in Alembico ſecundùm artem.

OLEVM LATERICVM, PHILOSOPHORVM quod dicitur, DIVINVM SANCTVM, MAGISTERII,
MES.

℞ Lateres è terra rubente antiquatos, in fruſta comminutos ad pomi magnitudinem; quæ fruſtula in prunis ignita tota excandeſcant; exempta extinguantur oleo Roriſmarini, vel claro veteri, dum ſe impleuerint: exempta iterum terantur tenuiſſimè. Puluis in vitream iniiciatur Retortam ſeu Cucurbitam, fornaci ritè adaptatam, luto concluſam chymico, per ſublimationem diſtillandus. Oleum eliciatur prunis, excipiatur phialâ ſubiectis: & quo antiquius, eo valentius obſeratum recondatur.

Oleum Liguſtrinum, Cyprinum, ſeu de Alcanna, Meſuæ, Ex florum Liguſtri vnciis quatuor, Olei veteris vnciis decem.

Oleum Liliorum albrum, Ex floribus, & oleo veteri claro, vt Roſaceum, ſed abijciantur vngues crocei.

Et ſimplex è flor. Liliorum Conuallium adſimile.

OLEVM THVRIS.

℞ Thuris q. ſ. pone in retortam: extrahe Oleum igne conuenienti: poſt rectificetur per ſe, vel addito ſale, vel arenâ.

Eodem modo fiunt

Olea { Ammoniaci, Benioini, Carannæ, Gagatis, Maſtiches, Opopanacis, Sagapeni, Styracis liquidæ, Tacamahaccæ, &c.

OLEA EX MINERALIBVS, ET LAPIDOSIS.

OLEVM ANTIMONII.

℞ Antimonij crudi, Mercurij ſublimati, ana libram vnam.

Fiat puluis indendus retortæ vitreæ, cuius collum ſit latum, detur ignis per gradus in reuerberatorio clauſo. Stillabit in vas recipiens pinguedo, cuius pars collo retortæ adhærens ſuppoſito leui igne liquetur. Iſta pinguedo in Alembico paruo rectificetur, vel in retortula, & ſeruetur hoc coagulum; quod ſi liquidum velis, phiala aperta relinquatur in cella, abibit in aquam ſive oleum diligenter aſſeruandum vaſe probè obturato.

OLEVM ARSENICI.

Cryſtallinum Arſenicum (priùs ſublimatũ cum ſolo Colcothare) commiſce cum æquali pondere Salis Tartari, & Salis Petræ: & inter vrceolos duos (quorum ſuperior ſit perforatus) calcinentur, vſq; dum nullus fumus aſcenderit. Materiam ſic calcinatam in aqua calida ſolues, vt inde Salem extrahere poſſis; puluerem, qui ſubſiderit, imbibe liquore Tartari, & exicca ad ignem; idque ter facias. Rurſus materiam in calida diſſolue, vt Salem eximas; & remanebit puluis candidiſſimus, & fixus; qui in loco humido ſoluetur in oleum pingue butyri inſtar.

OLEVM SALIS.

℞ Salis nigri Gallici (calore Solis, non vi ignis, facti) quantum vis.

Exiccetur ſupra ignem, cui adde

Terræ luteæ calcinatæ tantundem.

Contundantur ſimul in Mortario, priuſquam penitus refrixerint, deinde impleatur retorta cum collo longiori, benè lutata, & ponatur in fornace anemia, cum recipiente capaci benè lutato cum argilla temperata: ignem auge per gradus

gradus, & intra duodecim vel quatuordecim horas habebis Oleum in recipiente: vbi fornax refrixerit, & fumi probè sedati fuerint, effunde oleum; & seruetur in vase optimè clauso, ne aeris vim sentiat: Et rectificetur à phlegmate.

Melius parabitur Oleum Salis, si Sal fusus dissoluatur in aqua pluuia, atq; ex his paretur muria, quæ supernatãs ouum sustineat, deinde Laterum candentium frustula in ista muria extinguantur, donec salsus liquor planè absorbeatur, terantur lateres crassiusculè; indatur puluis retortæ luto exactissimè obductæ tenaci, & detur ignis apertus ad summum gradum vsque & rectificetur à phlegmate.

OLEVM SVCCINI.

℞ Succini flaui vncias duodecim,

Fiat puluis cui in phiala ampla vel retorta affunde tantundem aceti vini albi acerrimi, digerantur in fimo per octiduum, mox addito arenæ siccissimæ vel silicum fluuiatilium in puluerem tritorum duplo per retortam fiat distillatio in arena subdito igne per gradus.

Oleum rectificetur ex arena, vel Sale, vel Tartaro calcinato semel, & tandem cum aqua pluuia.

OLEVM SVLPHVRIS.

℞ Campanam vitream sexdecim ad minus librarum capacem (quò enim largior, eò melior) ponatur supra metretam terream, cum tribus, vel quatuor sustentaculis, quibus campana commode aptari poterit; deinde impositâ Sulphuris quantitate sufficienti in ollam terream sic mutinam, vt possit ignis vim sustinere, vratur Sulphur sub campana, superinjiciendo nouum Sulphur, vbi priùs consumptum fuerit; fiat autem hæc operatio in cœlo & loco obscuro, cum nec venti vigent, nec Sol splendet.

Maior habetur Olei quantitas, si vas Sulphur continens fornaculæ imponatur subdito igne, ita vt Sulphur perpetuò sit in fusione. Quidam tigillis Sulphur continentibus, ad fundum vsque indunt ellychnia Sulphure fuso imbuta, quibus accensis flamma non extinguitur.

Paretur autem loco subterraneo, vt in cella, vdo & pluuio cœlo.

Antequam Sulphur accensum campanæ supponatur, suffumigetur campana fumo Saluiæ.

OLEVM TARTARI.

℞ Tartari q. v. imponatur in retortam amplam, eâ proportione

vt tertia pars vasis impleatur, distilletur in arena igne forti, pòst (separato priùs Oleo ab Aqua siue spiritu Tartari) cum multa aqua rectificetur, cuius fœtor aliquatenus corrigetur, si in vase aperto sub dio diù relinquatur, præsertim ad Solem: Quoniam tamen Salis dissoluti liquor vulgò prostat, pro Oleo Tartari ità paretur.

LIQVOR TARTARI, vulgò OLEVM TARTARI dictum.

℞ Tartari vini albi q.s. imple propemodum eo vas terreum non vitratum, in fornace anemia calcinetur per horas duodecim, vbi refrixerit ponatur in Manicam Hippocratis, quæ suspendatur in cella humidiori vt dissoluatur, suppositò recipiente conuenienti. Residuum quod manicæ post solutionem adhæserit, dissoluatur in aqua communi, deinde filtretur, posteaque euaporetur, quoad incipiat assimilari Alumini.

OLEVM VITRIOLI.

℞ Vitrioli Vngatici, vel etiam Angelici optimi q. v. liquetur in cacabo, mox diuidatur in crassiora frusta, quæ impositа prunis vrantur ad flauum vsque colorem ad rubedinem aliquantulùm accedentem. Fiat Puluis irrorandus optimo spiritu vini, ponatur in retortas Wallemburgias, vel similes fictiles ignis patientes, & detur ignis per gradus ad summum vsque, per triduum, donec recipientia, quæ antea tumultuantibus fumis obscurabantur, clara euadant. Liquor stillatitius rectificetur; & separentur ab inuicem, Vini spiritus, Vitrioli spiritus acidulus, & validissimum ac valdè ponderosum Oleum.

AQVA MELLIS.

℞ Mellis puriſſimi libras quatuor.
Arenæ ſiccisſimæ libras duas.

Ponantur in cucurbitam tam capacem, vt materia quintam saltem vasis partem occupet, atque in Balneo phlegma in cineribus paulò intensiore gradu ignis aqua acida flaua proliciatur.

AQVA FORTIS.

℞ Vitrioli exsiccati libras duas: Satis petiæ repurgati libram vnã: tere simul & retortæ optimo Luto Loricatæ impone & colloca in fornace reuerberij, appositoq; recipiente amplo distilla per gradus, spacio viginti horarum: aquam exemptam clarifica cum drachm. 1. argenti s. artem.

PRÆ-

PRAEPARATIONES CHYMICÆ MAGIS VSVALES.

CHALYBS PRÆPARATVS PER INSOLATIONEM.

℞ Chalybem per Magnetem à sordibus repurgatum: humectetur toties aceto vini albi acerrimo, & siccetur ad Solem, donec possit in porphyrite teri in puluerem impalpabilem, affusâ paucâ aquâ Cinnamomi. Sufficiet autem duodecies irrorare, & siccare, mox in mortario ferreo terere, tandem læuigare, & seruetur ad vsum.

CHALYBS PRÆPARATVS PER VSTIONEM.

℞ Chalybem (vt suprà) mundatũ: extinguatur candens duodecies in aceto albo acerrimo, & toties in vino Canarino aut Maluatico generosissimo, siccetur, & (vt supra) tritus in porphyrite cum aqua Cinnamoni læuigetur, & seruetur ad vsum.

CREMOR SIVE SAL TARTARI.

℞ Tartari vini albi, aut Rhenani quantum volueris, teratur subtilissimè, & transmittatur per setacum, puluis abluatur ter quaterve aqua frigida ad eluendas sordes, deinde bulliat in aqua fontis clara, in ampla patina, vel olla fictili vitriata, lento saltem fremitu; spuma prima tollatur. Crustæ autem supernatantes, quæ successiuè concrescẽt in aquæ superficie, postquàm totam superficiem ocupauerint, colligantur cochleari ligneo perforato, & extendantur in charta bibula, Abluantur denuò aquâ frigidâ, siccentur optimè, & in porphyrite leuigentur in Alkool. Seruetur Puluis in ampulla vitrea, & nullum attingat metallum.

CROCVS MARTIS.

℞ Laminas ferri vel Chalybis, quæ candentes aut scintillantes condantur Magdaleone, vel frusto magno Sulphuris, subiectâ pelui aquæ plenâ, fluet instar ceræ ferrum, quod à sulphure separatum teratur in

mortario ferreo in puluerem ſubtiliſſimum. Extendatur puluis in quadratis conchis fictilibus, quæ tranſuerſum digitum altitudine non ſuperent: Pone ad flãmam reuerberij, quæ valido flamine materiam lambat per tres vel quatuor dies; commodiſſimè id fiet in fornace vitrariorum; Materia inſtar ſpongiæ eleuabitur rubicundiſſima, cuius ſuperficies inſtrumento ferreo lato colligatur, reliquum (vt ſupra) ignis flammâ vrgeatur, donec totum ferrum ſit conuerſum in pollinem tenuiſſimum, inſtar farinæ volatilis. Poterit etiam parari ex limatura ferri in igne reuerberij ſine Sulphure.

CROCVS METALLORVM.

℞ Antimonij per longas venas ſcintillantis, Salis petræ puriſſimi, ana partes æquales, reducantur in puluerem ſeorſim, mox commiſceantur; Ponantur in mortarium æneum ferreumue, mox iniectâ prunâ materia incendatur, quæ cum fragore & ſtrepitu exuretur; ſuperponatur (relicto tamen triũ digitorum interuallo) tegula, aut patella ferrea, donec ſtridor ceſſauerit: Materia Matellina inſtar vitri fuſi fuſce rubens ſeparetur à cruſta albicante, & ſeruetur ad vſum: deinde dulcoretur aquâ ſimplici deſtillatâ ter affusâ.

FLORES SVLPHVRIS.

℞ Sulphuris flaui, quod, ſi manibus contrectetur ſtringendo, auribus admotũ crepitat, quantum volueris: teratur cum p.æ. Colcotharis Vitrioli, ex Olei deſtillatione reſidui: ponantur in bocciam oblongam, ſeu veſicam fictilem, ſuperpoſito capitello vitreo ſatis amplo, atque in arena dato igne per gradus, pellantur flores in Alembicum, pede leporino deturbandi.

Subtiliores euadent, ſi denuò cum eadem Colcotharis noui quantitate ſublimentur.

LAPIS INFERNALIS, SEPTICVS.

℞ Lixiuium, è quo Sapo niger coquitur: id ſartagine exceptum, in lapidem vrito. Caueas tamen, ne omnis liquor abſumatur & areſcat. Cum refrixerit, in formam teſſerarum ſcinditur, & vitro rectè obturato ſeruatur.

Aliter.

℞ Vitrioli ad rubedinem calcinati vncias duas.

Salis

Salis Ammoniaci vnciam vnam.
Tartari ad albedinem calcinati, Calcis viuæ, ana vncias tres.
Tritis affundatur Lixiuium Ficulneum, vel Tithymallinum, vel Saponis, sæpiúsque transcoletur, donec materia tota ferè dissoluatur. Colatura coquatur in vase æneo ad liquoris consumptionem: quod relinquitur seruatur in vitro ad vsum.

LAPIS PRVNELLÆ, Seu NITRVM SVLPHVRE, PVRGARVM.

℞ Salis petræ purissimi, & in stirias Crystallinas coagulati libram vnam. Ponatur in crucibulum, vndique admotis & suppositis prunis, non accendetur, sed fluet instar metalli: huic fuso, per frustula (instar minorum auellanarum) injiciantur vnciæ duæ flor. Sulphuris, quod postquam consumptum fuerit, nitrum instar aquæ fluidum effundatur in peluim æneam, & postquàm concreuerit, seruetur in vase vitreo probè clauso, ne subeat aer, cuius appulsu dissoluitur.

MAGISTERIVM PERLARVM ET CORALLIORVM, IN QVO ETIAM SALES EORVM CONTINENTVR.

℞ Perlarum, vel Coralliorum, quantum volueris, terantur, & læuigentur in puluerem subtilissimum; Pulueri affundatur ea quantitas spiritus aceti radicati, quæ supernatet tribus digitis vel quatuor, fiat digestio in cineribus, donec fiat dissolutio; Cessante ebullitione decantetur liquor à corpore, & nouus affundatur ad omnimodam vsq; dissolutionem. Liquor trajiciatur per chartem emporeticam, huic colato affundatur paulatim Oleum Tartari, ex sale per deliquium paratum. Præcipitabitur puluis albus, per inclinationem à dissoluente separandus, & ad dulcedinem, seu incipiditatem aquâ pluuiâ, tandem aquis cardiacis abluendus.

Acetum radicatum fit, si aceti spiritus ex sale marino decrepitato eleuetur in arena.

MERCVRIVS DVLCIS SVBLIMATVS.

℞ Sublimati, præparati cum Sale & Vitriolo vncias duas, Mercurij crudi, purificati cum Sale & Aceto & triti in marmore, sesquiunciam. Teratur Subli-

matum in puluerem tenuiſſimum, quem crudo pòſt exactè admiſcebis, eodem in marmore. His ità mixtis, puluerem impone phialæ pedalis longitudinis. Locetur phiala (gloſſypio obturata) ad eius medietatem in arena tùm primùm adde ignem lentum; dein paulatim prunis accenſis, per gradus ignis augeatur, per ſex horas. Quod ſublimatum aſcenderit in regionem mediam, id colligatur: quod in ſupremam, venenatæ admodùm eſt qualitatis, vlceribus ſolummodò externis aptum: quod reſidet in ima vaſis parte, nulli eſt vſui. In medio quod ſublimatum ſi dulce ſine acrimoniâ, res rectè habet, ſin minùs, ſecundò opus iteretur, Mercurius (vt anteà) iterum ſublimetur, vt viuum crudum aſcendentem ſepares, & ſic deinceps. Nam quò ſæpiùs reiteratur opus, eò perfectius euadit medicamentum.

MERCVRIVS DVLCIS PRÆCIPITATVS.

℞ Mercurij crudi ex Sale marino per retortam pulſi, vel ex Cinnabari vulgari reuiuificati, partem vnam, Aquæ fortis (ex partibus duabus Vitrioli calcinati, & parte vna Salis Petræ deſiccati paratæ partes duas, fiat diſſolutio in phiala ſuper cineribus tepidulis: Paretur muria ex aqua pluuia, & ſalix marini tanta quantitate, quantam ipſa aqua poterit diſſoluere, filtretur, vel per chartam emporeticam agatur: In hanc muriam, quæ ouum immiſſum ſuſtineat, effundatur Mercurij ſolutio: Illicò præcipitabitur puluis albus, ad inſipiditatem abluendus aquâ pluuiâ tepidulâ, deinde etiam aquis cardiacis, & recondendus poſt exiccationem vaſe vitreo.

MERCVRIVS VITÆ.

℞ Oleum Antimonij ex eius & Mercurij ſublimati æquis partibus deſtillatum in pinguedidinem ad aerem in aperto vaſe, diſſolubilem. Projiciatur in aquam puriſſimam, quæ illico lactea euadet, atq; præcipitabitur puluis niueus multiplici ablutione aquæ pluuiæ tepẽtis dulcorandus, & ſeruandus ad vſum.

SACCHARVM SATVRNI.

℞ Minij quantum volueris cui in phiala affunde tantum aceti diſtillati (ſpiritus videlicet ab omni phlegmate ſeparati) quantum ſatis, vt ſupernatet quatuor digitis: fiat digeſtio in B. vel fimo per horas viginti quatuor

quatuor : ſepara acetum dulce, nouumq; affunde toties, donec nulla dulcedo ampliùs extrahahatur. Liquores omnes mixtos in vaſe fictili lapideo non poroſo, quod ignem ferre valeat: impone igne lento, & fiat exhalatio donec in ſuperficie concreſcat pellicula. Vas relinquatur in cella, & quæ congelabuntur Cryſtalli à reſiduo liquore ſeparentur. Liquor iterum exhalet ad pelliculam, & fiat vt ſuprà, donec nullæ ampliùs Cryſtalli concreſcant. Tandem fiat diſſolutio in aqua pluuia diſtillata, filtratio & coagulatio Sacchari Criſtallini dulciſſimi.

SAL VITRIOLI.
Carneus.

℞ Vitrioli Vngarici, vel Anglici quantum volueris : ponatur in Crucibulum amplum circumpoſito igne, donec fiat puluis violaceus, ſiue obſcurè purpureus. Calx iſta Vitrioli per partes projiciatur in phialam amplam vitream, in qua ſit aqua communis deſtillata, continuò agitando baculo, donec aqua, quæ primò valdè incaleſcit, denuò refrigeſcat. Sinantur omnia per horas viginti quatuor; filtretur liquor per chartam griſeam bibulam : tandem in ſcutella vitrea fiat exhalatio ad ſiccitatem, & ſeruetur Sal roſei ſeu carnei Sal vitrioli albus coloris.

Item Vitriolum album diſſoluatur in aqua diſtillata, diſſolutio agatur per filtrum chartaceum, & vel cryſtallizetur vt Plumbi Saccharum, vel per omnimodam exhalationem reducatur in Salem album, ſeu Vitriolum depuratum.

TVRBITH MINERALE.

℞ Mercurij crudi puriſſimi, Olei Vitrioli ab omni phlegmate ſeparati, ana partes æquales : ponantur in phialam, quæ imponatur primò cineribus calidis; deinde pedetentim ipſis prunis, dato igne per gradus, donec totum Vitrioli Oleum abierit in auras, reſtante in fundo vaſis maſsâ albâ, quæ ſeparata à portiuncula Mercurij crudi, projiciatur in aquam diſtillatam, vel pluuiam. Illico flaueſcit, abluatur ſæpiùs aquâ tepidâ ad dulcedinem, mox etiam aquis cardiacis, & ſiccetur.

VI-

VITRVM ANTIMONII.

℞ Antimonij ſplendidi & ſcintillantis quantum volueris: tritum ſubtiliſſimè conjiciatur in vas fictile amplum, & ſuccenſis carbonibus vrgeatur ſub dio continuò agitando rudiculâ ferreâ, donec in glebas concreſcat: tunc iterum teratur in puluerem, fiatque vt ſuprà donec concreſcat iterum, & tamdiu iteretur labor, donec ſplendor omnis euanuerit, vapor nullus eleuetur, & Stibium ſit inſtar cineris albicantis: nullumque edat fumum, puluis in laminam candentem proiectus.

℞ Huius calcis libram ſemiſſem, Boracis, ſeu Chryſocollæ factitiæ ſemunciam: vel accipe Calcis Antimonij vncias tres, Salis gemmæ ſemidrachmam. Ponantur in fictile vas fuſoriũ aurifabrorum, crucibulum dictum, quod tegulâ tectum igni validiſſimo exponatur, donec materia fluat inſtar aquæ: projiciatur in peluim tonſoris, & vitrum hyacinthinum reſeruetur.

TARTARVM VITRIOLATVM.

℞ Liquoris Tartari (vt priùs) præparati vncias quatuor. Olei Vitrioli optimè rectificati vncias duas; illudque guttatim ſuprà Tartari liquorem in vitro capaci inſtilla: ſic fiet coagulum albiſſimum; humiditas ſupernatans euocetur lento calore ad ſiccitatem Salis: & ſeruetur ad vſum.

NEPENTES OPIATVM.

℞ Tincturæ Opij cum aceto diſtillato primò, deinde cum ſpiritu vini paratæ. Extracti Croci per Vini ſpiritum, ana vnciam vnam.

Salis Perlarum & Coralliorum, ana vnciam dimidiam.

Tincturæ Specierum Diambræ drachmas ſeptem.

Ambræ griſeæ drachmam vnam.

Miſce coagula ad form. pilul. lento balnei calore. ves opiatas cõpoſitionis antecellit est ẽ ſingulare nõ ſatis Amodinũ ſed etiã cõfortativũ omnium interiorum viſcerũ ſi vitr. [illegible] atiã huius [illegible] videas apud Joelem. Sib. 10. fol. [illegible]

EXTRAC-

EXTRACTORVM CONFICIENDORVM RATIO.

QVoniam multi Extractorum laudes mirificè prædicant, licèt illa effectui, vti continua exploratum habemus experientia, minimè respondeant, ne aliorum votis penitùs deesse videamur, hîc generalem ipsorum conficiendorum modum & rationem subiungere potiùs, quàm futilem & inutilem hinc inde desumptam Receptorum farraginem congerere,& rudioribus vana ostentatione imponere visum est.

℞ Massæ cuiusuis pilularum, siue specierum, puluerumue quorumlibet, quantum vis: infundantur ista, siue istorum quodlibet, in aquæ stillatitiæ intentioni Medici præscribentis accommodatæ, quantitate sufficienti: stent in calore balnei biduò, aut si duriora fuerint triduò, donec omnis materiæ infusæ tinctura extrahatur: quòd si experiri placuerit, sitne tota educta, primus liquor per manicam Hippocratis transeat, aut chartam emporeticam; affundatur reliquijs liquor nouus, rursus diregendo vt priùs, quo tincto, procedendum est vt anteà. Liquores sic collecti, modo tincti, in balneo M. positi lento

lento calore euocentur; materia in fundo ad mellis consistentiam redacta, reseruetur ad vsum: vt diuturniore tempore maneat humecta. Salis proprij aut alterius idonei momentum adjicere conuenit: videlicet cuilibet vnciæ extracti scrupulos duos vel drachmam dimidiam Salis.

Aquis stillatitiis addi solet, Olei Vitrioli, aut Sulphuris, liquorisue cuiusuis acidi vt Olei Salis, ea quantitas, quæ gustui non futura est ingrata, vt altiùs & expeditiùs in partes rerum solidarum durarumque intimas penetret, & effrænam medicamenti purgantis vim operationemque retundat: his intentionibus Vini spiritus abunde satisfacit, sed eius tum potissimùm vsus est, cum medicamentorum cordialium humidum radicale & primigenium desideramus, vel medicamenta purgantiora fortiora, vel opiata, præparare volumus.

SALIVM

SALIVM EX OMNI GENERE VEGETABILIVM CONFICIENDORVM MODVS.

QVI ex plantis elicitur, sal duplex est: vnus volatilis, qui ignis violentia facillimè discutitur & euanescit, (quem & essentialem vocant) alius fixus, qui ignis intentiorem gradum sustinet, & in cineribus relinquitur.

MODVS CONFICIENDI SALIS VOLATILIS Siue ESSENTIALIS.

Sal volatilis sic paratur,

℞ Plantæ alicuius conuenientis, recentis, & succulentæ amplam satis quantitatem; contunde in mortario ligneo vel lapideo, & affusâ aqua pluuiali depuratâ vel fontanâ clara, multâ, coquatur ad medietatis consumptionem. Decoctum exprime fortiter, & cola. Colaturam iterum coque vsque ad spissitudinem mellis liquidi. Quod reliquum est decocti, ponatur in vase vitreo vel fictili vitreato in locum frigidum per octiduum saltem, & sal crystallinus concrescet in modum salis gemmæ. Effuso decocto colligitur, & propriâ aquâ abluitur, & siccatur. Hoc modo conficitur Sal ex Absinthio, Carduo benedicto,

Artemisiâ, & ex aliis etiam herbis amarulentis facillimè; ex dulcioribus autem non item, vel cum summâ difficultate.

MODVS CONFICIENDI SALIS FIXI Siue ELEMENTALIS.

Salis huius præparandi ratio his quatuor constat,

Calcinatione,
Solutione,
Filtratione,
Coagulatione,

Vt ritè igitur conficiatur, primò omnium cineres albi calcinatione procurandi sunt; vbi tamen cautio sit, ne nimiâ combustione vel in vitrum abeant, vel auolet subtilior pars salis, quod sæpè accidit in calcinatione Cochleariæ, & aliarum etiam eiusdem naturæ plantarum. Deinde ex cineribus (affusâ aquâ clarâ, purâ, ebulliente, donec omnis salsedo extracta fuerit) lixiuium fiat. Lixiuium filtra, & in vase fictili ad carbones lento igne coque vt aqua exhalet, & sal relinquatur, cui depuratio vlterior necessaria est: soluatur igitur denuò, filtretur & demùm coaguletur: repetitâ enim, & crebrâ filtratione, ac solutione sal omnem impuritatem deponit, ac planè albus ac mundus euadit: & hic modus generalis est. Sic enim parantur sales ex herbis, fruticibus, & arborum cuiuscunque generis particulis in cineres albos redactis, quod verum etiam est de partibus animalium calcinatis, & aliquibus etiam lapidibus: sed hæc obiter. Inter sales fixos excellunt, Sal Absinthij, Thymi, Rorismarini, Centaurij minoris, Artemisiæ, Cardui benedicti, Imperatoriæ, Petroselini, Ononidis, Fraxini, Ebuli, Guaici, Bucci, Chamæmeli, Hyperici, Cichorij, Chelidoniæ, Cochleariæ, Betonicæ, Eupatorij, Melissæ, Ceterach, &c.

MEDI-

MEDICAMENTORVM QVORVNDAM PRÆPARATIONES PHARMACOPOEIS APPRIME NECESSARIÆ.

ÆRIS VSTIO.
AVG.

ÆRis bracteæ in fictile immittantur, interpoſito inter ſingulas lamellas Salis communis, aut Sulphuris puluere, atque ſic ſtratum ſuper ſtratum paretur, quod igne vratur ad ſufficientiã; cinis relictus aquâ calidâ ſæpiùs affusâ dulcoretur, qui rubicans euadit à Sale vel nitro, Niger ſi per Sulphur præparetur.

ALOEN ABLVENDI MODVS.

℞ ALoes ſubtiliter tritæ q. v. imponatur in ollam vitreatam cum aquæ bullientis quantitate ſufficienti, vt duobus aut tribus digitis ſupernatet aqua ſpatulâ agitando, vt partes Aloes puriores aquæ commiſceantur, quâ effusâ alia aqua ſuperinjiciatur calida, & ſimiliter agitetur & effundatur, vt ſordes parteſque impuriores ſegregari poſſint, puriſſimæ autem aquæ ſimul collectæ, euaporatione humiditatis redigantur in Maſſam vſui aſſeruandam.

ANTISPODII PRÆPARATIO.

℞ EBoris electi, ſecti in fruſta haud parua q. v. cõburantur in olla vel patina aperta in fornace figulina, donec penitus albeſcant; quæ poſteà, ſubtiliſſimè trita lauentur aquâ Roſacea, (ſint libræ duæ ad lib. 1. eboris)

eboris) & denuò ſiccata abluantur eadem quãtitate roſaceæ, & tertiò, cum Cãphoræ drach. quatuor, in libra roſaceæ diſſolutis; tum lævigata in marmore formentur in Trochiſcos vſui aſſeruandos.

Simili modo ex cornu Cerui fieri poteſt.

BOLI ARMENI PRÆPARATIO.

HVius præparatio à multis Aquâ Roſaceâ perficitur, ab alijs verò Aceto, à nonnullis cum Vino; Bolum autem lævigatum ſoluunt toties, dum ſordes & arenulæ auferantur, dein ſiccatus in aere vel Sole, tectus reponitur.

BRYONIÆ FOECVLA.

℞ RAdicum Bryoniæ q. v. cultello abradantur, & ſuccus prælo forti exprimatur, qui in vaſculis ſine motu detentus poſt paucas horas, fœces albiſſimas inſtar Amyli deponet, ãqua turbida ſupernatante, qua per inclinationem ſeparata, fœces deſiccentur in vitreatis vaſculis.

BVTYRVM MAIALE.

℞ BVtyrum recens ſine ſale ſub menſis Maij medio vel circa finem collectum, imponatur in vas terreum vitreatum latum, & in Sole collocetur, vt vndiquaque liquetur: quod optimè liquatum, dum Sol eſt ferventiſſimus, tranſcoletur per pannum lineum ſpiſſum, & non exprimatur; quod denuò Soli expoſitum; & tandem album factum rurſus coletur, & reſeruetur per totum annum.

CALCIS VIVÆ ABLVTIO.

TRita Calx in catino copioſâ aquâ dulci miſcetur, potiſſimum tempore Canicularium, & multum agitatur, cumque in fundo reſederit, mutatur aqua, ac commiſcetur denuò, atque id repetitur ſepties vel octies, ſingulis vicibus per filtrum colando: tandem Roſacea affunditur, & Calx ſiccata aſſeruatur.

CANCRORVM FLVVIATILIVM VSTIO.

CAncri fluuiatiles viui aſſentur in ænea patella ad ignẽ temperatum

peratum (haud vehementem) posità, donec in tenuissimum puluerem redigi queant: dein puluerisentur, & pulus recondatur in pyxide munda; & seruetur in loco sicco, & hic puluis durat per annum.

LIMATVRÆ CHALYBIS PRÆPARATIO VVLGARIS.

℞ Limaturæ Chalybis q.v. ab omni immũditie per magnetem depuratæ, deinde lauetur aquâ dulci, & protinùs exiccetur, deinde irroretur aceto vini fortissimo, sæpiùs vndiquaq; inuertendo, exponatur, & exiccetur in vmbra bis terue inspergendo nouum acetum, sicq; stet per dies triginta, posteà teratur in puluerem tenuissimum, & seruetur vsui.

In Chalybe qui præparatur ad ignem cum Sulphure, obseruandum est, vt nisi sapor Vitriolatus remaneat in Chalybe per vstionem, vini aperiendi amiserit, & sit inutilis.

CORALLIORVM ET LAPIDVM PRETIOSORVM PRÆPARATIO.

Corallia & Lapides pretiosi, eodem modo præparentur, quo Margaritæ, folio sequente.

CORIANDORVM PRÆPARATIO.

Coriandorum semina acri Aceto horis viginti quatuor macerentur, deinde siccata recondantur. Eodem modo præparentur semina Cymini.

ELATERII PRÆPARATIO.

℞ Cucumerum agrestium iã penè maturorũ q. v. scindantur supino cultro, & succus leuissimè primoribus digitis exprimatur, & trajiciatur per sataceum tenuissimum, deinde resideat dum crassiorem deposuerit partem, tunc tenuior supernatans effundatur per inclinationem in aliud vas terreum mundum vitreatum: & linteo coopertum. Soli exponatur dum exaruerit, & seruetur ad vsum.

RADIC. ESVLÆ PRÆPARATIO.

Cortices Esulæ benè mundatos infunde per triduum in Aceto vini acerrimo, deinde exiccentur, & seruentur vsui.

Eodem modo præparantur

Folia Lauriolæ,
Mezerei.
Fructus Thymeleæ, i. grani Gnidij.

EVPHORBII PRÆPARATIO.

EVphorbium ſubtiliſſimè pulueriſatum in lapide, cum ſ.q. Olei Amygdalarum dulcium, inſtar Collyrij fricatur, & atteritur; Maſſa poſtmodùm pomo Cydonio excauato, vel Citrio inditur, paſtâque panis obuoluitur, & ſic in clibano coquitur. Euphorbium ſic præparatum vaſe vitreo benè obturato reconditur.

GERSÆ SEV CERVSSÆ SERPENTARIÆ FACIENDÆ MODVS.

℞ RAdicum Ari primo Vere, antequã in folia abeunt, collectarum quantum vis: abluantur & mundentur ab exteriore cortice, deinde in mortario lapideo contundantur, & ſuccus prælo extrahatur, qui linteo tectus Sole exiccetur, poſteâque aquâ Roſaceâ lauetur, rurſuſq; ſiccetur, & reponatur.

HELLEBORI NIGRI PRÆPARATIO.

RAdices Hellebori nigri, prout apud nos habentur, demptâ lignea medullâ, triduo macerentur in ſucco Cydoniorũ, moderato calore, poſteà benè exiccatæ reponantur.

SANGVINIS HIRCINI PRÆPARATIO.

HIrcum mediocris ætatis domi alito per menſem, illi exhibendo Pimpinellã, Apium, Petroſelinum, Maluam, Leuiſticum, & ſimilia; deinde ſanguinem eius, qui ex arteriis apertis fluxerit excipito, & concreſcere ſinito, aqueum ichorem effunde, grumos verò ſanguinis in furno exicca. Mactandus autem eſt Hircus ſub finem æſtatis, circa dies Caniculares.

HIRVNDINVM VSTIO, AVG.

PVlli Hirundinũ ità iugulentur, vt ſanguis ſuper alas defluat: hi modico trito Sale aſpergantur, ac in nouo fictili vitreato probè obturato vrantur, cinis

cinis reſeruetur ad vſum.

Eodem modo comburuntur Erinacei, Bufones, Ranæ, ſed ſine Sale.

LACCÆ PRÆPARATIO.

℞ LAccæ immũdæ (alioquin fruſtraneum eſſet opus, quod ſincerũ eſt lauare) parùm fractæ, non in puluerem redactæ, quantum vis, decoquatur in aqua, cui Ariſtolochia & Schœnanthos, ana p. æ. incocta; donec purior pars ſupernatet, ſordeſque in fundo ſubſederint; purior illa pars auferatur, & in Sole tecta, vel vaporario exiccetur, & ſic reſeruetur ad vſum.

LAPIDIS LAZVLI PRÆPARATIO.

LApis Lazuli minutiſſimè confractus aquæ injiciatur, ſæpiùs agitando, deinde vbi ſubſederit, aqua effundatur; idq; toties repetatur, donec aqua pura maneat. Illud vero obſeruandum, quòd hæc præparatio ad pilulas ſatis ſit commoda; ſin verò ad Confectionem Alkermes adhibeant, vſtione præparari debet.

LVMBRICORVM PRÆPARATIO.

LVmbrici fiſſi & mundati q.v. Vino toties lauentur, donec omnem impuritatem depoſuerint; deinde ſiccentur, & reponantur.

MARGARITARVM PRÆPARATIO VVLGARIS.

MArgaritæ in mortario ex Chalybe, vel ex ferro fuſo, comminuantur, & in pollinem tenuiſſimum redigantur, tantillo interim aquæ Roſaceæ affuſo, ne partes ſubtiliores auolent, & ita ſecuriùs conſeruantur, ne earum virtus exhalatione abſumatur.

MILLEPEDVM PRÆPARATIO.

℞ MIllepedum q. v. abluito diligenter Vino albo generoſo, mox in ollam conjicito nouam vitreatam, ac poſteà in furno exiccentur, vt poſſint in puluerem redigi.

OESIPVM PACIENDI MODVS.

LAnæ ſuccidæ, hoc eſt, nondum purgatæ, quæ ex collo, coxis, & alis ouium defatigatarũ fuerit detonſa, affundatur aqua feruens pluries, & lauetur diligenter quouſque omnem pinguedinem in aquam depoſuerit. Poſteà expreſſa lana ſeponatur, & aqua illa pinguis & ſordida ex vaſculo in aliud diutiſſimè ex alto fundatur, & refundatur, donec ſpumoſa fiat, actum ſpuma ſinatur ſubſidere & colligatur aquæ innatans pinguedo, iterumque aqua vt priùs refundatur, donec ſpumet, ac innatans pinguedo auferatur, quod tam diù fiat donec non ampliùs appareat ſpuma, & nulla ſuper aquam cõcreſcat pinguedo. Tum collectam pinguedinem cum ſpuma in aqua purâ manu ſubigendo laua, ſordeſque immixtas, ſæpiùs immutando aquam, aufer, donec aqua pura effluat, & pinguedo linguæ admota non mordeat, deinde reponatur in fictili denſo, & mundo, in loco frigido.

PLVMBVM ELOTVM.

DIOSCORID. l. 5. c. 95.

AQuâ in plumbeũ mortariũ iniecta, piſtillo plumbeo laboriosè agitetur, dum nigreſcat, & limi modo craſſeſcat lutulenta. Linteolo dein coletur, aquâ ſuperaffusâ, vt quicquid diſſolutum incernatur. Id repete, dum ſit ſatis. Lotum vbi ſubſederit, effusâ priore aqua, & affusâ nouâ lauetur vt Cadmeia, nigrities dum extet nulla. Demùm in paſtillos efformatum reponatur. Modos ex illo alios non addimus, quòd iſto hodiè vtantur alij, (Norimbergenſes.)

PLVMBVM VSTVM,

DIOSCOR. l. 5. c. 96.

TEnuiſſimas in Plumbi laminas, recente ſtratas fictili, Sulphur inſpergito; & laminis adiectis aliis, ſed interiecto nouo Sulphure, & rurſum aliis, donec vas impleatur, ignem ſuccendito. Flagrante Plumbo, rude ferrea verſato, prorſus in cinerem dum redigatur; & Plumbi vſtum nihil adhæſerit. Occluſis demùm naribus eximito, ne Sulphuris aut Plumbi halitus ſit noxius. Hinc vt Ceruſſam elue. Ibidem, & aliter, præſcribit idem; ſed hic, quî vrunt hac ætate.

PLVM-

PLVMBI CRVDI PVLVIS. *FERN.*

meth. 6. c. 16. f.

PLumbum in tenuissimas ducatur laminas: hæ concidantur minutissimè, acerrimo aceto immergantur per triduũ, aceto indies mutato, macerentur: exemptæ, & citrà vstionem igne siccatæ, terantur in mortario laboriosè: in puluerem sic tenuissimum læuissimumq; redigantur, puluis vsui reseruetur.

PVLMONVM VVLPIS PRÆPARATIO.

PVlmones Vulpis recentes, exemptâ priùs asperâ arteriâ, vino albo cui Hyssopus & Scabiosa priùs incoctæ, diligenter laua, deinde furno temperatè calido sicca, ità tamen vt non comburantur, postea reponatur inuoluti Absinthio, Marrubio, vel Hyssopo siccis.

SIMPLEX PRÆPARATIO SCAMMONII.

℞ SCammonij, electi, lactescentis, in puluerem redacti libram vnam.
Succi Cydoniorum vncias octo.
Commiscentur, & post macerationem viginti quatuor horarum, lento calore humiditas euaporetur, residuum seruetur ad vsum. 2ª.

Vel Puluis Scammonij imponi solet in Cydonia excauata, quæ posteà pasta circumlinuntur, & in furno, vel sub cineribus assantur ℔. a. & posteà eximatur Scammonium, & seruetur ad vsum.

SCAMMONII 3ª.

℞ SCammonij puluerizati vncias quatuor.
Imponantur in phialam vitream, addendo Succi Cydoniorum depurati tantum, vt supernatet tribus digitis vel quatuor. Stet in Balneo calido, donec lactescat: separetur liquor per inclinationem, & repetatur succus alias acties donec ampliùs non lactescit. Sinatur hic liquor residere, ponatur residentia in fictile vitreatum, & stet in Sole vel stupha.

SCILLÆ PRÆPARATIO AD TROCHISCOS.

Non multùm absimile pag. 121. col. 2.

℞ SCillam magnam recentem abiectis eius exterioribus

aridis tunicis, inuolue paſtæ panis & aſſato eam in furno cum panibus, donec panes percocti fuerint. Hinc è furno exime Scillam, & ſigillatim omnes tunicas detrahe, & funiculo traiectas (vt ſe inuicem tunicæ non contingant) in calido loco exiccato, ſeruatoque; abjiciatur verò medium Scillæ cor, vnde germen enaſci ſolet. Illud etiam obſeruandam eſt, Scillam non eſſe incidendum ferreo cultro, ſed ligneo, oſſeo, aut eburneo; nam contrahit à ferreo venenoſam quandam rubiginem. Ad Acetum & Vinum rectiùs præparetur, laminas ſeparando, & exiccando in vmbra.

TEREBINTHINÆ COQVENDÆ MODVS.

℞ Terebinthinæ Venetæ libram vnam: cui affundatur aquæ ſatis magna quantitas, (ſcilicet libræ viginti quatuor,) in qua tam diù coquatur, donec odorem amittat, inſpiſſetur, indureſcat, & Reſinæ modo friabilis fiat, vitri modo diſſiliat, & albida inter coquendum agitando euadat.

TVTIÆ PRÆPARATIO.

TVtia Arabũ, ſeu Græcorum Cadmia ter ſaltem in crucibulo candefacta, aquâ Roſarum toties extincta, demùm læuigata, linteo mundo incluſa, in vaſe aquâ limpidâ pleno, huc illuc ducatur & agitetur, vt eius tenuior & vtilior pars in aquam effluat; impurior & craſſior in linteo remaneat: reſidere permittatur, & aqua effundatur, atque aliâ denuò affusâ, idem opus repetatur, donec in linteo nihil vtile remaneat, &c.

INDEX

INDEX COMPOSITORVM.

A.

Acaciæ Subſtitut.	47
Acetum Anthoſatum.	16
Acetum Calendulatum.	16
Acetum Caryophyllatum Tunicæ.	16
Acetum Diſtallatum.	16
Acetum Roſaceum *Meſ.*	16
Acetum Saluiatum.	16
Acetum Sambucinum *Meſ.*	16
Acetum Scilliticum *Meſ.*	16
Acetum Theriacale *Norimb.*	17
Acetum Theriacale.	17
Æris Vſtio.	197
Agaricus Trochiſcatus.	118
Aloe Roſata.	197
Aloen abluendi modus.	197
Antidotum Hæmagogon *Rom.*	77
Antidotus Analeptica *Fern.*	72
Antidotus magna Matthioli.	80
Antimonij Vitrum.	192
Antiſpodij Præparatio.	197
Aquæ Simpliciores.	1,2,3
Aqua Abſinthij Compoſita.	4
Aqua Aluminis Magiſtralis *Fal.*	14
Aqua Angelicæ magis compoſita.	4
Aqua Antepileptica Langij.	9
Aqua Bezoartica breuis Langij.	5
Aqua Bezoartica Matthioli.	5
Aqua Caponis.	6
Aqua Cinnamomi.	6
Aqua Cinnamomi Clareta.	6
Aqua Cinnamomi Matthioli.	6
Aqua Cœleſtis Matthioli.	7
Aqua Compoſita.	13
Aqua Cordialis.	8
Aqua Cordialis Frigida Saxoniæ.	8
Aqua Fortis.	186
Aqua Hyſterica cum Extracto.	9
Aqua Imperialis.	9
Aqua Mariæ.	10
Aqua Meliſſæ magis compoſita.	10
Aqua Mellis.	186
Aqua Mirabilis.	10
Aqua Protheriacalis.	12
Aqua Roris Solis vulgò Roſa Solis.	11
Aqua Doctoris *Stephani.*	11
Aqua Theriacalis Lugdunenſis.	12
Aqua Theriacalis Stillatitia.	12
Aqua Vitæ.	13
Aqua Vſquebach.	14
Aromaticum Caryophyllatum.	56
Aromaticum Roſatum.	56
Athanaſia Mithridatis è *Galeno.*	73

B.

Balſamum Magiſtrale Florent.	134
Benedicta Laxatiua.	87
Boli Armeni Præparatio.	198
Bryoniæ Fæcula.	198
Butyrum Maiale.	198

C.

Calcis viuę ablutio.	198
Cancrorum fluuiatilium Vſtio.	198
Caryocoſtinum. *Bayr. è Gal.*	87
Caſſia extracta pro Clyſteribus *Aug.*	87
Caſſia extracta cum folijs Sennæ.	89
Caſſia extracta ſine folijs Sennæ.	88
Caules Condîtæ.	51
Ceratum Ammoniacum.	178
Ceratum de Galbano.	178
Ceratum Oeſipatum. *Gal.*	178
Ceratum Santalinum.	178
Ceratum Stomachicum.	179
Chalybis limaturæ præparatio.	199
Chalybs præparatus per Inſolationem.	187
Chalybs præparatus per Vſtionem.	187
Condita.	951
Confectio Alkermes.	72
Confectio Hamech *Meſ.*	92
Confectio Humain. *Meſ.*	76
Confectio de Hyacintho.	76
Confectio Liberans.	66
Confectio de Thure.	55
Conſeruæ Florum.	53
Conſeruæ & Sacchara.	53
Coralliorum Pręparatio.	199
Coriandrorum Præparatio.	199
Cornu Ceruini Vſtio.	199
Cortices conditi.	51
Cremor ſiue Sal Tartari.	187
Crocomagma *Damocratis.*	113
Crocus Martis.	187
Crocus Metallorum.	188
Cymini Præparatio.	199

D.

Decoctum Carminatiuum.	18
Decoctum commune pro Clyſtere.	18
Decoctum commune pro Medicina.	18
Decoctum Epithymi *Meſ.*	19
Decoctum Florum & Fructuum.	19
Decoctum Pectorale.	19
Decoctum Sennæ *Gerronis.*	20
Diacalaminthes compoſ. *Fern.*	58
Diacalaminthes ſimplex *Gal.*	58
Diacapparis Gilberti.	74
Diacarthamum ſeu Diacnicum Arnoldi.	89
Diacaryon ſeu Dianucum Galeni.	42

INDEX.

Diacaſſia cum Manna. 88
Diacatholicon, Nicolai. 90
Diachylon Compoſitum. 165
Diachylon Ireatum. 164
Diachylon Magnum, Meſ. 164
Diachylon Magnum cum Gummi. 165
Diachylon ſimplex, Meſ. 164
Diacinnamomu. 74
Diacodium Galeni. 42
Diacodium Solidum ſiue Tabulatum. 54
Diacodium. 28
Diacorallion vſuale Colon. 74
Diacorum Meſ. 74
Diacrocuma ſiue Species Elect. de Croco. 91
Diacynodium Galeni cum ſpeciebus. 75
Diacydonium Londinenſe Compoſ. 75
Diacydonium ſimplex. 75
Diacyminum Nicolai. 59
Diagalanga, Meſ. 59
Diaireos Salomonis, Nic. 77
Diaireos Simplex, Nic. 61
Dialacca Meſ. 61
Diamargaritôn calidon, Auicen. 61
Diamargaritôn frigidum, Nicol. 62
Diambra Meſ. 62
Diamoron Nicolai. 42
Diamoſchu amarum, Meſ. 63
Diamoſchu dulce, Meſ. 63
Dianiſum, Meſ. 59
Dianthon, Nicolai. 63
Diapalma ſeu Diachalciteos. 165
Diapenidion, Nicol. 64
Diaphœnicon calidum, Meſ. 166
Diaphœnicon frigidum, Meſ. 166
Diaphœnicon, Meſ. iuxta Fern. 89
Diaprunum Simplex, Nicol. 90
Diaprunum Solutiuum. 90
Diarhodon Abbatis. 64
Diaſatyrion, Nicolai. 78
Diaſatyrion magis gratum. 78
Diaſcordium, Fracaſtorij. 82
Diatragacanthum frigidum, Nic. 65
Diatrion Pipereon, Galeni. 65
Diatrion Santalon, Nicolai. 65
Diaturbith cum Rhabarbaro. 71
Diaturbith maius ſine Rhabarbaro. 70
Dioſpoliticum. 64

E.

Eboris Vſtio in Antiſpodium. 197
Eclegma Scilliticum, Meſ. 50
Elaterij Præparatio. 199
Electuarium amarum magiſtrale. 88
Elect. amarum minus. 88
Elect. de Baccis Lauri. 73
Elect. de Citro Solutiuum. 91
Elect. Diaſpermatôn. 79
Elect. Eleſcoph, Meſ. 91
Elect. Indum minus. 92
Elect. Lenitiuum. 93
Elect. de Ouo Maxim. 84
Elect. Paſſulatum. 93
Elect. Pectorale. 79
Elect. Reginæ Colon. 94
Elect. Reſumptiuum. 72
Elect. è Succo Roſarum. 93
Emplaſtrum Album Coctum de Ceruſca. 159
Emplaſt. ex Ammoniaco. 159
Emplaſt. de Baccis Lauri. 160
Emplaſt. Barbarum magnum. 160
Emplaſt. de Betonica. 160
Emplaſt. Cephalicum. 163
Emplaſt. Cæſaris. 161
Emplaſt. Ceroma ſeu Ceroneum. 163
Emplaſt. Catagmaticum, Vigonis. 161
Emplaſt. Catagmaticum, Renod. 162
Emplaſt. ex Cicuta cum Ammoniaco. 163
Emplaſt. de Cruſta Panis. 164
Emplaſt. è Cymino. 164
Emplaſt. Diuinum, Nicol. 167
Emplaſt. Flos Vnguentorum. 173
Emplaſt. Gratia Dei. 167
Emplaſt. Griſeum de Lapide Calaminari. 168
Emplaſt. de Gummi Elemi. 167
Emplaſt. ad Herniam, Fernel. 168
Emplaſt. Hyſtericum. 169
Emplaſt. de Ianua. 169
Emplaſt. Iſis Epigoni. 171
Emplaſt. de Maſtiche, Nic. Alex. 171
Emplaſt. de Maſtiche, Renod. 169
Emplaſt. Μητροκεφαλικον. 172
Emplaſt. de Meliloto. 170
Emplaſt. de Minio compoſ. 170
Emplaſt. de Minio ſimp. Lond. 171
Emplaſt. Neruinum, Vigonis. 173
Emplaſt. Nigrum, Aug. Stichpflaſter. 172
Emplaſt. Oxycroceum, Vig. 174
Emplaſt. Oxycroceum, Nic. 173
Emplaſt. de Ranis, Vigonis. 174
Emplaſt. Sanctum Andr. à Cruce. 175
Emplaſt. ſine Pari Anonymi. 176
Emplaſt. Στυφανικον. 175
Emplaſt. Stomachicum. 177
Emplaſt. Stomachicum Magiſt. 177
Eſulæ Radicis Præparatio. 199
Euphorbij Præparatio. 200
Extracta conficiendi ratio. 193
Extractum Antepilepticum. 9
Extractum Hyſtericum. 9
Extractum Theriacale. 13

F.

Ferri Scoria Electuarium. 75
Flores condîti. 51

Florum

INDEX.

E

Florum Conſeruę. 53
Flores Sulphuris. 188
Flos Vnguentorum. 179
Fructus conditi. 51

G.

Gallia Moſchata, Meſ. 111
Gerſę Serpentarię conficiendę modus. 200

H.

Hęmoptoici Paſtilli. 117
Hedychroon Androm. 111
Hellebori nigri Pręparatio. 200
Hiera cum Agarico. 98
Hiera Logadij. 94
Hiera Pachij, Nicol. Alex. 95
Hiera Picra ſimplex. 94
Hircini Sanguinis Pręparatio. 200
Hirundinum Vſtio. 200
Hyſtericum Emplaſtrum. 169

I.

Iulapium Alexandrinum. 25
Iulepum Roſatum. 25
Iulepum Violatum, Meſ. 25

L.

Laccę Pręparatio. 201
Lac Virgineum. 20
Lapidis Lazuli Præparatio. 201
Lapis Infernalis Septicus. 188
Lapis Prunellæ. 189
Laudanum. 106
Lætificans Galeno adſcriptus. 66
Linimentum Arcei. 139
Linimentum ſimplex Placent. 143
Lithontribon Nic. 67
Liquor Tartari. 186
Lohoch è Caulibus. 48
Lohoch de Papauere, Meſ. 48
Lohoch è Paſſulis, Aug. 48
Lohoch è Pino, Meſ. 49
Lohoch è Pulmone Vulpis. 49
Lohoch Sanum & expertum. 49
Lumbricorum pręparatio. 201

M.

Magiſterium Perlarum & Coralliorum & inde Sales. 189
Manus Chriſti ad Lumbricos. 54
Manus Chriſti ſimplex & Perlata. 54
Margaritarum Præparatio. 201
Mel Anacardinum Azarauij. 45
Mel Anthoſatum, Meſ. 42
Mel Emblicarum, Aug. 45
Mel è Mercuriali. 42
Mel Paſſularum, Nic. 42
Mel Roſarum Nicolai. 43
Mel Roſarum commune. 43
Mel Roſarum ſolutiuum. 43
Mel Violarum. 43

Z

Mercurius Dulcis. 189
Mercurius Dulcis ſecundus. 109
Mercurius Vitæ. 190
Micleta Nic. 79
Millepedum Præparatio. 201
Mithridatium Damocratis. 82
Mina Cydoniorum, Meſ. 47

N.

Nepenthes Opiatum. 192
Nutritum ſeu Crudum. 143

O.

Oeſypum faciendi modus. 202
Oleum Abſinthij Chym. 180
Oleum Abſinthites. 128
Oleum Amygdalarum amararum. 125
Oleum Amygdalarum dulcium. 125
Oleum Anethinum. 128
Oleum Sem. Anethi Chym. 180
Oleum Antimonij. 184
Oleum Aparicij Benedictum. 131
Olea ex Aromatibus. 181
Oleum Arſenici. 184
Oleum Auellanarum. 125
Oleum Balſami. 183
Oleum ex Baccis Iuniperi. 181
Oleum de Capparibus. 181
Oleum de Caſtoreo. 128
Oleum de Caſtoreo Iac. de Manlijs. 132
Oleum Ceræ Chymicum. 182
Oleum Chamæmelinum. 128
Oleum Cheirinum. 128
Oleum Cinnamomi Chym. 181
Olea ex Corticibus. 181
Oleum Coſtinum, Meſ. 132
Oleum Crocinum, Meſ. 132
Oleum Cydoniorum. 128
Oleum Enulatum. 128
Oleum Euphorbij. 128
Oleum de Euphorbio compoſ. 132
Oleum Exceſtrenſe vulgò Exceter. 133
Oleum Formicarum, Nic. 128
Oleum ex Guaiaco Chym. 182
Oleum Hirundinum. 133
Oleum Hyperici. 129
Oleum Hyperici compoſ. 134
Oleum Iaſminum. 129
Oleum Irinum. 129
Oleum Irinum compoſ. 134
Oleum Latericium Philoſop. 183
Oleum Laurinum, Meſ. 127
Oleum ex Lignis. 182
Oleum Chymic. ex ligno Saſſafras. 182
Oleum Liguſtrinum. 183
Oleum Liliorum alborum. 183
Oleum Lumbricorum. 129
Oleum Maioranæ compoſ. 135

Oleum

INDEX.

Oleum Mandragoræ, Nicolai. 135
Oleum Maſtichinum. 129
Oleum Menthæ. 129
Oleum Moſchelinum. 135
Oleum Myrrhæ Chym. 182
Oleum Myrrhæ. 130
Oleum Myrtillorum. 129
Oleum Narciſſinum. 130
Oleum Nardinum, Meſ. 136
Oleum Sardinum Simplex. 130
Oleum Nenupharinum. 130
Oleum Nicodemi. Fallop. 136
Oleum Nicotianæ. 136
Oleum ex Nucleis. 126
Oleum Oliuarum commune. 127
Oleum Oliuarum Omphacinum. 127
Oleum Papaueris. 130
Oleum de Piperibus, Meſ. 137
Oleum Populneum, Nic. 137
Oleum Roſatum Completum. 128
Oleum Roſaceum Omphacinum. 127
Oleum Rutaceum Simplex. 130
Oleum Sabinæ. 130
Oleum Salis. 184
Oleum Sambucinum. 129
Oleum Scorpionum ſimplex. 130
Oleum ex Seminibus. 126
Oleum Sicyonum. 130
Oleum Solani. 131
Oleum de Styrace. 131
Oleum Succini. 185
Oleum Sulphuris. 185
Oleum Tartari. 185
Oleum Terebinthinæ. 182
Oleum Thuris. 183
Oleum Verbenaceum. 131
Oleum Violaceum. 131
Oleum ex vitellis Ouorum. 127
Oleum Vitrioli. 186
Oleum Vulpinum, Meſ. 137
Oxicroceum Vigonis. 174
Oxymel compoſ. Meſ. 43
Oxymel Elleboratum, Geſn. 44
Oxymel Iulianizans. 44
Oxymel Scilliticum Damocratis. 45
Oxymel Scilliticum ſimplex. 45
Oxymel Simplex, Meſ. 43
Oxyſaccharum Simplex, Nic. 25

P.

Paſtilli Andronis, Galen. 113
Penidia. 54
Philonium Perſicum, Meſ. 83
Philonium Romanum, Nicol. 84
Pilulæ de Agarico. 100
Pilulæ Aggregatiuæ ſiue Polychreſtæ. 100
Pilulæ Alephanginæ. 97
Pilulæ de Aloe Lota. 98
Pilulæ Arabicæ, Nic. 100
Pilulæ Arthriticę. 101
Pilulę Aſſaiereth, Auicennę. 98
Pilulę Aureę. 101
Pilulę de Bdellio, Meſ. 98
Pilulę Cochiæ, Rhaſis. 101
Pilulę Chochię cum Helleb. 101
Pilulę de Cynogloſſo. 106
Pilulę ex Eſula. 105
Pilulę ex Eupatorio, Meſ. 98
Pilulę ex Euphorbio, Meſ. 105
Pilulę Fœtidę maiores. 102
Pilulę de Fumaria, Auicen. 102
Pilulę de Hermodactylis mai. 102
Pilulę de Hiera cum Agarico. 98
Pilulę Imperiales, Fern. 98
Pilulę Indæ, Meſ. ex Haly. 102
Pilulę de Lapide Lazuli. 103
Pilulę Lucis Maiores, Meſ. 103
Pilulę Maſtichinæ, Fernel. 99
Pilulę Mechoacanæ, Renod. 104
Pilule de Opopanace, Meſ. 105
Pilulę Peſtilentialis, Ruffi. 99
Pilulę de Rhabarbaro. 99
Pilulę Rudij. 104
Pilulę Scribonij. 106
Pilulę ſine quibus eſſe nolo. 104
Pilulę Stomachicæ, Meſ. 99
Pilulę è Styrace, Meſ. 106
Pilulę de Succino. 99
Pilulę ex Tribus, Fern. 100
Pilulę Turpeti Aureę. 105
Pleres Archonticon. 68
Plumbi crudi puluis, Fern. 203
Plumbum Elotum. 202
Plumbum Vſtum. 202
Pomatum ſeu Seuum Confectum. 144
Poſca. 44
Potio Vulneraria. 21
Pulmonum Vulpis Pręparatio. 203
Pulpę Conditę. 52
Puluis Cardiacus, Fern. 57
Puluis Cardiacus maior. Fernel. 57
Puluis ad Contuſos ex caſu. 57
Puluis Haly. 65
Puluis ad Hemorrhagiam. 69
Puluis ad Lumbricos. 71
Puluis Palmarij. 68
Puluis pręſeruat. à Peſte, Montag. 69
Puluis Saxonicus. 68
Puluis ad Scabiem. 70
Puluis Radulphi Holland. 70
Puluis Sanctus. 70
Puluis Sennę. 70

Radices

INDEX.

R

Radices Conditæ. 52
Requies Nicolai. 85
Rob ſiue Sapa ſimpliciter. 46
Rob de Berberis. 46
Rob de Cornis. 46
Rob de Cydoniorum. 46
Rob Prunorum acidorum. 46
Rob de Ribes. 47
Roſata Nouella. 69
Rotulæ Pectorales. 108

S

Saccharum Roſatum. 55
Saccharum Saturni. 190
Salium conficiendorum modus. 195
Sal Coralliorum. 189
Sal Fixus ſiue Elementalis. 196
Sal Perlarum. 189
Sal Vitrioli. 191
Sal Volatilis ſiue Eſſentialis. 195
Sanguinis Hirci præparatio. 200
Sapæ. 46
Scammonij Præparatio. 203
Scillæ præp. ad Trochiſcos. 203
Semina Condita. 54
Sief de Plumbo, Meſ. 117
Sief de Thure, Rhaſis. 118
Sparadrapum, ſeu Tela Galteri. 175
Species cordiales temperatæ. 58
Spec. Elect. de Gemmis calidi. 60
Spec. Elect. de Gemmis frigidi. 60
Spiritus Caſtorei. 13
Stictícum Paracelſi. 176
Succus Prunellorum. 47
Succus Glycyrrhizæ. 47
Syrupus de Abſinthio, Meſ. 30
Syrup. Acetoſus compoſitus. 32
Syrup. Acetoſus ſimplex, Meſ. 32
Syrup. Acetoſus ſimplex Londin. 32
Syrup. Acetoſitatis Citri. 33
Syrup. de Althæa, Fernel. 30
Syrup. de Artemiſia, Mat. de Grad. 31
Syrup. Auguſtanus, vel de Rhabarbaro Auguſtanorum. 32
Syrup. de Betonica compoſitus. 23
Syrup. de Betonica ſimplex. 23
Syrup. Bizantinus compoſitus. 24
Syrup. Bizantinus ſimplex. 24
Syrup. Capillorum Veneris, Meſ. 25
Syrup. Cardiacus, vel Iulepi. 41
Syrup. de Cichorio cum Rhabarbaro. 32
Syrup. de Cinnamomo. 26
Syrup. è Corallijs compoſitus. 26
Syrup. è Corallijs ſimplex. 26
Syrup. de Corticibus Citri, Meſ. 27
Syrup. Cydoniorum. 24
Syrup. Diaſereos Andernaci. 33
Syrup. de Epithymo, Meſ. 34
Syrup. de Eupatorio, Meſ. 34
Syrup. ex Floribus Perſicorum. 29
Syrup. Florum Nymphææ compoſitus. 27
Syrup. Florum Nymphææ ſimplex. 27
Syrup. de Fumaria compoſitus, Fern. 24
Syrup. è Glycyrrhiza. 35
Syrup. de Hyſſopo, Meſ. 35
Syrup. Infuſionis flor. Caryophyllorum. 27
Syrup. ex Iua Arthritica. 36
Syrup. Iuiubinus, Meſ. 35
Syrup. Magiſtralis ad Melancholiam. 36
Syrup. de Meconio, Meſ. 29
Syrup. Meliſſophylli. 37
Syrup. de Mentha maior. 37
Syrup. Myrtinus, Nicolai. 38
Syrup. è Papauere. 28
Syrup. de Papauere compoſitus. 28
Syrup. de Papauere Erratico. 28
Syrup. de Pomis Fern. 38
Syrup. de Pomis Regis Saporis. 38
Syrup. de Portulaca, Meſ. 25
Syrup. de Praſio, Fernel. 39
Syrup. de Quinque Radicibus. 40
Syrup. Raphani, Fern. 39
Syrup. Roſaceus ſolutiuus, Meſ. 29
Syrup. Roſaceus ſolutiuus cum Agarico. 29
Syrup. Roſac. ſolut. Helleboratus. 29
Syrup. Roſac. ſolut. ſine Helleboro. 32
Syrup. de Roſis ſiccis, Meſ. 29
Syrup. Scabioſæ compoſ. Magiſtralis. 40
Syrup. de Scolopendrio, Fern. 40
Syrup. de Stœchade, Meſ. 41
Syrup. de Symphyto. 31
Syrup. de Tuſſilagine compoſitus. 25
Syrup. Violarum. 30
Syrup. è Succo Violarum. 30

T.

Tapſimel. 157
Tapſualentia Ioh. Ardern. 156
Tartarum Vitriolatum. 192
Terebinthinæ coquencæ modus. 204
Theriaca Andromachi. 85
Theriaca Diateſſaron. 80
Theriaca Londinenſis. 87
Trochiſci de Abſinthio, Meſ. 107
Trochiſci de Agarico. 118
Trochiſci albi, Rhaſis. 116
Trochiſci Alexiterij, Renod. 107
Trochiſci Alhandal, Meſ. 118
Trochiſci Aliptæ Moſchatæ. 107
Trochiſci Alkekengi. 116
Trochiſci de Auiſo, Meſ. 108
Trochiſci Bechici albi, vel Rotulæ pectorales. 108

INDEX.

K

Trochiſci Bechici nigri Rhaſis. 108
Trochiſci de Berberis, Meſ. 108
Trochiſci de Camphora, Meſ. 109
Trochiſci de Capparibus, Meſ. 109
Trochiſci de Carabe, Meſ. 107
Trochiſci Cypheos, Damocratis. 109
Trochiſci Diacoralliu. 117
Trochiſci Diarhodon, Meſ. 110
Trochiſci Diaſpermaton. 117
Trochiſci de Eupatorio, Meſ. 110
Trochiſci de Gallia Moſchata. 110
Trochiſci Gordonij. 110
Trochiſci Hedychroi, Androm. 111
Trochiſci Hyſterici, Renod. 111
Trochiſci de Lacca, Meſ. 112
Trochiſci de Ligno Aloes, Meſ. 113
Trochiſci Muſæ, Galen. 113
Trochiſci è Myrrha Rhaſis. 112
Trochiſci Polyidæ, Sphragis. 113
Trochiſci Ramich, Meſ. 114
Trochiſci de Rhabarbaro, Meſ. 118
Trochiſci de Roſis, Meſ. 114
Trochiſci de Santalis maiores. 115
Trochiſci de Scilla, Galeni. 114
Trochiſci de Spodio, Meſ. 115
Trochiſci è Succino. 118
Trochiſci de Terra Lemnia. 112
Trochiſci è Violis ſolutiu. 119
Trochiſci de Vipera. 115
Trochiſci Viticis, ſiue Agni Caſti. 116
Tryphera minor, Meſ. 95
Tryphera Solutiua, Renod. 96
Turbith, minerale. 191
Tutiæ Præparatio. 204

V.

Valentia Scabioſa Ioh. Ardern. 155
Vinum Abſinthites. 15
Vinum Anthoſatum. 15
Vinum Scilliticum. 15
Vnguentum Adſtringens. 145
Vng. Ægyptiacum, Meſ. 139
Vng. Agrippæ, Nicolai. 146
Vng. de Alabaſtro. 146
Vng. Album, Rhaſis. 139

A

Vng. Anodynum ex Cordo. 139
Vng. Apoſtolorum. 146
Vng. è ſuccis Aperitiuis primum Fœſij. 147
ſecundum Fœſij. 148
Vng. Aregon, Nicolai. 147
Vng. de Artanita maius. 148
Vng. Aureum, Meſ. 140
Vng. Baſilicon maius. 140
Vng. Baſilicon minus. 140
Vng. ex Bdellio, Meſ. 140
Vng. de Calce Fœſij. 141
Vng. Catapſoras. 149
Vng. Citrinum, ſeu Citrium. 149
Vng. Comitiſſæ Varign. 150
Vng. Dialthææ compoſ. 141
Vng. Dialthææ ſimplex. 141
Vng. Diapompholygos Nuhili. 142
Vng. Enulatum. 141
Vng. ad Hemorrhoidas, Nor. 150
Vng. Hemorrhoidale Saxon. 151
Vng. Laurinum vulgare. 151
Vng. ad Lumbricos. 157
Vng. Martiatum. 151
Vng. de Minio. 142
Vng. Mundificatiuum ex Apio. 152
Vng. Neapolitanum. 152
Vng. Neruinum. 153
Vng. Nicotianæ. 143
Vng. Ophthalmicum, Renod. 147
Vng. Pectorale, Nicolai. 153
Vng. è Plumbo. 144
Vng. Populneum, Nicolai. 153
Vng. Potabile ex Fœf. 144
Vng. Refrigerans, Gal. 142
Vng. Reſinum. 153
Vng. Reſumptiuum. 154
Vng. Roſatum, Meſ. 145
Vng. Rubrum Deſiccat. 145
Vng. ad pruritum Scabioſorum. 144
Vng. Splenicum. 154
Vng. Splenicum Magiſtrale. 155
Vng. Stomachicum, Norimb. 157
Vng. Tutiæ vulgare. 145

The Printer to the Reader.

READER, may it pleaſe thee to take notice, that this being the fourth Edition of this Worke, and is now freed from all errors (formerly committed either by the Tranſcriber or Printer) by the great labor, paines, care, and induſtry of that Honourable Society (the Authors of this Worke) and by them (intending onely publike good) diligently and truly corrected and amended, as alſo newly amplified, enlarged, and adorned with ſuch additions as vnto them ſeemed moſt needfull.

No faults haue eſcaped in this Impreſſion (except literall) and ſo not worthy of an Errata. Errors are more ancient then Printing, and therefore I expect them to paſſe the Reader without wonder, as they ſhall doe me without apologie. Thus much I thought needfull to aduertiſe thee of, and to acquaint thee with the laſt and laſt Edition, printed the 8. of April. 1632. Thy friend, I. M.

FINIS.

Interna viscera potiss. lien et hepar corroborantia. T. 91 / 61 / 64
Flatus ventris discutientia T. 91
melancholiam purgat T. 90
In vehementissimo dolore intestinorum et summa conculcatione et indolentiam cferre [illegible] Phylonium Romanus dosis ʒ ij vel ʒ iij cum hauptu vini — N. 44.
non solum anodinum sed etiam confortativum, vim interiorum viscerum laudanum est opiatum Paracelsi. quod et repentes dicitur doris ex quo gr. iiij, v, vj ad x operationem vitrium. sic Gerl. 10. sect. 5. pag. 175. — E 66 / Z. 192
In sedandis doloribus mira prestantem vitas compositionem videas apud eundem Goelis. ubi supra. in eadem pag. 475.

Diagrydij vnciam vnam ſemis.
Fiat Electuarium ſ.a.

DIAPRVNVM SIMPLEX, RECTIVS LENITIVVM, *NICOL.*

℞ Pruna Damaſcena recentia & matura numero centum.
Coquantur in ſ.q. aquæ donec tabeſcant. Pulpa per cribrum trajiciatur & reſeruetur. In percolato iure incoque clementiùs.
Florũ Violarum vnciam vnã,
& incolatura diſſolue,
Sacchari libras duas, &
Coque in Syrupum; deinde adde Pulpæ prædictæ & per ſe inſpiſſatæ, libram vnam,
Medullæ Caſſiæ,
Tamarindorum, ana vnciam vnam.
Tũ permiſce pulueres ſequentes,
Santali Albi,
Rubri,
Spodij,
Rhabarbari, ana drachmas tres.
Roſarum,
Violarum,
Sem. Portulacæ,
Scariolæ,
Berberis,
Tragacanthæ,
Glycyrrhizæ,
Cinnamomi, ana drachmas duas.
Semin. quatuor frigidorum maiorum, ana drachmam vnam.
Fiat Electuarium ſecundùm artem.

DIAPRVNVM SOLVTIVVM, *NICOLAI.*

℞ Diapruni Lenitiui adhuc recentis & calidi libras quatuor.
Scammonij præparati vncias duas & drachmas quinque.
Miſce, fiat Electuarium ſecundùm artem.
Cum in hoc medicamento Scammonij doſis ſit aucta ſecundùm authorem, minori pondere exhiberi poterit.

DIACATHOLICON, *NICOLAI.*

℞ Pulpæ Caſſiæ,
Tamarindorum,
Folior. Sennæ, ana vncias duas.
Polypodij,
Violarum,
Rhabarbari,
Sem. Aniſi,
Penidiorum,
Sacchari candi, ana vnciam vnam.
Glycyrrhizæ raſæ,
Sem. Cucurbitæ,
Citruli,
Cucumeris,
Melonum, ana drachmas duas.
Conterenda conterantur, & ſume

Poly-

Polypodij recentis vncias tres.
Sem. Fœniculi drach. ſex.
Fiat decoctio in libris quatuor aquæ pluuialis vel communis ad tertiæ partis conſumptionem, colentur & colaturæ adde
Sacchari optimi libras duas.
Coquantur iterùm cum pulpis Caſſiæ & Tamarindorum, & in fine additis reliquis puluerizatis, fiat Electuarium ſ. a.

DIACROCVMA SIVE SPECIES ELECTVARII DE CROCO.

MES.

℞ Croci,
Radic. Aſari,
ſemin. Petroſelini,
Dauci,
Aniſi,
Apij, an. vnciã dimidiã.
Rhabarbari,
Radic. Mei,
Spicæ Indicæ, ana drachmas ſex.
Caſiæ ligneæ veræ,
Coſti,
Myrrhæ,
Schœnanthûs,
Cubebarum,
Radic. Rubiæ,
Succ. Abſinthij, &
Agerati, inſpiſſatorum,
Opobalſami, ſeu Olei Nucis Moſchatæ, an. drach. duas.
Cinnamomi.
Calami Aromatici, an. drach. vnam.
Scordij,
Ceterach,
Succi Glycyrrhizæ, an. drach. duas ſemis.
Tragacanthi drachm. vnam.
Fiat Electuarium cum octuplo Sacchari albi in aquâ Endiuiæ ſoluti & clarificati ſ. a.

ELECTVARIVM DE CITRO SOLVTIVVM.

℞ Corticis Citri conditi,
Conſeruæ florum Violarum,
Bugloſſi,
Pulueris Diatragacanthi frigidi,
Diagrydij, an. vnciam dimidiam.
Turpeti drachm. quinque.
Zingiberis drach. dimidiam.
Folior. Sennæ drach. ſex.
Sem. Fœniculi dulcis drachm. vnam.
Sacchari albiſſimi in aqua roſarum ſoluti, & ex arte cocti vncias decem.
Fiat Electuarium ſolidum ſecundùm artem.

ELECTVARIVM ELESCOPH.

MES.

℞ Scammonij,
Turpeti optimi, an. drach. ſex.

Cary-

Caryophyllorum,
Cinnamomi,
Zingiberis,
Myrobalanorum Emblicarum,
Nucis Moſchatæ,
Polypodii, ana drachmas duas ſemis.
Sacchari vncias ſex.
Mellis deſpumati vncias decem.

Miſce, fiat Electuarium ſecundùm artem.

CONFECTIO HAMECH, *FERNELII.*

℞ Corticis Myrobalanorum citrinarum vncias duas.
Myrobalan. Chebularum,
Nigrarum.
Violarum,
Colocynthidos.
Polypodii quercini, an. vnciam vnam ſemis.
Abſinthii,
Thymi, an. vnciam dimidiam.
Sem. Aniſi,
Fœniculi,
Flor. Roſarum rubrarum, ana drachmas tres.

Tuſa omnia macerentur per diem in ſeri lactis libris duabus, deinde coquantur ad libram vnã, fricentur manibus, & exprimantur, Colatis adde

Succi Fumariæ,
Pulpæ prunorum, &
Vuarum paſſularũ, ana libram dimidiam.
Sacchari albi,
Mellis deſpumati, ana libram vnam.

Coquantur ad Mellis craſſitiem, inſpergendo ſub finem,

Agarici trochiſcati,
Sennæ, trirotum, ana vncias duas.
Rhabarbari triti vnciam vnam ſemis.
Epythymi vnciam vnciam.
Diagrydij drach. ſex.
Cinnamomi vnciam dimidiã.
Zingiberis drachmas duas.
Sem. Fumariæ,
Aniſi,
Spicæ Nardi, ana drachmam vnam.

Fiat Electuarium ſ. a.

ELECTVARIVM INDVM MINVS, *MES.*

℞ Turpeti,
Sacchari, an. drachmas centum.
Macis,
Piperis,
Zingiberis,
Caryophyllorum,
Cinnamomi,
Cardamomi,
Nucis Moſchatæ, ana drachmas ſeptem.
Cinnamomi præparati drachm. duodecim.

Miſce cum Mellis deſpumati triplo, ad reliqua præter Saccharum, fiat

fiat Electuarium ſ. a.

ELECTVARIVM LENITIVVM.

℞ Paſſularum enucleatarum.
Polypodij quercini,
Sennæ Orientalis ℥, ana vncias duas.
Mercurialis manipul. vnum ſemis.
Iuiubarum,
Sebeſten, ana numero viginti.
Capillorum Veneris,
Violarum,
Hordei mundi, ana manipul. vnum.
Prunorum Damaſcenorum enucleatorum,
Tamarindorum, ana drachm. ſex.
Glycyrrhizæ vnciam dimidiã.
Coquantur ſ. a. colentur, in colatura diſſolue
Pulpæ Caſſiæ fiſtularis,
Tamarindorum,
Prunorum recentium,
Sacchari violati, ana vncias ſex.
Sacchari optimi libras duas.
Vltimò adde pulueris Sennæ vnciam vnam ſemis, pro qualibet libra Electuarij.
Sicque in formam redigantur ſ. a.

ELECTVARIVM PASSVLATVM.

℞ Polypodij quercini vncias tres.
Foliorum Sennæ,
Radic. Althææ recentium, ana vncias duas.
Sem. Aniſi drachmas duas.
Omnia infundantur in aqua fontana q. ſ. in vaſe vitreato, & coquantur ſ. a. deinde fiat expreſſio,
Colaturæ adde,
Pulpæ paſſularum per ſetaceum tranſmiſſarum libram dimidiam.
Sacchari albi,
Mannæ, ana vncias quatuor.
Coquantur rurſus ad Cydoniati craſſitudinem, quater in anno renouetur.

ELECTVARIVM Ex SVCCO ROSARVM, *NICOL. MYREPS.*

℞ Sacchari,
Succi Roſarum rubrarum, ana libram vnam & vncias quatuor.
Trium Santalorum, an. drach. ſex.
Spodij drachmas tres.
Diagrydij drachmas duodecim.
Camphoræ ſcrupulum vnum.
fiat Electuarium ſ. a.
Succus cum Saccharo coquatur ad iuſtam conſiſtentiam, dein addantur tritæ ſpecies.

ELEC.

ELECTVARIVM REGINÆ COLONIENS.

℞ Sem. Saxifragiæ,
Milij Solis,
Suc. Glycyrrhizæ, ana ſemunciam.
Sem. Carui,
Aniſi,
Apij,
Fœniculi,
Petroſelini Macedonici,
Geniſtæ,
Dauci,
Ruſci,
Aſparagi,
Leuiſtici,
Cymini,
Iuniperi,
Rutæ,
Sileris montani,
Radic. Acori veri,
Pulegij,
Pentaphylli,
Bacc. Lauri, ana drach. duas.
Spicæ Indicæ,
Schœnanthûs,
Peucedani,
Valerianæ,
Carabes,
Lap. Lyncis, ana ſeſquidrachmam.
Galangæ,
Zingiberis,
Turpeti, ana drachmas duas.
Sennæ Alex. vnciam vnam.
Sanguinis Hirci præparati ſemunciam.

Miſce: fiat Puluis; inde Electuarium ſecundùm artem, cum ſacchari in vino albo ſoluti triplo.

HIERA PICRA SIMPLEX, *GALENI.*

℞ Cinnamomi,
Xylobalſami, ſeu Ligni Aloes,
Aſari,
Spicæ Nardi,
Maſtiches,
Croci, ana drachmas ſex.
Aloes (non lotæ) vncias duodecim ſemis.
Mellis deſpumati libr. quatuor & vncias tres.

Miſce, fiat Electuarium, ſ. a.

Species etiam per ſe reſeruantur in officinis.

HIERA CVM AGARICO.

℞ Specierum Hieræ ſimplicis ſine Aloe,
Agarici trochiſcati, ana vnciam dimidiam.
Aloes non lotæ, vnciam vnam.
Mellis deſpumati vncias ſex.

Miſce, fiat Electuarium ſ. a.

HIERA LOGADII, *NIC. MYREPS.*

℞ Pulpæ Colocynthidos.
Polypodij, ana drachmas duas.
Euphorbij,
Polij montani,

Sem.

Sem. Thymelææ, ana drachmam vnam semis & grana sex.
Absinthij,
Myrrhæ, ana drachmam vnam & grana duodecim.
Centaurij minoris,
Agarici,
Gum. Ammoniaci,
Folij, seu Macis,
Spicæ Nardi,
Scillæ præparatæ,
Diagrydij, ana drachmã vnam.
Aloes,
Comarum Thymi,
Chamædryos,
Casiæ ligneæ,
Bdellij,
Marrubij, ana scrupulum vnũ & grana quatuordecim.
Cinnamomi,
Opopanacis,
Castorei,
Aristolochiæ longæ,
Trium Piperum,
Croci,
Sagapeni,
Petroselini, ana drachmam semis.
Hellebori nigri, & albi, ana grana sex.
Mellis despumati libram vnã semis.
Misce, fiat Electuarium, s. a.
Species etiam per se reseruantur in officinis.

HIERA PACHII, Seu DIACOLOCYNTHIDOS,
NICOL. ALEX.

℞ Colocynthidos,
Agarici,
Chamædryos,
Marrubij,
Stœchados, ana drach. decem.
Opopanacis,
Sagapeni,
Sem. Petroselini,
Rad. Aristolochiæ rotundæ,
Piperis albi, an. drachmas quinque.
Spicæ Nardi,
Cinnamomi,
Myrrhæ,
Folij,
Croci, ana drachmas quatuor.
Gũmi trita mortario, cribrata cætera, excipiantur Mellis despumati libris tribus, vnciis tribus, & drachmis quinque, vt fiat Electuarium s. a.

TRYPHERA MINOR,
FOENON. MES.

℞ Myrobal. { Chebularum, Belliricarum, Indarum, Emblicarum,
Nucis Moschatæ, ana drachmas quinque.
Sem. Nasturtij,

Rad. Aſari,
Origani Perſici, ſeu Cretici Dictamni,
Piperis nigri,
Olibani,
Ammeos,
Zingiberis,
Tamariſci ſatiuæ,
Nardi Indicæ,
Schœnanthûs,
Cyperi rad. ana ſemunciam.
Limaturæ Chalybis præparati drachmas viginti,

Myrobalani aſſentur modicùm butyro non ſalito: pulueriſata reliqua amygdalino dulci oleo inuoluantur: demùm adjicito

Moſchi electi drachmam vnam.
Mellis deſpumati triplex pondus.

Fiat Electuarium debitâ conſiſtentiâ, ſecundùm artem.

TRYPHERA SOLVTIVA, *RENODAEI.*

℞ Diagrydij drachmas decem.
Turpeti optimi ſeſquiuncium.
Cardamomi minoris,
Caryophyllorum,
Cinnamomi,
Macis, ana drachmas tres.
Santali citrini,
Glycyrrhizæ raſæ,
Sem. Fœniculi dulcis, ana ſemAcori, (vnciam.
Schœnanthûs, ana drachmam.
Cortic. Citri conditi,
Roſarum, ana drachmas tres.
Violarum drachmas duas.
Penidiorum vncias quatuor.
Sacchari tabarzet ſelibram.
Mellis albiſſimi in ſucco Pomorum bene deſpumati libram vnam.

Fiat Electuarium ſ. a.

PILVLÆ

PILVLÆ.

PILVLÆ ALEPHANGINÆ SIVE AROMATICÆ, *MES. iuxtà RENOD.*

℞ Cinnamomi,
Caryophyllorum,
Cardamomi,
Nucis Moſchatæ,
Macis,
Calami Aromatici,
Carpobalſami, aut ſem. Angelicæ,
Schœnanthûs,
Ligni Aloes,
Santali Citrini,
Roſarum rubrarum,
Abſinthij ſicci, ana vnciam dimidiam.

Hæc craſſiuſculè trita, macerentur per horas duodecim in aquæ libris quatuor: Deinde igne lento bulliant ad tertiæ partis abſumptionem, In colatura nutriatur

Aloes libra vna.

Tum abſumptâ aqueâ humiditate ſuper cineres calidos, aut in hypocauſto, adde

Myrrhæ,
Maſtiches, ana vnciam dimidiam.
Croci drachmas duas.
Syrupi de Abſinthio q.ſ.

fiat Maſſa ſ. a.

ALOE ROSATA, *Hier. Fabr. ab Aquap.*

℞ Aloes Succotrinæ lucid. puluer iz. vncias quatuor.
Succi Roſarum Damaſc. depurati libram vnam.

Miſce, digere ad Solem vel in Balneo, dum exhalauerit omnis humiditas: id quater repetatur, paribus euaporatione, formâ, doſi. Maſſa in pyxidem repoſita, in pilulas ſit reducenda.

PILVLÆ DE ALOE, LOTA.

℞ Aloes lotæ cum ſucco Roſarum pallidarum vnciam vnam.
Agarici Trochiſcati drachmas tres.
Maſtiches drachmas duas.
Specierum Diamoſchi dulcis drachmam dimidiam.
Syrupi è roſis pallidis q. ſ.
fiat Maſſa ſ. a.

PILVLÆ ASSAIRETH, *AVICEN.*

℞ Specierum Hieræ picræ Galeni vnciam vnam.
Aloes vncias duas.
Maſtiches,
Myrobalanorum Citrinarum, ana vnciam dimidiam.
Cum Syrupo de Stœchade q. ſ.
Miſce, fiat Maſſa ſ. a.

PILVLÆ DE BDELLIO, *MES.*

℞ Bdellij drachmas decem.
Myrobalan. { Belliricarum, Emblicarum, Nigrarum, ana drach. quinque.
Scoriæ ferri,
Sem. Porri, ana drachmas tres.
Conchulæ (Veneris) aduſtæ,
Corallij vſti,
Charabes, ana ſeſquidrachmã.
Margaritarum ſemunciam.
Infunde Bdellium in ſucco Porri.
Fiant Pilulæ, ſ. a. Cum Syrupo è ſucco Porri.

PILVLÆ DE EVPATORIO, *MES.*

℞ Myrobalanorum Citrinarum,
Succi Eupatorij, i. Agerati, Abſinthij, ana drachmas tres.
Rhabarbari drachmas tres ſemis.
Maſtiches drachmam vnam.
Croci, drachmam dimidiam.
Aloes optimæ drachmas quinque.
Syrupi è ſucco Endiuiæ q. ſ.
fiat Maſſa ſ. a.

PILVLÆ DE HIERA CVM AGARICO EX *AVGVST. MES.*

℞ Specierum Hieræ Picræ Galeni,
Agarici Trochiſcati, ana vnciam dimidiam.
Aloes optimæ vnciam vnam.
Mellis roſati q. ſ.
fingantur in Maſſam ſ. a.

PILVLÆ IMPERIALES, *FERNELII.*

℞ Aloes optimæ vncias duas.

Rha-

Rhabarbari electi vnciam vnã ſemis.
Agarici trochiſcati,
Folior. Sennæ mundatorum, ana vnciam vnam.
Cinnamomi drachmas tres.
Zingiberis drachmas duas.
Nucis Moſchatæ,
Caryophyllorum,
Spicæ Nardi,
Maſtiches, ana drachmã vnam.
Cum Syrupo Violato ſubacta cogantur in Maſſam ſ.a.

PILVLÆ MASTICHINÆ, *FERNELII.*

℞ Maſtiches vncias duas.
Aloes vncias quatuor.
Agarici trochiſcati,
Puluueris Hieræ ſimplicis, ana vnciam vnam ſemis.
Cum vino Maluatico cogantur in Maſſam ſ.a.

PILVLÆ PESTILENTIALES. *RVFFI.*

℞ Aloes optimæ vncias duas.
Myrrhæ electæ,
Croci, ana vnciam vnam.
Excipiantur Syrupo ex ſucco Limonum. fiat Maſſa ſ.a.

PILVLÆ STOMACHICÆ, *MES.*

℞ Aloes drachmas ſex.
Maſtiches,
Roſarum rubrarum, ana drachmas duas.
Cum Syrupo Abſinthij cogantur in Maſſam, ſ.a.

PILVLÆ DE SVCCINO, *ANDREAE AVRIFABRI,*

℞ Succini albi,
Maſtiches, ana drachmas duas.
Aloes drachmas quinque.
Agarici drachmam vnam ſemis.
Ariſtolochiæ longæ drach. ſemis.
Syrupi ex Abſinthio q. ſ.
Fiat Maſſa ſ.a.

PILVLÆ DE RHABARBARO, *MES.*

℞ Rhabarbari electi drachmas tres.
Myrobal. Citrinarum,
Trochiſc. Diarhodon, an. drach. tres ſemi.
Succi Glycyrrhizæ,
Abſinthij,
Maſtiches, ana drachmam vnam.
Sem. Fœniculi,
Apij, ana ſemidrachmam.
Spec. Hieræ picræ ſimpl. Galeni drach. decem.
Excipe ſucco Fœniculi non depurato, & Melle q. ſ.
Fiat Maſſa.

PILVLÆ EX TRIBVS, *FERNELII.*

℞ Maſtiches vncias duas.
Aloes vncias quatuor,
Agarici trochiſcati,
Pulueris Hieræ ſimplicis, ana vnciam vnam ſemis.
Rhabarbari electi vncias duas.
Cinnamomi vnciam dimidiam.
Cum Syrupo ē Cichorio fiat Maſſa ſ. a.

PILVLÆ DE AGARICO, *MES.*

℞ Agarici drachmas tres.
Radic. Ireos,
Maſtiches,
Marrhubij, ana drachmam vnam.
Turpeti drachmas quinque.
Specierum Hieræ Picræ Galeni vnciam dimidiam.
Colocynthidos,
Sarcocollæ, ana drachm. duas.
Myrrhæ drachmam vnam.
Sapæ q. ſ.
Fiat Maſſa ſ. a.

PILVLÆ AGGREGATIVÆ SIVE POLYCHRESTÆ, *MES.*

℞ Myrobalanorum Citrinarum,
Rhabarbari optimi, ana vnciā dimidiam.
Succ. Eupatorij, i. Agerati, & Abſinthij inſpiſſatorum, ana drachmas duas.
Diagrydij drachmas quinque.
Myrobal. {Chebularum, Indarum,
Agarici,
Colocynthidos,
Polypodij, ana drachmas duas.
Turpeti optimi,
Aloes, ana drachmas ſex.
Maſtiches,
Roſarum,
Salis gemmei,
Epithymi,
Aniſi,
Zingiberis, ana drachm. vnā.
Cum Syrupo Roſarum pallidarum q. ſ. fiat Maſſa ſ. a.

PILVLÆ ARABICÆ *NICOLAI.*

℞ Aloes optimæ vncias quatuor.
Radic. Bryoniæ,
Myrobal. {Citrinarum, Chebularum, Indarum, Belliricarum, Emblicarum,
Maſtiches,
Diagrydij,
Aſari,
Roſarum, ana vnciam vnam.
Caſtorei drachmas tres.
Croci drachmam vnam.
Cum Syrupo Abſinthij, fiat Maſſa ſecundùm

secundùm artem.

PILVLÆ ARTHRITICÆ, NICOLAI.

℞ Hermodactylorum,
Turpeti,
Agarici, ana vnciam dimidiam.
Casiæ ligneæ,
Spicæ Indicæ,
Caryophyllorum,
Xylobalsami, vel ligni Aloes,
Carpobalsami, vel Cubebarũ,
Macis,
Galangæ,
Zingiberis,
Mastiches,
Asæ fœtidæ,
Sem. Anisi,
Fœniculi,
Saxifragiæ,
Asparagi,
Rusci,
Rosarum,
Milij Solis,
Salis gemmei, ana drachmas duas.
Scammonij vnciam vnam.
Aloes optimæ ad pondus omnium,
Succi ex lua Arthritica inspissati cum Sacchari q. s. vel Syrupi ex succo eiusdem q. s. fiat Massa.

PILVLÆ AVREÆ, NICOLAI.

℞ Aloes,
Diagrydij, ana drachmas quinque.
Rosarum rubrarum,
Sem. Apij, ana drachmas duas semis.
Fœniculi,
Anisi, ana drachmam vnam semis.
Mastiches,
Croci,
Trochiscorum Alhandal, ana drachmam vnam.
Trita excipiantur Mellis Rosacei colati q. s. fiat Massa secundùm artem.

PILVLÆ COCHIÆ, RHASIS.

℞ Specierum Hieræ Picræ Galeni drachmas decem.
Pulpæ Colocynthidos drachmas tres, & scrupulum vnum,
Diagrydij drachm. duas semis.
Turpeti,
Stœchados, ana drachm. quinque.
Syrupi de Stœchade q. s. fiat Massa s. a.

PILVLÆ COCHIÆ, CVM HELLEBORO.

℞ Species Pilularum Cochiarum,
Pul. Cort. Rad. Hellebori nigri vnciam vnam.
Cum Syrupo de Stœchade fiat Massa s. a.

PILVLÆ FOETIDÆ MAIORES, *MES.*

℞ Sagapeni,
Ammoniaci,
Opopanacis,
Bdellij,
Colocynthidos,
Sem. Rutæ agreſtis, vel ſiccæ hortenſ.
Aloes,
Epithymi, ana drach. quinque.
Turpeti vnciam dimidiam.
Scammonij drachmas tres.
Eſulæ præparatæ,
Hermodactylorum, ana drachmas duas.
Zingiberis drachmam vnam ſemis.
Cinnamomi,
Spicæ Indicæ,
Croci,
Caſtorei, an. drachmam vnam.
Euphorbij ſcrupulos duos.
Dilue gummi ſucco Porri, & finge Maſſam cum Syrupo facto è ſucco Porri & Saccharo ſ.a.

PILVLÆ DE FVMARIA, *AVICEN.*

℞ Myrobal. { Citrinarum, Chebularum, Indarum,
Diagrydij, ana drachmas quinque.
Aloes drachmas ſeptem.
Trita omnia ter imbuantur ſucco Fumariæ, terque ſiccari ſinantur, ac demùm cogantur in maſſam cum ſyrupo de Fumaria ſ.a.

PILVLÆ DE HERMODAC. TYLIS MAIORES, *MES.*

℞ Sagapeni drachmas ſex.
Opopanacis drachmas tres.
Liquentur in ſucco Braſſicæ calefacto q. ſ. & idoneo linteo tranſmittantur, deinde parum coquantur, Tum
℞ Hermodactylorum,
Aloes,
Myrobalanorum Citrinarum,
Turpeti,
Colocynthidos,
Bdellij mollis, ana drachmas ſex.
Caſtorei,
Sarcocollæ,
Euphorbij,
Sem. Rutæ ſylueſtris vel ſatiuæ,
Apij, ana drachmas tres.
Croci drachmam vnam ſemis.
Cum Syrupo è ſucco Caulium facto cum Melle fiat Maſſa ſ. a.

PILVLÆ INDÆ, *MES. ex HALY.*

℞ Myrobalanorum Indarum,
Ellebori nigri,
Polypodij, ana drachmas quinque.

Epi-

Epithymi,
Stœchados, ana drachmas ſex.
Agarici,
Lapidis Lazuli ſæpius loti,
Troch. Alhandal.
Salis Indi, ana vnciam dimidiam.
Succi Eupatorij, i. Agerati inſpiſſati,
Spicæ Indicæ, ana drachmas duas.
Caryophyllorum drachmam vnam.
Specierum Hieræ picræ ſimpl. Galeni drachm. duodecim.
Cum Syrupo è Succo Apij fiat Maſſa ſ. a.

PILVLÆ DE LAPIDE LAZVLI, MES.

℞ Lapidis Lazuli ſæpiùs loti drachmas quinque.
Epithymi,
Polypodij,
Agarici, ana vnciam vnam.
Scammonij,
Hellebori nigri,
Salis Indi, ana drachmas duas ſemis.
Caryophyllorum,
Sem. Aniſi, ana vnciam dimidiam.
Hieræ picræ drachmas quindecim.
Cum Syrupo è ſucco Cichorij, fiat Maſſa ſ. a.

PILVLÆ LVCIS MAIORES, MES.

℞ Roſarum,
Violarum,
Abſinthij,
Colocynthidos,
Turpeti,
Cubebarum,
Calami Aromatici,
Nucis Moſchatæ,
Spicæ Indicæ,
Epithymi,
Carpobalſami, vel cardamomi,
Xylobalſami, vel Ligni Aloes,
Sem. Seſeleos,
Rutæ,
Aniſi,
Fœniculi,
Apij,
Schœnanthûs,
Maſtiches,
Radic. Aſari,
Caryophyllorum,
Cinnamomi,
Caſiæ ligneæ,
Croci,
Macis, ana drachmas duas.
Myrobal. Citrinarum, Chebularum, Indarum, Belliricarum, Emblicarum,
Rhabarbari, ana vnciam dimidiam.
Agarici,
Sennæ, ana drachmas quinque.

Euphra-

Euphragiæ drachmas ſex.

Aloes Succotrinæ ad pondus omnium; confice cum Syrupo de ſucco Fœniculi, ſ. a.

PILVLÆ MECHOACANÆ, *RENODAEI.*

℞ Mechoacanæ vnciam dimidiã.
Turpeti drachmas tres.
Folior. Thymelææ in aceto maceratorũ & ſiccatorum.
Semin. Ebuli,
Agarici trochiſcati, ana drachmas duas.
Radic. Eſulæ præparatæ,
Maſtiches, ana drachmam vnam ſemis.
Macis,
Cinnamomi,
Salis gemmei, ana ſcrupulos duos.

Fiat omnium puluis; & cum Syrupo facto cum Saccharo & ſucco radicum Iridis fiat Maſſa pro Pilulis ſecundùm artem.

PILVLÆ RVDII.

℞ Colocynthidis drachmas ſex.
Agarici optimi,
Diagrydij,
Elebori nigri,
Turpeti, ana drachm. quatuor.
Aloes ſucco Citrini, vnciam vnam.
Specier. Diarhodon.
Abbatis vnciam ſemis.

Contundantur omnia (exceptis ſpecieb. Diarhod. Abbatis) craſſo modo, & infundantur ad Solem in aqua vitæ opt. per octo dies, ita vt aqua vitæ ſuperemineat octo digit: Deinde infundantur quoq; ſpecies Diarhod. Abbat. in aqua vitæ ſimili modo per quatuor dies, & facta colatura atque expreſſione forti, vtriuſq; miſceantur illæ colaturæ, & (ferè abiecta) ponatur liquor in Alembicum vitreum, vt ſeparata (per diſtillationem) humiditate, remaneat materia denſa, vti mel ex quâ Pilulæ.

PILVLÆ SINE QVIBVS ESSE NOLO, *NICOLAI.*

℞ Aloes lotæ drachmas quatuordecim.
Myrobal. { Citrinarum, Chebularum, Belliricarum, Emblicarum, Indarum,
Rhabarbari,
Maſtiches,
Abſinthij,
Roſarum rubrarum,
Violarum,
Sennæ,
Agarici,
Caſſuthæ, ana drachmã vnam.
Diagrydii drachmas ſex ſemis.

Cum Syrupo ex ſucco Fœniculi facto

fer. gr: 9 in 3.1.

cto cum Melle, fiat Massa secundùm artem.

PILVLÆ EX ESVLA, *FERNELII.*

℞ Cortic. Radic. Esulæ minoris maceratæ horis viginti quatuor in aceto & succo Portulacæ, drachmas duas.
Grana Ricini expurgata, torrefacta, numero quadraginta.
Myrobalanorum citrinarum sesquidrachmam.
Chamædryos,
Chamæpityos,
Spicæ Nardi,
Cinnamomi, ana scrup. duos.
Trita tenuissimè excipiatur vnciâ vna Tragacanthæ aquâ Rosarum solutæ, Addito syr. Rosarum q. s. vt cogantur in massam s.a.

PILVLÆ EX EVPHORBIO, *MES.*

℞ Euphorbij,
Colocinthydos,
Agarici,
Bdellij,
Sagapeni, ana drach. duas.
Aloes drachmas quinque.
Cum Syrupo ex Succo Porri fiat massa s. a.

PILVLÆ DE OPOPANACE, *MES.*

℞ Opopanacis,
Hermodactylorum,
Sagapeni,
Bdellij,
Ammoniaci,
Colocynthidos, ana drachmas quinque.
Croci,
Castorei,
Myrrhæ,
Zingiberis,
Piperis nigri,
longi,
Casiæ ligneæ,
Myrobal. Citrinarum,
Belliricarum,
Emblicarum, ana drachmam vnam.
Scammonij drachmas duas.
Turpeti semunciam.
Aloes drachmas duodecim.
Infusis lachrymis in aqua Cauliũ, formetur massa s. a. cum Syrupo ex Succo Caulium.

PILVLÆ TVRPETI AVREÆ, *MES.*

℞ Turpeti gummosi drachmas sedecim.
Aloes sesquiunciam.
Myrobalanorum citrinarum drachmas decem.
Rosarum rubrarum,
Mastiches, ana drachmas sex.
Croci drachmas tres.
E puluerizatis cum Syrupo Absinthij q. s. fiat massa.

PILV-

PILVLÆ DE CYNOGLOSSO, FERNELII.

℞ Myrrhæ drachmas ſex.
Thuris maſculi drachm. quinque.
Opij,
Sem. Hioſcyami,
Radic. Cynoglòſſi aridarum, ana vnciam dimidiam.
Croci,
Caſtorei, ana drachmam vnam ſemis.

Cum Syrupo ex Stœchade fiat Maſſa ſecundùm artem.

LAVDANVM.

℞ Opij Thebaici extracti in ſpiritu Vini vnciam vnam.
Croci ſimiliter extracti drachmam vnam ſemis.
Caſtorei drachmam vnam.
Excipiãtur tinctură ſemivnciæ ſpecierum Diambræ recentium in ſpiritu vini factâ.
Addendo (ex gratia) Ambræ griſeæ & Moſchi, ana grana ſex.
Olei Nucis Moſchatæ guttas decem.

Tum euaporatione factâ ad balnei calorem tepidum fiat Maſſa.

PILVLÆ SCRIBONII.

℞ Sagapeni,
Myrrhæ, ana drachmas duas.
Opij,
Cardamomi,
Caſtorei, ana vnciam dimidiam.
Piperis albi drachmam dimidiam.
Sapæ quantum ſufficit.

Fiat Maſſa ſecundùm artem.

PILVLÆ è STYRACE, MES.

℞ Styrăcis liquidæ,
Thuris,
Myrrhæ,
Succi Glycyrrhizæ,
Opij, ana partes æquales:

Miſce, fiat maſſa pro pilulis cum ſufficienti quantitate Syrupi de Papauere ſecundùm artem.

TROCHIS-

TROCHISCI.

TROCHISCI DE ABSINTHIO, *MES.*

℞ Roſarum rubrarum,
Abſinthij Pontici,
Aniſi, ana drachmas duas,
Rhabarbari,
Succi Eupatorij, i. Agerati,
Aſari,
Sem. Apij,
Amygdalarum amararum.
Spicæ Nardi Indicæ,
Maſtiches,
Folii, vel Macis, ana drachmam vnam.
Succi Cichorij, q. ſ. fiant Trochiſci ſecundùm artem.

TROCHISCI ALEXITERII, *RENODAEI.*

℞ Radic. Gentianæ,
Tormentillæ,
Ireos Florentinæ,
Zedoariæ, an. drac. duas.
Cinnamomi,
Caryophyllorum,
Macis, ana drachmam dimidiam.
Zingiberis drachmam vnam.
Radic. Angelicæ drachm. tres.
Sem. Coriandri præparatorum,
Roſarum, ana drachm. vnam.
Corticis Citri ſicci drachmas duas.

Fiat omnium puluis ſubtiliſſimus & cum Succi Glycyrrhizæ vino Hippocratico parùm emolliti, & liquefacti, vnciis ſex, fiat paſta mollis, de qua formentur Trochiſci, vel potiùs Bacilli oblongi ſ. a.

TROCHISCI ALIPTÆ MOSCHATÆ, *NIC.*

℞ Labdani puriſſ. triti vncias tres.
Styracis

Styracis Calamitæ vnciam vnam ſemis.
Benzoini vnciam vnam.
Ligni Aloes drachmas duas.
Ambræ griſeæ drachmã vnam.
Camphoræ drachmam dimidiam.
Moſchi ſcrupulum dimidium.
Aquæ Roſarum q. ſ. Miſce, fiant Trochiſci, ſ. a.

TROCHISCI DE ANISO, *MES.*

℞ Aniſi,
Succi Eupatorij, i. agerati inſpiſſati, ana drachmas duas.
Sem. Anethi,
Spicæ Indicæ,
Maſtiches,
Folij, vel Macis,
Folior. Abſinthij,
Aſari,
Apij,
Amygdalarum amararum, ana drachmam dimidiam.
Aloes drachmas duas.
Succi Abſinthij q. ſ. fiant Trochiſci. ſ. a.

TROCHISCI BECHICI ALBI, VEL ROTVLÆ PECTORALES.

℞ Sacchari albiſſimi libram vnã,
Sacchari candi albi,
Penidiorum, ana vncias quatuor.
Glycyrrhizæ drachmas ſex.
Radic. Iridis Florentinæ vnciã dimidiam.
Amyli ſeſquivnciam.
Mucilaginis Tragacanthæ ex aqua Roſarum factæ, q. ſ.
Fiant Trochiſci, & additis Moſchi granis tribus, & Ambræ griſeæ granis quatuor,
poterunt formari in Rotulas, quas vulgò vocant Rotulas Pectorales.
Vel ſi viſum fuerit ſine Moſcho aut Ambra.

TROCHISCI BECHICI NIGRI, *RHASIS.*

℞ Succi Glycyrrhizæ,
Sacchari albi, ana drachmas decem.
Tragacanthi,
Amygdalarum dulc. mundat. ana drachmas ſex.
Mucilaginis Cydoniorum q. ſ.
Miſce: fiant Trochiſci, ſ. a.

TROCHISCI DE BERBERIS, *MES.*

℞ Berberorum Baccharum ſiccarum.
Succi Glycyrrhizæ,
Spodij,
Sem. Portulacæ, ana drachmas tres.
Roſarum rubrarum drach. ſex.
Spicæ Indicæ,
Croci,
Amyli,

Amyli,
Tragacanthi, ana drachmam vnam.
Sem. Citruli drachmas tres ſemis.
Camphoræ drachmam dimidiam.
Confice cum Manna ſucco Berberorum diluta ſ. a.

TROCHISCI DE CAMPHORA, *MES.*

℞ Roſarum rubrarum drachmas quatuor.
Spodij,
Glycyrrhizæ, ana drachmas duas.
Sem. quatuor frigidorum maiorum.
Tragacanthæ,
Croci,
Gummi Arabici,
Spicæ Nardi Indicæ, ana drachmam vnam.
Santali Citrini drachmas duas ſemis.
Ligni Aloes,
Cardamomi maioris,
Amyli,
Camphoræ, an. ſcrupul. duos.
Sacchari albiſſimi,
Mannæ, ana drachmas tres.
Mucilaginis Sem. Pſyllij cum aqua Roſarum factæ q. ſ. ad formandos Trochiſcos.

TROCHISCI DE CAPPARIBVS, *MES.*

℞ Corticum radicum Capparum.
Sem. Agni Caſti, ana drachmas ſex.
Gum. Ammoniaci,
Sem. Nigellæ,
Calaminthæ,
Acori,
Succi Eupatorij, i. Agerati inſpiſſati,
Amygdalarum amararum,
Folior. Rutæ,
Radic. Ariſtolochiæ rotundæ.
Sem. Naſturtij, ana drachmas duas.
Scolopendrij, id eſt, Ceterach,
Cyperi rotundi, ana drachmam vnam.
Ammoniaco in aceto acerrimo ſoluto pulueres cæteri miſceantur, & formentur Trochiſci ſ. a.

TROCHISCI CYPHEOS, *DAMOCRATIS.*

℞ Pulpæ vuarum paſſarum pinguium.
Therebinthinæ coctæ, ana vncias tres.
Myrrhæ,
Schœnanthûs, ana vnciam vnam ſemis.
Calami Aromatici drachmas nouem.
Cinnamomi vnciam dimidiam.

Vnguium Bdellij,
Spicæ Indicæ,
Caſiæ ligneæ,
Cyperi,
Baccarum Iuniperi, ana drachmas tres.
Aſpalathi, ſiue Ligni Aloes drachmas duas ſemis.
Croci drachmam vnam.
Mellis deſpumati q. ſ.
Vini optimi modicum.

Bdellium, Vinum & Myrrha mortario immittantur, benè terantur, donec redierint ad craſſitudinem liquidi Mellis; poſteà Mel addatur, cum Pulpa Paſſul. contritum, poſtremò reliqua omnia læuigata, ſicque fiant Trochiſci ſ. a. ſiccentur in vmbra.

TROCHISCI DIA-RHODON. *MES.*

℞ Folior. Roſarum rubrarum drachmas ſex,
Spicæ,
Ligni Aloes, ana drachmas duas.
Glycyrrhizæ drachmas tres.
Spodij drachmam vnam.
Croci drachmam dimidiam.
Maſtiches drachmas duas.

Cum vino albo fiant Trochiſci ſecundùm artem.

TROCHISCI DE EVPATORIO, *MES.*

℞ Mannæ,
Succi Eupatorij, i. Agerati inſpiſſati, ana vnciam vnam.
Roſarum rubrarum vnciam dimidiam.
Spodij ex Ebore drachmas tres ſemis.
Spicæ Indicæ drachmas tres.
Rhabarbari,
Aſari,
Aniſi, ana drachmas duas.

Cum aqua Cuſcutæ fiant Trochiſci.

Manna autem cum ſucco eſt ſoluenda: deinde pulueres cæteri paulatim ſucco adijciantur: in vmbra exiccati reponantur.

TROCHISCI DE GALLIA MOSCHATA, *MES.*

℞ Ligni Aloes crudi drachmas quinque.
Ambræ griſeæ drachmas tres.
Moſchi drachmam vnam.

Cum Mucilagine Tragacanthæ extracta cum ſufficienti quantitate aquæ Roſarum, fiant Trochiſci, ſiccentur in vmbra.

TROCHISCI GORDONII.

℞ Semin. 4. frigidorum, { maiorũ, minorũ, } mundatorum.

Sem.

Sem. Papaueris albi,
Maluæ,
Bombacis,
Portulacæ,
Cydoniorum,
Myrtillorum,
Gum. Tragacanthi,
Arabici,
Pinearum mundatarum,
Piſtaciarum,
Sacchari Candi,
Penidiorum,
Glycyrrhizæ mundatæ,
Hordei mundati,
Mucilaginis Pſyllij,
Amygdalarum dulcium, ana vnciam vnam.
Boli Armeni,
Sanguinis draconis,
Spodij,
Roſarum,
Myrrhæ, ana vncias duas.

Conficiantur cum Hydromelite. Fiant Trochiſci ſ. a.

TROCHISCI HEDYCHROI ANDROMACHI EX *GALENO.*

℞ Mari,
Aſari,
Amaraci,
Aſpalathi, ſiue Santali Citrini, ana drachmas duas.
Schœnanthûs,
Calami odorati,
Phu Pontici,
Xylobalſami, aut Ligni Aloes,
Opobalſami, aut olei Nucis Moſchatæ per expreſſionem,
Cinnamomi,
Coſti ana drachmas tres.
Myrrhæ,
Folij Malabathri vel Macis,
Nardi Indicæ,
Croci,
Caſiæ ligneæ, ana drachm. ſex.
Amomi, aut Cardamomi minoris, vnciam vnam ſemis.
Maſtiches drachmam vnam.
Vini Hiſpanici optimi q. ſ.

Primùm Crocus pulueriſatus in pila ſtudiosè teratur cum Vino, deinde Myrrha & Maſtiche probè trita adijciantur, dein Opobalſamum, poſtremò reliqua pulueris formâ inſpergantur, ſimulq; permiſceantur, vino ſubinde affuſo, & tenues Paſtilli formentur ſ. a. & in vmbra ſiccentur.

TROCHISCI HYSTERICI, *RENODAEI.*

℞ Aſæ fœtidæ,
Galbani, ana drachmas duas ſemis.
Myrrhæ drachmas duas.
Caſtorei drachmã vnam ſemis.
Aſari,
Ariſtolochiæ,
Sabinæ,
Matricariæ,
Nepetæ, ana drachmam vnam.
Dictamni drachmam dimidiam.

Cum ſucco aut decocto Rutæ fiant Trochiſci ſ. a.

TROCHISCI DE LACCA, *MES.*

℞ Laccæ mundatæ.
Succorum Glycyrrhizæ,
Eupatorij, (i) Agerati.
Abſinthij.
Berberorum.
Rhabarbari.
Ariſtolochiæ longæ,
Coſti,
Aſari.
Amygdalarum amararum.
Rubiæ tinctorum.
Aniſi,
Apij.
Schœnanthûs, ana drachmam vnam.

Cum decocto Ariſtolochiæ & Schœnanthûs, vel ſucco Eupatorij aut Abſinthij, fiant Trochiſci ſecundùm artem.

TROCHISCI DE TERRA LEMNIA, *MES. ſic. FERN.*

℞ Sanguinis Draconis,
Gummi Arabici aſſati,
Trochiſcorum Ramich,
Roſarum rubrarum.
Sem. Roſarum,
Amyli aſſati,
Spodij,
Acaciæ,
Hypociſtidis,
Lap. Hæmatitæ,
Balauſtiorum,
Poli Armeni,
Terræ Lemniæ,
Corallij rubri,
Succini, ana drachmas duas.
Margaritarum,
Tragacanthæ,
Sem. Papaueris nigri, an. drachmam vnam ſemis.
Sem. Portulacæ parum toſt.
Cornu Cerui vſti,
Thuris,
Nucum Cupreſſi,
Croci, ana drachmas duas.

Cum ſucco, aut aqua Plantaginis fiant Trochiſci ſ. a.

TROCHISCI è MYRRHA RHASIS.

℞ Myrrhæ drachmas tres.
Farinæ Lupinorum drachmas quinque.
Foliorum Rutæ,
Mentaſtri,
Pulegij,
Sem. Cymini,
Radic. Rubiæ,
Aſæ fœtidæ,
Sagapeni,
Opopanacis, ana drachmas duas.

Diſſoluantur gummi in aceto Scillitico, & cum ſucco Artemiſiæ fiant Trochiſci.

TRO-

TROCHISCI POLYDÆ SPHRAGIS, ANDROMACHI EX *GALENO.*

℞ Florum Mali Punici, id eſt, Balauſtiorum drachmas duodecim.
Aluminis Sciſſilis drach. tres.
Thuris.
Myrrhæ, an. vnciam dimidiam.
Chalcanthi drachmas duas.
Fellis Taurini drachmas ſex.
Aloes vnciam vnam.
Vini auſteri q. ſ. fiant Trochiſci ſecundùm artem.

PASTILLI ANDRONIS, *GALENI.*

℞ Cytinorum Balauſtior. drach. decem.
Chalcanthi drach. duodecim,
Gallæ omphacit,
Ariſtolochiæ,
Thuris, an. vnciam.
Aluminis Sciſſilis,
Myrrhæ ana ſemunciam.
Miſy, drachmas duas.
Cum vini auſteri heminis duabus fiant Trochiſci, ſ. a.

TROCHISCI MVSÆ, *GALEN.*

℞ Aluminis ſciſſi,
Aloes,
Chalcanthi,
Myrrhæ, ana drachmas ſex.
Crocomagmatis,
Croci, ana drachmas tres.
Cytinorum ſemunciam.
Vini odorati.
Mellis, ana q. ſ. vt formentur Paſtilli, ſ. a.

CROCOMAGMA DAMOCRATIS. *GALENI.*

℞ Croci drachmas centum,
Roſarum rubrarum,
Myrrhæ, ana drachmas quinquaginta,
Amyli,
Gummi, ana drachmas triginta.
Vini q. ſ. fiant Trochiſci, ſ. a.

TROCHISCI DE LIGNO ALOES, *MES.*

℞ Xyloaloes,
Roſarum rubr. ana drachmas duas.
Maſtiches,
Cinnamomi,
Caryophyllorum,
Nardi Indicæ,
Nucis Moſchatæ,
Cardamomi maioris,
minoris,
Cubebarum,
Galliæ Moſchatæ,
Paſtinacæ,
Cortic. Citri,

Macis, ana ſeſquidrachmam.
Ambræ griſeæ,
Moſchi, ana ſemiſcrupulum,
Cum Melle Paſſularum fiant Trochiſci.

TROCHISCI RAMICH, *M. E S.*

℞ Succi Acetoſæ vncias ſedecim.
Foliorum Roſarum rubrarum vnciam vnam.
Baccarum Myrti vncias duas.
ſemel teruefiant & colentur, adde colatis
Gallarum recentium accuratè tritarum vncias tres.
Coque iterum aliquantiſper, deinde inſpergatur ſequentium ſpecierum minutiſſimus & optimè commixtus Puluis.

℞ Roſarum rubrarum vnciam vnam.
Santali Citrini drachmas decem.
Gummi Arabici vnciam vnam ſemis.
Sumach,
Spodij, ana vnciam vnam.
Granorum Myrti vncias quatuor.
Ligni Aloes,
Caryophyllorum,
Macis,
Nucis Moſchatæ, ana vnciam dimidiam.
Omphacij ſeu Agreſtæ drachmas ſeptem.

Miſce omnia ſimul, & extende in ſcutella lapidea, dum exiccentur, exiccata rurſus in tenuiſſimum puluerem terantur, & formentur Trochiſci parui cum Camphoræ drachma vna, & q. ſ. aquæ Roſarum, & Trochiſcos hos aromatizant Moſchi grana quindecim.

TROCHISCI DE ROSIS, *M E S.*

℞ Roſarum rubrarum vnciam dimidiam.
Ligni Aloes drachmas duas.
Maſtiches drachmam vnam ſemis.
Abſinthij Rom.
Cinnamomi,
Nardi Indicæ,
Caſiæ ligneæ,
Schœnanthûs, ana drachmam vnam.
Vini veteris, & decocti quinque radicum aperitiuarum an. q. ſ. fiant Trochiſci ſ. a.

TROCHISCI DE SCILLA, *GALENI.*

Scillam initio Iulij collectam mediæ magnitudinis, plenam, candidam, cortice primo detracto, & parte duriore, cui radiculæ adhærent abiecta, farinâ tritici ſubactâ inuolues, & eouſque in clibano coques, donec farina probè ſic-

cata

cata sit,& ea perforata,stilo ligneo (vel potiùs festucâ) tentabis an Scilla vndique tenera sit. Eâ exemptâ, ipsam in mortario diligenter teres, cui admiscebis farinæ Erui albi, vel eius loco Ciceris rubri tenuissimè cribrati vncias octo ad singulas Scillæ libras, & formabis in Trochiscos ponderis drachmarum duarum (manibus rosaceo inunctis) & siccabis in superiore parte ædium meridiem spectante, in vmbra,sæpiùs obvertendo, donec probè siccati sint,deinde repone in vase stanneo puro,vel vitreo vitatis plumbis.

TROCHISCI DE SPODIO, *MES.*

℞ Rosarum rubrarum drachmas duodecim.
Spodij drachmas decem.
Sem. Acetosæ drachmas sex.
Portulacæ.
Coriandri in aceto maceratorũ & torrefactorum.
Pulpæ Sumach, ana drachmas duas semis.
Amyli tosti,
Balaustiorum.
Berber. ana drachmas duas.
Gummi Arabici assati drachm. vnam semis.
Agrestæ q. s. fiat Trochisci.

TROCHISCI DE SANTALIS MAIMES.

℞ Santalorum trium, ana vnciam
Sem. Cucumeris,
Cucurbitæ,
Citruli,
Portulacæ,
Spodij, ana semunciam.
Rosarum drachmas septem.
Succi Berber. drachmas sex.
Poli Armeni drachm. quatuor.
Camphoræ drach. vnam.
Cum aqua Portulacæ fiant Trochisci.

TROCHISCI DE VIPERA ANDROMACHI EX *GALENO.*

℞ Carnis Viperinæ detractâ cute, exemptis interaneis & adipe, abiectis capitibus & caudis, cum Anetho, sale pauco & aquâ coctæ vnciar octo.
Panis tritici purissimi, aut potiùs biscocti triti & cribrati vncias duas.

Formentur Trochisci, cum iure in quo decoctæ fuerint carnes Viperinæ,si opus sit liquore;& inungantur Opobalsamo vel Oleo Nucis Moschatæ per expressionẽ. Siccentur loco vmbroso libero, ventoque perflabili per dies quindecim, aut eo ampliùs, sæpe autem sunt conuertendi, donec probè

bè exiccati fuerint, deinde in pyxidem vitream, aut figlinam vitreatam, benè obturatam reponendi. Annũ integrum perseuerent, quanquam longè meliùs fuerit haud multo postquam ipsos confeceris Theriacam adornare. Qui porro diutiùs conseruare velit, subinde eos à puluisculo abstergat, qui illis obnasci consueuit, qui si diutiùs inhæreat Pastillos perforabit; hoc modo conseruari possunt integri ad tertium annum.

TROCHISCI VITICIS Siue AGNI CASTI, *RENODAEI.*

℞ Sem. Viticis, seu Agni casti,
Lactucæ,
Rosarum,
Balaustiorum, ana drachmam vnam.
Scobis Eboris,
Electri, ana drachmam vnam semis.
Boli Armeni in Aqua Centinodij loti drachmas duas.
Sem. Plãtaginis scrup. quatuor.
Sassafras scrupulos duos.
Cum Mucilagine sem. Cydoniorum in Aqua Nenupharis extracta fiant Trochisci s. a.

TROCHISCI ALBI, *RHASIS.*

℞ Cerussæ aquâ Rosarum lotæ drachmas decem.
Sarcocollæ crassioris drachmas tres.
Amyli drachmas duas.
Gum. Arabici,
Tragacanthi, ana drachmam vnam.
Caphuræ,
Opij, ana drachm. dimidiam.
Lacte excipiantur singula, & fiant Trochisci s. a.

Parari etiam possunt hi Trochisci sine Opio.

TROCHISCI ALKAKENGI, *MES.*

℞ Baccarũ Alkakengi drach. tres.
Sem. Melonum.
Cucumeris,
Citruli,
Cucurbitæ, ana drachmas tres. semis.
Gum. Arabici,
Tragacanthi,
Thuris masculi,
Sanguinis Draconis,
Pinearum,
Amygdalarum amararum,
Sem. Papaueris albi,
Amyli,
Succi Glycyrrhizæ,
Boli Armeni, ana drachm. sex.
Sem. Apij,
Hyoscyami,
Carabes,
Terræ sigillatæ,
Opij, ana drachmas duas. ser. gr.
1-5- m 3-1

Cum

Cum ſucco recentium Baccarum Halicacabi, aut decocto earundem fiant Trochiſci ſ. a.

Parantur etiam ſine Opio.

TROCHISCI DE CARABE, MES.

℞ Carabes drachmas ſex.
Cornu Cerui vſti,
Gum. Arabici aſſati,
Corallij rubri vſti,
Tragacanthi,
Acaciæ,
Hypociſtidos,
Balauſtiorum,
Maſtiches,
Laccæ lotæ,
Sem. Papaueris nigri aſſat. ana drachmas duas.
Thuris,
Croci,
Opij, ana drachmam vnam ſemis.

Mucilaginis Sem. Pſyllij q. ſ. formentur Trochiſci ſecundum artem. gr: circiter iij in 3ſ

TROCHISCI DIACORALLIV. GALENI.

℞ Boli Orientalis,
Corallij rubri, ana vnciam vnam.
Balauſtiorum,
Amyli,
Terræ Lemniæ, ana vnciam dimidiam.
Hypociſtidos,
Sem. Hyoſcyami,
Opij, ana drachmas duas.

Succi Plantaginis quantitatem ſufficientem: formentur Trochiſci, ſecundùm artem.

TROCHISCI DIASPERMATON, GALENI.

℞ Sem. Apii,
Ammeos, ana vnciã vnã.
Aniſi,
Fœniculi, ana vnciam dimidiam.
Opii,
Caſiæ ligneæ, ana drachmas duas.

Cum aqua pluuiali fac Paſtillos ſecundùm artem.

HÆMOPTOICI PASTILLI, GALEN.

℞ Amyli,
Balauſtiorum,
Terræ Samiæ,
Succi Hypociſtidos,
Gummi,
Croci,
Opii, ana drachmas duas,

Excipe ſucco Plantaginis, fiant Trochiſci ſ. a.

SIEF DE PLVMBO, MES.

℞ Plumbi vſti & loti,

Æris